
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





FOREWORD

To those not familiar with the Bryson Ayres service, it is important to know that our Seed Farms, Nurseries and Modern Warehouses are located just a few miles from our retail stores.

All operations of the Company are under the personal supervision of Bryson Ayres, who is nationally known as one of the most successful plant breeders. Our years of experience and our constant efforts to improve our service have given us an organization second to none. We attribute our remarkable growth to our service and to the great care taken in the growing, selecting and testing of all seeds.

Over one hundred acres are devoted to Hardy Perennial Plants, Roses, Ornamental Shrubs and Fruits, and during the summer months the sight is a beautiful one. Then too, there are fields of blossoming Red Clover, Sweet Clover, Alfalfa, Alsike, and other grasses, making the farms a source of wonder and delight.

We want you to see and know our Farms and Nurseries, with their flowers and high quality seeds—visitors are always welcome, and an intelligent guide will be furnished gladly. A most cordial invitation to visit us is extended to all.

Sincerely yours,

BRYSON AYRES SEED COMPANY



"100 Acres in Flowers"


Bryson Ayres Garden Book





"Over 100 Acres in Flowers"

Cut Flowers, Shrubs, Ornamentals Flower and Vegetable Seeds Landscape Engineering Farm Seeds



Bryson Ayres New Flower Store, on Petticoat Lane, Eleventh Street at McGee.

ANNOUNCEMENT

N PETTICOAT LANE, at Eleventh and McGee, I have just opened an Uptown Store for my famous Cut Flowers, Plants, Shrubs, Ornamentals and both Flower and Vegetable Seeds.

It has long been my ambition to give Kansas City one of the finest and most complete Flower and Seed Stores in America, and it gives me great pleasure to announce to my many friends and customers the opening of the Uptown Store. Were it not for the liberal support and confidence given me by my customers and friends, I could not have attained success, and I wish to express to all my most hearty appreciation and thanks.

You are cordially invited to visit the Uptown Store. Your orders will have careful attention and you are assured at all times of Quality and Service.

Sincerely yours,

Phone, VIctor 7591.

BRYSON AYRES.



We believe we are the foremost growers of SELECT flower seeds in the United States. Our Sunny Slope farm in Independence, Mo., and our Blue Ridge farm on Blue Ridge boulevard at 39th street in suburban Kansas City, are model flower farms. All operations are under the direct supervision of Bryson Ayres and the greatest care is taken to have all seeds absolutely true to name.

ASTERS.



ASTERS, AYRES IMPROVED AMERICAN.

The varieties below are all of American origin, and are the "cream" of the many distinct sorts originated in Amer-ica. The lover of asters should have every one of these in his collection. They represent the highest development in asters. Carefully grown from selected seed.

ASTER, Crimson Giant. The plant is vigorous, of upright, branching growth, with strong stems 18 inches long, carrying fine double bright crimson flowers 4 inches in dameter. Grows 24 inches high. Packet, 15c: ½ 02., 50c.

Rochester or Mikado. This superb variety is a branching type of the Glant Comet. The double flowers average from 3½ to 5 inches in diameter. The color is a charming shade of silvery lavender-plnk. Packet, 15c; ½ 02., 50c; 02., 81.55.

White Mikado. The large, pure white flowers measure from 4 to 5 inches across the long petals being artistically curled and twisted. The plants are of branching habit, 18 to 24 inches high. Packet, 15e; % oz., 50c.

Peerless Pink. A most satisfactory variety for either kind, bedding or cutting. The plants grow 24 to 30 inches high, of strong branching growth. The fine double flowers are of large size and keep extremely well after cutting. The color is a wonderful and most pleasing shade of rich pink. Packet, 15c; ¼ oz., 70c.

Sensation. The flowers are of a brilliant cardinal shade. The plant is of branching habit, attaining a height of 1s to 24 inches, and the flowers are borne on stems measuring 10 to 12 inches in length. As the name indicates, a "sensation." Packet, 16e; 34 oz., 56c.

Lavender Gem. One of the finest feathery flowers in the beautiful Comet type. The coloring is silvery white when first opening, changing to the most delicate shade of lavender when fully expanded. An excellent early bedding variety. Packet 15c; ¼ oz., Sic.

Giant Crego. Mixed packet, 10c.

Dwarf Victoria. Mixed packet, 10c.

Japanese Pompon. First introduced by us in 1914, but owing to the war we were compelled to wait until now to distribute seed. Truly a floral treasure. Finest mixed. Packet, 25c.

ACROLINIUM, Beautiful Strawberry. Shades of pink and Wonderful dried for winter bouquets. Price, packet, red. 15c; large packet, 35c.

AQUILEGIS, Danish Mixed. Similar to Rocky Mountain Hybrids, but much larger and more prolific. Price, per packet, 15c; large packet, 35c.

ALYSSUM, Sweet Alyssum. Little gem. Most popular bedding variety. Packet, 10c.

AMARANTHUS, Tricolor Splendens. Per packet, 10c.

ANTIRRHINUM, Snapdragons. We grow all the leading colors, such as brilliant rose, shell pink, scarlet red, maroon, yellow, white. Separate colors or mixed. Per packet, 10c; large packet, 25c.

ARCTOTIS GRANDIS, Bluc-eyed African Daisy, A popular daisy which blooms first season from seed.

BALSAM, Finest Mixed. Packet, 10c; large packet, 25c. RALLOON VINE. Annual, climbs. Packet, 10c: large packet 25c.

BRACHYCOME, Swan River Daisy. A profusion of blue daisy-like flowers, all summer. Packet, 10c; large packet, 25c.

CALENDIILA. ALENDULA. Lemon, orange, scarlet, White. Separate colors or mixed. Packets, 10c.

CALLIOPSIS, Annual Varieties, Mixed, Packet, 10c.

CAMPANULA, Canterbury Bell. Persicifolia Grandiflora. Fine mixed. Packet, 10c; large packet, 25c.

CANDYTUFT, Giant Hyacinth, Flowered. White, Large

Large Flowered. Mixed. Packet, 10c.

CARNATION, Annual Flowering. Mixed. These bloom the first season, and are even more fragrant than our hot-house carnations.

FLOWER SEEDS---Cont.

CELOSIA.

CELOSIA, Argentea. Beautifully plumed. Our mixture contains all the colors of the rainbow. Packet, 10c; large packet, 25c.

Brysonia Chrysantheflora. The greatest floral discovery of the century. Large, compact, chrysanthemum-like flowers in many colors and shades. Annual. Seeds sown outdoors by May 1st. Will bloom from August until frost. Packet, \$2.50.

Globosa. Our own creation. Beautiful ball shape, resembling a huge chrysanthemum. Color, cardinal red, yellow, rose, pink. Introduced by us 1919. 40c per packet; 3 for \$1.00.



CELOSIAMUM.

CHRYSANTHEMUM, Annual Summer Variety. New, very fine golden yellow; blooms from early summer until frost. Packet, 10c; large packet, 25c.

CENTAUREA CYANUS, Cornflower. Double bachelor button. In this we have the finest mixtures in existence, It cannot be compared with the old single form flowered types. Packet, 10e; large packet, 25c.

CENTAUREA IMPERIALIS. Sweet scented. Pink, purple, lavender, white, or mixed. Packet, 10c; large packet, 25c.

CHINESE LANTERN PLANT, Physalis Franchetii. Packet, 10c; large packet, 25c.

CLARKIA, Elegans. Beautiful salmon pink or mixed. Packet, 10c; large packet, 25c.

COBOEA SCANDENS. Packet, 10c.

COLUMBINE. See Aquilegia.

COREOPSIS, Lanceolata Grandiflora. Golden yellow. Packet, 10c; large packet, 25c.

COSMOS, Giant Flowered. Pink, crimson, white or mixed. Packet, 10c; large packet, 25c.

Double and single crested; Sunny Slope mixture. We think this grand double and single crested cusmos the greatest and most valuable acquisition to the flower kingdom. The immense double flowers remind one of chrysanthemums, yet they have the delicate texture of the rarest orchid. We are fortunate in having grown large amount of this seed. Packet, 15c; large packet, 35c.

Lady Lenox. Pink and white. Packet, 10c; large packet, 25c.



Cosmos

CYPRESS VINE, Cardinal Climber. Annual climber, delicate fern-like foliage and brilliant cardinal flowers. Packet, 15c; large packet, 5c.

CUCUMBER VINE. Splendid for trees and fence. Packet, 10c; large packet 25c.

DELPHINIUM, Japanesc. Packet, 10c; large packet, 25c.

Formosum. Dark blue with white eye; very popular. Packet, 10c; large packet, 25c.

Belladonna. Turquoise blue. Packet, 10c; large packet,

DAISY, Shasta. Packet, 10c; large packet, 25c.

DAISY, Double Bellis. English strain. Packet, 10c; large

DIANTHUS. Annual varieties. Good mixture. Packet, 10c. Barbatus. See Sweet William.

ESCHSCHOLIZIA, California Poppy. Golden, orange yellow, rose, white, crimson, cardinal, or finest mixed Packet, 10e; large packet, 25c.

Bush. See Hunnemania.

EUPHORBIA, Marginata. Everlasting flowers, or straw flowers for winter bouquets. Mixed. Packet, 10e; large Packet, 25c.

Heterophylla, Summer Poinsetta. Orange, scarlet, leaves resembling a Poinsetta blossom. Large Packet, 35c.

FEVERFEW. Packet, 10c.

FORGET-ME-NOT, Myosotis. Beautiful blue. Packet, 10c; large packet, 25c.

FOUR-O'CLOCK. Packet, 10c.

GAILLARDIA. Packet 10c; large packet, 25c.

GERANIUM. Packet, 25c.

GODETIA. Good mixed. Packet, 10c.

GOMPHRENA (Globe Bachelor's Button). Packet, 10c: large packet, 25c.

GOURDS, Ornamental. Ayres' American and European mixed. Very fine. Packet, 10c; large packet, 25c.

GRASSES, Ornamental. Annual varieties; mixed. Contains the cream of the annual grasses throughout the world. Fine dried for winter bouquets. Packet, 10c; large packet, 25c.

GYPSOPHILA (Baby's Breath). Fine with bouquets ,especially Sweet Peas. Packet, 10c; large packet, 25c.

Paniculata (Perennial). Large packet, 25c.

HELIANTHUS. See Sun Flower.

HELICIHRYSUM, Original Strawflower. Everyone should grow some of these beautiful flowers to dry for winter bouquets. Our mixture is the finest in existence. Passtel shades are included in this mixture, as well as the most vivid shades of red, rose, and yellow. Packet, 15c; large packet, 35c.

HELIOTROPE. Giant Hybrids. Mixed. Packet, 10c; large packet, 25c.

HOLLYHOCK. Double. Light pink, maroon, rose scarlet, yellow, white, crimson. Fine mixture. Packet, 10c; large packet 25c.

CELOSIA BRYSONIA CHRYSANTHEFLORA

AN "EVERLASTING" BLOOM NEW TO THE FLOWER WORLD.



ONE OF THE BRYSON AYRES CELOSIA FIELDS.

Fifteen years ago Bryson Ayres began developing an autumn flower of unusual size and variety of color. He crossed the old-fashioned coxcomb, a single flower in a warm shade of red, with Celosia Argentea, a plume-like flower in various colors. Twelve years of experimenting with as many generations of the crossed varieties were necessary before he developed the two varieties, Celosia Brysonia Chrysantheflora and Celosia Brysonia Compacta, which have, in the last three years, won for him a unique place among the horticulturists of America.

The flowers are distinguished not alone for their size—they grow in height from two to six feet, and the blossoms are sometimes eighteen inches in width—but because they are "everlasting," retaining all their beauty of color, size and shape after being properly dried in a dry, dark place. They have an immense ornamental and decorative value, and are being ordered in car load lots by Marshall Field & Co., of Chicago, and many other large mercantile establishments, for special decorative purposes,

CULTURAL DIRECTIONS.

CULTURAL DIRECTIONS.

Celosia Brysonia Chrysantheflora Easy to Grow.
Almost any soil will grow Celosia Brysonia Chrysantheflora. Sow out of doors during April and May, either broadcast or in rows and give seed a shallow covering (about sired it is best to thin them out to about six inches apart. However, many prefer to grow them about two inches apart, which makes smaller flowers.

Nothing can equal CELOSIA BRYSONIA CHRYSANTHEFLORA as a home, yard or garden decoration. They are in bloom throughout the summer and fall and the gordon of the summer and call and the gordon's colors are a source of wonder and delight to everyout.

body. "Drying of Celosia Brysonia Chrysantheflora," "Drying of Celesia Brysonia Chrysoniculerora."
The drying of the flowers is very simple. Hang them upside down in a dark cool place and they will dry and retain their beauty and color indefinitely. Everyone who has seen CELOSIA BRYSONIA CHRYSANTHEFLORA dried commends its usefulness very highly. It is beautiful in bouquets the year around.

Celosia Brysonia Chrysantheflora Seed,

Mixed Colors. Old Rose, Salmon, Golden Wisteria, Shell Pink, Deep Red, Violet, Mulberry, Yellow, Lemon, Nile Green and Crimson.

Retail	packet—Small size\$0.50	each
Retail	packet-Medium size 2.00	each
Retail	packet—Large size 3.75	each

Ball Celosia Seed

Grows 18 inches tall. Forms bushes covered with balllike flowers. Fine for bedding and cut flowers. Blooms continuously throughout summer and fall. Colors, Red, Pink, Yellow, Old Rose,

Packets,	mixed	eo	lors	 	٠.	 	 	٠.	 	\$0.35	each
Packets	separa	ite	colors	 		 	 		 	50	each

Extracts Pertaining to Celosia Brysonia Chrysantheflora Taken from Some of the Leading Newspapers of the World.

Celosia Brysonia Chrysantheflora. Recently developed by Bryson Ayres, of Kansas City, Mo. In addition to its parclusta Dissona Chrysanthenora. Recently developed by Dryson Ayres, of Kansas City, Mo. In addition to its particular adaptability for use in large decoration Celosia Erysonia Chrysantheflora has another quality that appeals to Florists. Its ability to be shipped long distances without the Flower head being marred. Still more important is the fact that this Celosia may be dried easily and any stock which has not been sold while fresh may be hung up in a cool, dry place and so preserved for sale later.—From the Horticultural Trade Journal, London, England.

The wonderful creation Celosia Brysonia Chrysantheflora is now on display in Chicago. It is the origination of Bryson Ayres and is being shown by him in many cities.—From the Chicago Daily News.

Bryson Ayres is shipping several car-loads of Celosia Brysonia Chrysantheflora to the Eastern markets where they are being used extensively in the large stores of New York and Chicago. One of the principal characteristics of this flower is its ability to be shipped long distances without the flowers being marred and the fact that the flowers may be dried easily and retain their beautiful colors indefinitely.—From the Kansas City Star.

The famous Celosia Brysonia Chrysantheflora originated with S. Bryson Ayres of Kansas City. It s flower of the day as it is becoming popular both in America and Europe.—From the Detroit Free Press. It seems to be the

FLOWER SEEDS---Cont.

HYACINTH BEAN (Dolichos). Annual climber. Packet, 10e; large packet, 25e.

KOCHIA. Fine strain. Packet, 10c.

LARKSPUR. Sunny Slope Giants. Pink, white, red, blue purple, lavender, cardinal, rose, carmine, lilac. Separate colors or mixed; the finest in existence. Packet, 25e. Fine mixed. Packet, 10c.

LATHYRUS LATIFOLIUS (Perennial pea). Mixed. Packet, 10c; large packet, 25c.

BINARIA MAROCCANA. Packet 10c.

LINUM. Packet, 10c.

LOBELIA. Fiuest mixture. Packet, 10c; large packet, 25c.

LUPINUS. Annual Lupinus. We have imported seed of this valuable annual from nearly every part of Europe. We also have some wonderful American hybrids; these have been grown very successfully at our Sunny Slope Farm.

HUNNEMANNIA FUMARIAEFOLIA. Called by some Tulip Poppy; very beautiful. Packet, 10e; large packet, 25c. Packet, 25c.

MARIGOLD.



ARIGOLD. Tall African mixed. One of Bryson Ayres' specialties. We have obtained wonderful results in this beautiful old fashioned flowers. Packet, 10e; large packet, Separate colors in lemon or orange. Packet, 25c. MARIGOLD. Tall African mixed. Double flowered mixed. Packet, 10c; French Dwarf, large packet, 25c.

MIGNONETTE. No garden should be without sweet mig-nonette, the flower of Shakespearean days. Packet, 10c;

large packet, 25c. MORNING GLORY. American or Japanese. The a fairy mixture. Packet 10c; large packet, 25c. The colors in

NASTURTIUM. Dwarf. Our finest mixtures. Packet, 10c;

Tall. Extra fine mixed. Packet, 10c; ounce, 20c.

NICOTIANA AFFINIS (Alata Grandiflora). night; very sweet scented. Packet, 10c. Plooms at

NIGELLA (Love-in-the-Mist). Packet, 10c.

PANSY. Ginnt Sunny Slope Mixture; grown on our own farms. This mixture contains the cream of the whole world. No better seed can be obtained from any source. All of these blooms are so large, ruffled and waved, that they remind one of huge orchids. Packet, 25c; oz., \$7.00. Fine Mixed. Packet, 10e; large packet, 25c.

PETUNIA. Large flowered. Fringed and Double. Mixed. Packet, 35c.

Fine hybrids. Mixed. Packet, 10c; large packet, 25c.

PHLOX DRUMMONDII. Fine Mixed. Packet, 10c; large

PHYSALIS FRANCHETII (Chinese Lantern Plant). This beautiful plant came to us from France. It is, perhaps, the most ornamental of all our ornamental flowers. The beautiful pods can be dried, and make most beautiful winter bouquets. Packet, 35c.



POPPIES. Aunual. Mixed. Containing the cream of the Shirley, Mikado. Carnation—flowered and Peonle—flowered. This seed was grown at our Sunny Slope Farm. Packet, 10e; large packet, 25c.

Annual Newport Pink. We obtained this seed from the originator. This beautiful poppy resembles a huge chrysanthemum, and is most useful as a cut flower. Packet, 25c. Oriental, Perennial. Fine mixed, including orange red, maroon and pink. Packet, 25c.

PORTULACA, Fine mixed. Packet, 10c.

ALPIGLOSSIS. Beautiful orchid-like flowers. Produces from early summer until fall. One of the best annuals. Packet, 10c; large packet, 25c. SALPIGLOSSIS.

STOCKS. English and German mixed. Packet, 10c; large Packet, 25c.

STRAWFLOWERS. FRAWFLOWERS. Mixed or separate colors. Wor for winter bouquets. Packet, 15c; large packet 35c. Wonderful SUN FLOWER. Giant mixed, including red, yellow, cream.

Packet, 10c. SWEET WILLIAM (Dianthus Barbatus). Mixed. Packet, 10c; large packet, 25c.

ERBENA. Pink, white, purple, Scarlet, rose; separate colors or mixed. Packet, 10c; large packet, 25c; oz., \$2.00.

WALLFLOWER. This grand English flower should be more generally grown. Fine mixture. Facket, 10c; large generally grown.

BRYSON AYRES ZINNIAS.



OVER ONE HUNDRED DIFFERENT COLORS OF ZINNIAS ARE GROWN ON OUR SEED FARMS.

WE ARE AMERICA'S FOREMOST ZINNIA GROWERS,

INNIA. Ayres' Mammoth. We feel that our Giant strain is the finest in existence. Scarlet, white, crimson, purple, yellow, golden, primrose, salmon. Separate colors. Packet, 25c. Fine mixed; pucket 10c; large packet 25c.


Dahlin Flowered. Curled and crested. This grand novelty should be in every garden. Packet, 15e; large packet, 25c. Dwarf. (Little Red Riding H Packet, 16c; large packet, 25c. (Little Red Riding Hood). Beautibul orange red.

Ayres new collection of Giant Zinnias, six packets, one each of Red, Orange, Yellow, Purple, White and Pink. Entire collection, value \$1.50 for only \$1.00.

On Our Sunny Slope Farm, AYRES' Mammoth Zinnias.

BRYSON AYRES SPENCER-BUTTERFLY SWEET PEAS

We are now recognized among the foremost authorities on Sweet Peas in the world. From the beginning, with a few rows of Sweet Peas, twenty years ago, Bryson Ayres has seen this humble start develop into one of the largest industries of its kind. Some of the world's choicest varieties are of the Bryson Ayres origination. We especially desire that you visit Sunny Slope during the late winter months and see Sweet Pea vines in our conservatories, 16 feet high, literally covered with orchid-like flowers, so sweet, so fragrant that one is thoroughly convinced that there is a "Sweet Pea Fairyland."



AYRES BUTTERFLY-SPENCER SWEET PEAS

WE OFFER RE-SELECTED STOCKS FROM OUR SUNNY SLOPE FARMS

AYRES SPECIAL MIXTURE.

AYRES SPENCER-BUTTERFLY MIXED. A mixture of all the summer flowering varieties listed herewith with additional 1923 novelties, the finest mixture; ½ oz., 30c; oz., 50c; ¼ lb., \$1.50; lb., \$5.00.

WHITE

KING WHITE. The finest white; ½ oz., 25c; oz., 40c., ¼ lb., \$1.20; lb., \$4.00.

CONSTANCE HINTON. Black-seeded; ½ oz., 25c; oz., 40c; ¼ 1b., \$1.20; lb., \$4.00.

CREAM

FLORADALE FAIRY. Rich cream, duplex; ½ oz., 25e; oz., 40e; ¼ lb., \$1.20; lb., \$4.00.

ISABEL MALCOLM. Black-seeded; ½ oz., 25c; oz., 40c; ¼ lb., \$1.20; lb., \$4.00.

QUEEN VICTORIA SPENCER (BURPEE). Deep primrose, Flushed rose; oz., 40c; '4 lb., \$1.20; lb., \$4.00. BLUSH

ELEGANCE. Blush-pink of largest size; ½ oz., 55c; oz., \$1.00; ¼ lb., \$3.00; lb., \$9.00.

AGRICOLA, White, flushed lilac; oz., 40c; ¼ lb., \$1.20; lb., \$4.00.

VALENTINE. Light shell-pink; ½ oz., 35c; oz., 60c; ¼ lb., \$1.75; lb., \$6.00.

CHARM BLUSH, Shaded lilac; oz., 40c; 1/4 lb., \$1.20; lb., \$4.00.

BRYSON AYRES SWEET PEAS---Cont.

LIGHT PINK

CARESS. Soft pink on cream. 1/2 oz., \$1.00; oz., \$1.50,

DAISYBUD. An improved Elfrida Pearson; 1/2 oz., 55c; oz., \$1.00; 1/4 lb., \$3.00; lb., \$9.00.

ELFRIDA PEARSON. Deep blush-pink; ½ oz, 25c; oz., 40c; ¼ lb., \$1.20; lb., \$4.00.

AVIS. Deep pink on white ground; 1/2 oz., 30c; oz., 50c; 1/4 lb., \$1.50; lb., \$5.00. MAVIS. CIS WRIGHT. Pink on cream; oz., 40c; 1/4 lb., \$1.20; lb.,

CREAM-PINK

Rich salmon-pink on ivory-cream ground y. Retail price, 25c each. BRIDESMAID. Packages only.

MARGARET ATLEE. Deep pink on cream, suffused salmon; oz., 40c; ½ lb., \$1.20; lb., \$4.00.

MRS. HUGH DICKSON. Apricot-pink on cream; oz., 40c; 1/4 1b., \$1.20; 1b., \$4.00. ROUTZAHN. MRS. Buff suffused delicate pink; oz., 40c;

1/4 lb., \$1.20; lb., \$4.00. T. HUTCHINS. Creamy apricot-pink; ez., 40e; 1/4 lb., \$1.20; lb., \$4.00.

SALMON-PINK

BERYL. Rich, soft salmon-pink, shaded buff; ½ oz., 25e; oz., 40e; ¼ 1b., \$1.20; lb., \$4.00.

DORIS USHER. Salmon-pink on cream; oz., 40e; 1/4 lb., \$1.20; lb. \$4.00.

LILLIAN. Pale salmon-pink, suffused amber; oz., 40c; 1/4 1b., \$1.20; 1b., \$4.00. PICTURE.

ICTURE. Bright pink, flushed cream. Packets only. Retail price, 25c each; 1/2 oz., \$1.25.

DEEP PINK

ANNIE BOWNASS. Bright pink, heavily suffused salmon on white ground; oz., 40c; ¼ 1b., \$1.20; 1b., \$4.00. COUNTESS SPENCER. Soft rose-pink; oz., 40c; 1/4 lb., \$1.20;

lb., \$4.00. HAWLMARK PINK. Standard bright salmon-pink; wings rose-pink; ½ oz., 40c; oz., 75c; ¼ 1b., \$2.50.

HERCULES. Rich pink, of magnificent size and form; oz., 40c; 1/4 lb., \$1.20; lb., \$4.00.

DECORATOR. Rose overlaid with terra-cotta; oz., 40c; 1/4 1b., \$1.20; 1b., \$4.00.

GEORGE HERBERT. Bright rosy carmine; oz., 40c; 1/4 lb., \$1.20; 1b., \$4.00.

ROSABELLE. Large rose self with white blotch at base; oz., 40c; ¼ lb., \$1.20; lb., \$4.00.

MRS. C. P. TOMLIN. Rich, fiery scarlet; sunproof. Packets. Retail price, 25c each; ½ oz., 35c; oz., 60c; ½ lb., \$1.75; 1b., \$6.00.

VERMILLIANT. Intense scarlet self; oz., 40c; ¹/₄ lb., \$1.20; lb., \$4.00.

LAVENDER

DON ALVAR. Soft silvery blue; oz., 40c; 1/4 lb., \$1.20; lb., \$4.00.

HAWLMARK LAVENDER. True, clear light lavender: 1/2 oz., \$1.75; oz., \$2.00.

FLORENCE NIGHTINGALE. Clear lavender with rose-pink sheen; oz., 40e; ¼ lb., \$1.20; lb., \$4.00.

MARGARET MADISON. Azure-blue self; oz., 40e; ¼ lb.,

ORCHID. 1/4 lb., \$1.20; lb., \$4.00.

. F. FELTON. Lavender, suffused mauve; oz., 40c; ¼ lb., \$1.20; lb., \$4.00.

BLUE

MRS. TOM JONES. Bright Delphinium-blue; ½ oz., 55c; oz., \$1.00; ¼ lb., \$3.00.
PHANTOM BLUE. A pastel shade of blue; oz., 40c; ¼ lb.,

\$1.20; lb, \$4.00. WEDGWOOD. Deep azure-blue; oz., 55c; ½ lb., \$1.75; lb.,

DARK BLUE

BLUE MONARCH. Extra large, dark blue self; oz., 40e; 1/4 lb., \$1.20; lb., \$4.00.

THE LADY EVELINE. Beautiful rosy mauve: oz., 40c: 14 1b., \$1.20; 1b., \$4.00.

PURPLE

ROYAL PURPLE. Rich, warm purple; oz., 40c; 1/4 lb., \$1.20; 1b., \$4.00 ARTHUR GREEN. Claret colored self; oz., 40c; 1/4 lb., \$1.20; lb., \$4.00.

ROSALIND. Rose-crimson with a soft salmon suffusion. Packets, 25c; 1/2 oz. \$1.50.

SALMON

ARBARA. Large salmon-orange self; ½ oz., 25c; oz., 40c; ¼ lb., \$1.25; lb., \$4.50. BARBARA. STIRLING STENT. Deep salmon, suffused orange; oz., 40c;

1/4 lb., \$1.20; lb., \$4.00.

HELEN LEWJS. Standard crimson-orange; wings orangerose; oz., 40c; 3/4 lb., \$1.20; lb., \$4.00.

ROBERT SYDENHAM. Glowing orange self; ½ oz., 35c; oz., 60c; ¼ lb., \$1.75; lb., \$5.00. TANGERINE. New, deep orange; 1/2 oz., 40c; oz., 75c; 1/4 lb.,

ORANGE-SCARLET

THE PRESIDENT. Dazzling orange-scarlet; oz., 50c; 1/4 lb., \$1.25; lb., \$5.00. THOMAS

HOMAS STEVENSON, IMPROVED. Standard orange; wings rosy scarlet; ½ oz., 35c; oz., 65c; ¼ 1b., \$1.90; lb.,

FIERY CROSS. Bright orange-cerise; oz., 60c; 1/4 lb., \$1.80; lb., \$5.50. Scarlet-salmon-cerise self; 1/2 oz., 30c; oz., 50c; 1/4 1b., \$1.50; 1b., \$5.00.

ILLUMINATOR. Rich, cerise-salmon; ez, 25c; 1/4 lb., \$1.20; lb., \$4.00.

SINCERITY. Cerise self; largest size; oz., 40c; 1/4 lb., \$1.20; lb., \$4.00.

CRIMSON

KING EDWARD. Deep carmine-crimson; oz., 40c; 1/4 1b., \$1.20; lb., \$4.00. MAROON

HAWLMARK MAROON. Like polished mahogany; 1/2 oz., \$1.75; oz., \$3.00.

KING MANOEL. Deep chocolate-maroon; ½ oz., 50c; oz., S5c; ¼ lb., \$2.80; lb., \$9.50.
WARRIOR. Rich reddish maroon, flushed bronze; oz., 40c; 1/4 lb., \$1.20; lb., \$4.00.

ART SHADES

BROCADE. Satiny salmon, lavender and rose-pink; ½ ez., 35e; oz., 60e; ¼ lb., \$1.75; lb., \$5.50. CHARLES FOSTER. Hydrangea pastel shades; oz., 40c: 1/4 lb., \$1.20; lb., \$4.00.

IRISH BELLE. Lilac flushed pink; oz., 40c; 1/4 lb., \$1.20;

PRINCE GEORGE. Pastel rosy lilac; oz., 40c; 1/4 lb., \$1,20; lb., \$4.00.

ROSINA. Rich rosy heliotrope; oz., 40c; 1/4 lb., \$1.20; lb., \$4.00.

CONSTANCE ACOMB. Creamy white, suffused mauve; oz., 40e; 1/4 lb., \$1.20; lb., \$4.00.

PICOTER

HERUB.' Rich cream, edged with bright rose; oz., 40c; 1/4 lb., \$1.20; lb., \$4.00. CHERUB.'

DAINTY. Pure white, edged with rose-pink; oz., 40c; 1/4 lb., \$1.20; lb., \$4.00. JEAN TRELAND. Cream, picoteed rose; oz., 40c; 1/4 lb.,

\$4.20; 10., \$4.60. MRS. A. G. GENTLE. White, edged scarlet; oz., 40c; 1/4 lb.,

5:.29: Ib. S. 08. MRS. J. BALMER. Cres 1/4 lb., \$1.20; lb., \$4.60, Cream, suffused reddish pink; oz., 40c;

MRS. TOWNSEND. White 40e; ¼ lb., \$1.20; lb., \$4.00. White with picotee edge of blue; oz.,

MRS. FRED KELLY. White with narrow edge of violetblue; oz., 40c; 1/4 lb., \$1.20; lb., \$4.00.

CULTURAL DIRECTIONS—SWEET PEA GROWING A PLEASURE

It is easy to grow Sweet Peas and almost any soil will grow them. Spade the ground deep, then add to soil, if convenient, commercial fertilizer (such as pulverized sheep manure) or the well rotted product of the barn yard. Mix well with soil, being careful to pulverize all clods. Dig trench from 4 to 6 inches deep and sow seeds thickly, covering them with about 1 inch of soil. For a row 50 feet long, use 4 pound of seed. After plants are about an inch high, begin to cultivate and support with string, wire netting or brush, or, if planted along a woven wire fence, no support is needed. When in blossom, pick the flowers daily, as this prolongs the blooming season.

SUMMER BULBS

The Florist, as well as the Landscape Gardener, will find much of interest in the following lists. Ayres' Bulbs are selected with the same care and attention to Quality as are Ayres' Seeds. All of the bulbs and roots offered herein are first size (unless otherwise stated), sound and healthy, and sure to bloom if given reasonable care.

We take particular pains in specially packing bulbs and roots to ensure their arrival in good condition and, for this reason, always ship bulbs separately from seeds when both are ordered. When placing your order, specify when and how you wish your bulbs to be sent.

Our collection of Dahlias is especially worthy of attention. Our lists of bulbs are not so extensive but are carefully selected and comprise the best varieties for all purposes; in fact, it has been our aim throughout to offer Quality rather than Quantity.

Note—Three or more bulbs will be supplied at the dozen rates, 25 or more at the 100 rates, and 250 or more at the thousand rates.

AMARYLLIS. Sprekelia formosissima. 30e each; doz. \$3.00. Hippenstrum Johnsoni. 75e each; 3 for \$1.90.



CALADIUM

CALADIUM Esculentum Elephant's Ear (Colocasia); 9 to 11 inches; 30c each; 6 for \$1.35.



CANNAS

CANNAS. The Finest Five— Fiery Gross; 40e each; doz., \$3.50; per 100, \$24.00. City of Portland; 30e each; doz., \$2.75; per 100, \$18.00. Favorite; 20e each; doz., \$1.60; per 100, \$10.00. Eureka; 30e each; doz., \$2.65; per 100, \$17.00. King Humbert; 20e each; doz., \$2.55; per 100, \$17.00. CANNAS—Con't.

Shades or Red—Green Folinge—
Dragon, dox., \$1.50; per 100, \$9.50.
Fanal, dox., \$1.50; per 100, \$9.50.
Fanal, dox., \$1.50; per 100, \$9.50.
Lafayete; dox., \$1.65; per 100, \$10.00.
Lafayete; dox., \$1.65; per 100, \$10.00.
Mintzer's Colossal, dox., \$1.50; per 100, \$9.50.
The President, 35c each; dox., \$2.00; per 100, \$19.50.
The President, 35c each; dox., \$3.00; per 100, \$19.50.
Golden Gate; dox., \$1.35; per 100, \$9.00.
Golden Gate; dox., \$1.35; per 100, \$9.00.
The Gem; dox., \$1.35; per 100, \$9.00.
Rose and Pink—Green Folinge—
Hungaria; dox., \$1.55; per 100, \$9.00.
Rose and Pink—Green Folinge—
Souy de Antoine Croxy; dox., \$1.50; per 100, \$7.20.
Bronze and Dark Leaved—
Dr. E. Ackerknecht; dox., \$1.10; per 100, \$7.20.
Wyoming; dox., \$1.10; per 100, \$7.20.
Varouna; 35c each; dox., \$5.00; per 100, \$19.50.
CINNAMON VIXE; dox., 60c; per 100, \$19.50.
CINNAMON VIXE; dox., 60c; per 100, \$4.00.
FUNKIA, True Day Lily, (Hosta). Subcordata; 35e each; dox, \$2.50.
Undott Variegata, 30e each; dox., \$2.00.



AYRES GIANT GLADIOLI

BRYSON AYRES GARDEN BOOK

GLADIOLI.

Ayres' New Primulinus Hybrids The most graceful in form profuse in bloom, and artistic in color of all Gladioli. They have made a sensation wher-ever they have been exhibited and will be in tremendous demand for cut flowers. 3 for 25c; 6 for 25c

demand for cut flowers. 3 for 25c; 6 for 25c.

GLADIOLI. Standard Varieties.

America. Pink; doz., 65c; per 100, 84.50.

Baron Hulot. Blue; doz., 81.50; per 100, 88.50.

Halley. Orange red; doz., 80c; per 100, 85.75.

Kunderdi Glory. Ruffled cream; doz., 90c; per 100, 86.25.

Mrs. Frances King. Scarlet; doz., 65c; per 100, \$4.50.

Mrs. Frank Fendleton, Jr. Fink and red; doz., 85c; per

100, \$9.00. Mrs. Watt.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

100, 80,000.

10

Gladioli in Minture-

Giddon in Mixers— Fine Mixed. First size; doz., 60c; per 100, \$3.50. Fine Mixed. Second size; per 100, \$1.00; per 1,000, \$18.50. Special Light Shades, mixed; doz., 75c; per 100, \$4.00.

HEMEROCALLIS. Lemon Lily. Flava; 20c each; 3 for 50c. Golden Lily. Florham; 20c each; 3 for 50c. Golden Lily.

HARDY LILIES.

Auratum. Crimsen and yellow. Each 39c; 3 for \$1,00. Hansoni, Yellow. Each 80e; 3 for \$2.00,

Henryi. Apricot. Each 80c; 3 fer \$2.00.

Longiflorium Giganteum. White. Each 40c; 3 for \$1.00. Speciosum Melpomene. Crimson. Each 40e; 3 for \$1.00. Speciosum Robram. Deep rose, Each 40c; 3 for \$1.00. Tigrinum Fortunel Giganteum. Each 40c; 3 for \$1.00. Tigrinum Flore Pleno, Each 40c; 3 for \$1.00.

LILY OF THE VALLEY. Field grown clumps. Divided:

MADERIA VINE. Doz., 75c.

MONTBRETIA, Crocosmiaeflora, Mixed colors, Doz., \$1.50.

TUBEROSE.

TUREROSE Excelsior Pearl. Double. First size; doz., 60e; per 100, \$4.50. TUBEROSE, Single. Doz., 60c; per 100, \$4.00

Note-Three or more bulbs or roots will be supplied at the dozen rates; 25 or more at the 100 rates, and 250 or more at the 1,000 rates.



THE BRYSON AYRES FAMOUS DAHLIAS

CHOICE PEONY-FLOWERED DAHLIAS.

H. J. LOVINK. A delicate combination of white and lilac. Large flowers on exceptionally long stems; 25e each; doz., \$2.50. HORTULANUS BUDDE. Orange-scarlet, shading lighter

Large flowers on exceptionally long stems; 25c each; doz., \$2.00.

HORTULANUS BUDDE. Orange-scarlet, shading lighter toward the edges of the petals, with a glistening bronze or copper sheen; 45c each; doz., \$4.00.

JOHN D. ROCKEFELLER. Pinkish almon-buff. Very except the period of the petals of the petals of the petals of the petals of the with light buff-pink; 30c each; doz., \$3.00.

MRS. W. E. WHINERAY. A lovely rose, suffused clear yellow, deepening at the base of petals: 30c each; doz., \$3.00.

MRS. JOHN GRIBBEL. Light salmon-pink, heavily flushed amber and yellow; 30c each; doz., \$3.00.

MME. VON BYSTEIN. Large, elegantly formed blooms. Soft mauve shading lighter toward the outer edges of the petals; 45c; ½ doz., \$1.25; doz., \$4.00.

MEDIAS, 45c; ½ doz., \$1.25; doz., \$4.00.

FOR STEPPER OF THE BRIDE. White with a blush suffusion toward the center. The petals are much twisted and gracefully curved; 45c each; ½ doz., \$1.25; doz., \$4.00.

HORTULANUS WHITE. Very large, free-flowering, pure white; 45c each; ½ doz., \$1.25; doz., \$4.00.

BARON G. DE GRANCY. Fure, waxy white of perfect form. A profuse bloomer; 25c each; doz., \$2.50.

PEONY-FLOWERED DAHLIAS IN MIXTURE; 100 for \$7.50; doz., \$1.15.

doz., \$1.15. SELECT DECORATIVE DAHLIAS
AYESHA. Clear, light yellow of largest size and finest
Form: 40c each; 4 doz., \$1.19; (doz., \$4.00).
DR. TYRREILI. Rich golden bronze shading to bronzy
red at base of petals; 25c each; 40c., \$2.50.
HORTULANUS FIET. Rich salmon, suffused amber and
yellow. Flowers of immense size; 75c each; 44 doz., \$2.00.
JACK ROSE. Brilliant crimson-red. Well established in
popularity; 20c each; doz., \$2.00.
JOHN WANAMAKER. Deep lavender-pink Very free-flow
ering; 45c each; 4 doz., \$1.25; doz., \$4.00.
MBO Large size; 20c each; doz., \$2.00.
MINNIE BURGLE. The finest red. Of large size, freeflowering; 45c each; 4 doz., \$1.20; doz., \$4.00.
MINNIE BURGLE. The finest red. Of large size, freeflowering; 45c each; 4 doz., \$2.00.
MRS. C. H. BRECK. Soft yellow, deeply suffused carmine.
Large flowers in profusion; 45c each; 4 doz., \$1.20; doz.,
\$4.00.

\$4.00.

ORANGE BEAUTY. Deep, rich orange—an unusual shade;

45c ench: ¼ doz., \$1.25; doz., \$4.00.

YELLOW GIANT (Jan Olieslagers). Rich, buttery yellow.

Very free-flowering; 30c each; doz., \$3.00. AYRES' TRIAL GROUND MIXTURE. Each 15c; Doz., \$1.25.

SUNNY SLOPE CRL.... Large and free-blooming. Cream red; suffused with salmon and yellow. Very free-flowering; 30c each; doz., \$3.00. SUNNY SLOPE MALEAM. Large and free-blooming. Cream, suffused of low: 30c each; doz., \$3.00. SUNNY SLOPE SALMON. Salmon, suffused yellow and SUNNY SLOPE WHITE. Magnificent, pure white flowers of giant size, borne continuously on long stems well above the foliage; 25c each; doz., \$2.50.

LANDSCAPE DEPARTMENT ORNAMENTAL AND FLOWERING SHRUBS



ALTHEA'S BLOOM THROUGHOUT SUMMER AND FALL

ALTHEA. Rose of Sharon, all colors, 2 to 3 ft. Each 75c. Specimen Shrubs, \$1.50 to \$6.00 each.

ALMOND. Double Flowering. Pink or white, 2 to 3 ft. \$1.50

BARBERRY, Thunberg's (Japanese Barberry). 2 to 3 ft. Each 75c. Specimen plants, \$1.00 to \$2.50.

BUTTERFLY BUSH (Buddliea). 2 years old. Each 75c; 4 years old. Each \$2.00.



CURRANT. Flowering, 2 to 3 ft. Each 75c. Specimen Shrubs, \$1.50 to \$3.00.

CRAB. Double flowering. Beautiful double pink flowers like tiny roses, 2 to 3 ft., \$1.50 Each; 2 to 4 ft., \$2.50 each. CALYCANTHAS (Sweet Shrub). 2 to 3 ft. Each \$1.50.



DEUTZIA, PRIDE OF ROCHESTER

DEUTZIA. Gracilis. A neat, dense little bush, rarely over 2 feet high, that blooms in May, wreathing its drooping branches with pure white flowers. Equally valuable for shrubberies and forcing. Fine for growing in front of taller shrubs. 18 to 24 inches, each 75e;

Pride of Rochester. 18 to 24 inches. Each 75c. Specimen shrubs, \$1.50 to \$2.50.

DOGWOOD. Red twigged. (Cornus Siberica alba). 3 to 4 ft., 80c. Specimen shrubs, \$1.50 to \$3.00. DESMODIUM. Graceful drooping flowers in late autumn:

each \$1.50.

ELCAGNUS. Longiles. Edible red berries. 2 to 3 ft; \$1.00 each. Specimen shrubs, \$2.00 to \$4.00 each.

Augustifolia. Silver leaves and yellow flowers. Specimen shrubs, \$1.50 to \$4.00.

ELDER. Cut-leaves. (Sambucus Nigra Liciniata). 2 to 3 ft.60c; Specimen shrubs, \$1.50 to \$2.00.

FORSYTHIA SUSPENSA (Golden Bell). 2 to 3 ft., each 60c. Specimen bushes, \$1.50 to \$3.00.

FRINGE. Purple or Mist Tree. (Rhus Cotinus). Specimen shrubs, \$1.00 to \$2.00.

White. (Chionanthus Virginica). 3 to 4 ft., 80c. Specimen shrubs, \$2.00 to \$3.00.

HONEYSUCKLE. Fragrant. 2 to 3 ft. 75c. Specimen shrubs, \$1.50 to \$5.00.

Ledebour. 2 to 3 ft., 75c.

Red Tartarian. Specimen shrubs, \$1.50 to \$5.00.

Pink Tartarian. Specimen shrubs, \$1.50 to \$5.00.

Morrow's (Lonicera Morrowi). 2 to 3 ft., 75e. Specimen shrubs, \$1.00 to \$10.00.


HORSE-CHESTNUT. Dwarf. (Aesculus Parviflora). 18 to 24 inches, \$1.50.

HYDRANGEA. Large-Flowered. (Hydrangea Paniculata Grandiflora). 3 ft., \$1.00. Specimen shrubs, \$2.00 to \$3.00. Tree. Same as the former, but grown in tree form, and bears great trusses of flowers. Specimen shrubs, \$1.50 to \$3.50.

Arborescens Grandiflora. (Everblooming Snowball Hydrangea). 3 to 4 ft. \$1.00. Specimen shrubs, \$2.00 to \$3.00.

ORNAMENTAL AND FLOWERING SHRUBS---Cont.

Argentea.



AYRES LILACS

LILAC. Common Purple. (Syringa Vulgaris). 2 to 4 ft., 80c. Specimen shrubs, \$1.50 to \$6.00.

Common White . (Syringa Vulgaris Alba). 3 to 4 ft., \$1.50 to \$6,00.

White Persia. (Syringa Persica Alba). 2 to 3 ft. 80c. Specimen shrubs, \$1.50 to \$6.00.

Giant Tree (Syringa Japonica). 2 to 4 ft., 80c.

Himalayan. (Syringa Villosa). 3 to 4 ft., \$1.25. Specimen shrubs, \$1.50 to \$6.00.

NAMED FRENCH VARIETIES OF LILACS. The named sort are much superior to the old type of Common Purple and White and bloom much earlier. 2 to 4 ft., \$1.25. Specimen shrubs, \$2.50 to \$5.00.

Alphonse Laveliee. Fine blue, shaded violet.

Belle De Nancy. Satiny rose; white center.

Charles X. Reddish purple; large.

Dr. Masters. Clear lilac; shrubs.

Ludwig Spaeth. Dark purplish red; superb.

Marie Legraye. One of the finest white Lilacs.

Michael Buchner. Dwarf; pale lilac.

Madame Lemoine. Fine, double, white lilac.

President Carnot. Pale blue.

President Grevy. A beautiful blue. President Viger. Bluish lilac; extra.

Rubra de Marly. Purplish red; fine.

LOCUST. Pink. (Robinia Hispida). 2 to 4 ft., \$1.00. Specimen shrubs, \$1.50 to \$3.00.

PLUM. Double-Flowering. (Prunus Triloba). 2 to 4 ft., \$1.50. Specimen shrubs, \$2.50.

RIVET. Regel's (Ligustrum Regulianum). 2 to 3 ft., 35c in lots of 25 or more. 4 ft., 60c each in lots of 25 or PRIVET. more.

Ibota. (Ligustrum Ibota). 2 to 3 ft., 35e each in lots of 25 or more. 4 ft., 60e each in lots of 25 or more. Specimen shrubs, \$1.00 to \$2.00.

Amoor River North. (Amurenee). Best adapted for this altitude, 2 ft., 25c each in lots of 25 or more. 2 to 3 ft., 25c each in lots of 25 or more. 3 to 4 ft., 40c in lots of 25 or more.

QUINCE. Japan. (Cydonia Japonica). Specimen shrubs, \$1.00 to \$2.50.

SIBERIAN PEA TREE (Caragana Arborescens), 4 to 5 ft., \$1.25. Specimen shrubs, \$1.50 to \$5.00.

SNOWBALL. Carles' (Viburnum Carlesli). 2 to 3 ft., \$1.00. 3 to 4 ft., \$1.50.

Common. (Viburnum Opulus Sterile). Specimen shrubs, \$1.00 to \$5.00

Wayfaring Tree. (Viburnum Lantana). 3 ft., 75c. Specimen shrubs, \$1.50 to \$5.00.

High-Bush Cranberry. (Viburnum Opulus). American type, Quite different from the regular type; leaves glossy green with red steams and are free from insects. 4 to 5 ft., \$1.25. Specimen shrubs, \$2.00 to \$5.00.

SNOWBERRY. Red, or Indian Currant. (Sy Vulgaris). Specimen shrubs, \$1.50 to \$2.00. (Symphoricarpos

White. (Symphoricarpos Racemosus). 3 ft., \$1.00 each. Specimen shrubs, \$1.50 to \$2.50.

SPIRAEA. Anthouy Waterer. D. Specimen shrubs, \$1.00 to \$2.00. Dwarf, 18 to 24 inches, 60c.

(Golden Spirea). 2 to 4 ft., 80c. Specimen shrubs, \$1.50 to \$3.50. Billiardii. 3 to 4 ft., 80c. Specimen shrubs, \$1.50 to \$3.50.

Bumbalda. Dwarf. 18 to 24 inches, 60c. Specimen shrubs, \$1.00 to \$3.00.

Reevesii Flore Pleno. Double. 3 ft., \$1.09. Specimen shrubs, \$1.50 to \$3.50.

Van Houtti, (Bridal Wreath), 2 to 3 ft., 75c each; 2 to 4 ft., \$1.00 each. Specimen shrubs, \$1.50 to \$5.00.

SUMAC. Cut-Leaved. (Rhus Glabra L 1.25. Specimen shrubs, \$1.50 to \$2.00. Cut-Leaved. (Rhus Glabra Laciniata). 2 to 3 ft.,

Fragrant. (Rocky Mountain). 2 to 3 ft., 80c.

Avalanche. (Philadelphus Hybrids). 3 to 4 ft., SYRINGA. 80c. Specimen shrubs, \$1.50 to \$3.00.

Grandiflora. (Philadelphus Grandiflorus). 3 to 4 ft., \$1.00. Specimen shrubs, \$1.50 to \$3.00. Lemoinei. (Philadelphus Lemoinei). 2 to 3 ft., 75c. Speci-

men shrubs, \$1.00 to \$2.00. Mock Orange. (Philadelphus Coronarius). 3 to 4 ft., 80c. Specimen Shrubs, \$1.50 to \$5.00.

Mont Blanc. (Philadelphus Mont Blanc). 3 to 4 ft., 75c.

TAMARIX. Odessana. 2 to 3 ft., 75c. Specimen shrubs, \$1.50 to \$2.50.

Hispida Aestivalis. 2 to 3 ft., 75c. Specimen shrubs, \$1.50

WEIGELA. Desboisii. (Diervilla Hybrida). 2 to 3 ft., 60c. Specimen shrubs, \$1.00 to \$2.50.

Eva Rathke. (Diervilla Hybrida). 2 to 3 ft., \$1.00. Specimen shrubs, \$1.50 to \$3.00.

Rosea. (Diervilla Rosa). 3 to 4 ft., \$1.00. Specimen shrubs. \$1.50 to \$3.00.

Rosea nana Variegata. 3 to 4 ft., \$1.00. Specimen shrubs. \$1.50 to \$3.00.



SPIRAEA V. H. BRIDAL WREATH

CLASSIFICATION OF ORNAMENTAL SHRUBS

Shrubs classified as to of blooming.	o height,	color of	flower an	d time
SHRUBS THAT O	ROW 12	to 15 FE	ET HIGH	
Name Amorpha fruiticosa Eleagnus angustifolia Colutes HRUBS THAT (Colutes arborescens Euonymus curropaeus Exochorda grandiflera Hibiscus in variety Philadelphus coronarius Philadelphus coronarius Philadelphus coronarius Philadelphus coronarius gradiflourus gradiflourus gradiflourus	Dur	Color	Bloo	ming
Eleagnus angustifolia .	Yel	low	June	
Colutes arborescens	ROW S	FO 12 FE	ET HIGH	
Euonymus americanus .	Sm:	all yello	vMay	
Euonymus europaeus	Sm:	ill yello	v May	
Hibiscus in variety	Red	l. white.	May pur-	
Philodolphus commentus	p	le, pink	Aug	-Sept.
Philadelphus coronarius	fl. pl. Doi	nte ible whit	eJun	3
Philadelphus coronarius	2371-	24.	-	
Philadelphus coronarius	· · · · · · · · · · · · · · · · · · ·	1te	Jun	e
Phodotypog koppisides	Wh	ite	jun	е .
Rhus cotinus	Pur	ple	Jun	e-July summer
Rhus glabra	·····Cri	mson see	dFall	
Rhus typhina laciniata.	Cri	mson see	dFall	
Sambucus canadensis	Wh	ite	Ĵun	e
Sambucus canadensis at		ite	Jun	e
Sambucus racemosus	Wh	ite	Jun	e
Tamarix africana	W f	ate	Apr	il i1
Tamarix gallica	Del	icate pin	k May	-
Philadelphus coronarius Philadelphus coronarius Philadelphus coronarius Philadelphus coronarius Philadelphus coronarius Philadelphus coronarius Rhos delivers Rhos cotinus Rhos delivers Rhus typhina Rhus typhina Rhus typhina laciniata. Sambucus canadensis a. Sambucus canadensis a. Sambucus canadensis a. Sambucus ramadensis a. Sambucus ramadensis a. Tamarix africana Tamarix africana Tamarix africana Tamarix fagilica Tamarix fagilica Tamarix tetandra purpu Viburnum lantana Viburnum lentage Viburnum opulus sterii Xanthoceras sorbifolia SHRUBS THAT	lisBri	ght carr	ineJuly	7
Tamarix tetandra purpu	reaPu	plish pir	kJul	7
Viburnum lantana	Cre	amv whi	te Way	,
Viburnum opulus	Wh	ite	May	,
Xanthoceras sorbifolia	Wh	ite	May	il.May
Xanthoceras sorbifolia Calycanthus Connus alba Cornus Amomum Cornus Amomum Cornus sanguinea Cornus stolonifera aure Corvis Corvis Deutzia in variety. Forsythia in variety. Hamamelis Hydrangea paniculata g flora	GROW 6	TOSEE	ET RICH	,, may
Calycanthus	Ma	roon-purp	leJun	e
Cornus Amonum	Gre	en-white	Jun	e
Cornus mas	Ye	low	May	e '
Cornus sanguinea	Gre	en-white	Jun	e
Cornus stolonifera aure	aGre	en-white	Jun	e e
Corylus	Cat	kins	Ma	<i>ī</i> .,
Deutzia in variety		lite	May	7-June
Forsythia in variety	Ye	low	Mai	ch-April
Hydrangea paniculata	Ye.	nite te ni	nk Aus	tOct.
Hydrangea paniculata g	randi-			, Kicjiti
Hydrangea quercifolia	W	nite	Jul	y to Oct.
Jasminum officinalis	w	ite	Mid	summer
Largestroemia		se red w	uite Inh	summer
Ligustrum amourense .	wi	ite	Jun	e e
Ligustrum ibota	Wh	lite	····Jun	e
Lonicera fragrantissima	Pir	k	Ma	7
Lonicera morrowii	Pir	ık	Ma	,
Lonicera tartarica rosea	Ro	se	Jun	e
Lonicera tartarica rubr	aRe	d	Jun	e
Physocarpus opulifolia	wi	ite	Jun	e
Physocarpus opulifolia	luteus.Wh	ite	Jun	e Tulur
Ribes gordonianum	Ora	inge-red	May	-June
Ribes odoratum	Go	lden-yello	wMay	-June
Robenia hispida	Ro	se	Jur	e e
Spirea billardii	Ro	se	Mid	summer
Spirea Fontenayii alba.	w	ite	Mid	summer
Spirea Fontenayii rosa.	Ro	se t nink	Mid	summer
Spirea Prunifolia		ite	Ma	,
Spirea Reevesiana		iite	Mag	,
Spirea salicifolia	Ro	se	Jun	e-July
Spirea sorbifolia		iite	July	7
Syringa japonica	Cr	am-white	Jun	e
Syringa josikea	Lil	ac	Apı	11
Syringa villosa	Pu	rple shad	led	**
Syringa vulgaris	Pu	white .	Ma	-11
Syringa vulgaris alba.	wi	nite	Apı	il
Viburnum dentatum	egAll	colors .	Apr	il
Viburnum molle	Gr	enish-wh	iteJur	.e
Viburnum tomentosum	W1	nite	Ma	5
plicatum	wı	nite	Ma	y
Weigelia in variety	Re	d, pink, v	vhite Jun	e
SHRUBS THAT	GROW 3	TO 6 FE	ET HIGH	
Abelia	WI	itc	Jur	c
Amygdalus	Pi	nk and w	hite. Ap	il .
Aronia arbutifolia	W	nite	Apı	il-May
Benzoin aestivale	In	eonspicuo	usApı	ii
Buddleia	Lil	ac	Jul	y-Aug.
Forsythia in variety, Horampea paniculata, Hydrungea paniculata, Jasminum officinalis Jasminum officinalis Jasminum nudiflorum Largestroema Ligustrum arorense. Ligustrum regelianum Lonicera tartarica alba Lonicera tartarica alba Lonicera tartarica rosea Lonicera t	w	hite	Jul	у

Clethra	• 0	Color	Blooming July May July June July-Aug. All Summer Mall Summer June April Low. August May
Deutzia len	noineii	White	May
Diervilla lu Eleagnus l	itea	Yellow	July
Hypericum	ongipes	Yellow	July-Aug.
Kerria japo	onica	Single yellov	vAll Summer
Lonicera le	debouri	Red	Jure
Lonicera 1	uprechtiana	Pink	June
Rhus canad	densis	White	April
Rubus odor	ratus	Rosy purple.	May
Spirea Bun	tiflora areuta	Pink	Midsummer
Spirea Thu	nbergii	White	April
Symphorica Viter again	rpus racemosus	Rose	June-July
SHI	RUBS THAT GR	OW 2 TO 3 FEI	T HIGH.
Berberis ill	licifolia	Yellow	May
Callicarpa		Insignificant	August
Desmodium	noillia	Rose-purple	September
Potentilla :	fruiticossa	Yellow	All Summer
Spirea call	esa, var. alba	White	All Summer
Spirea call	osa, var. Froebei osa, var. Superb	aRosy-Red .	June
Stephandra	flexuosa	White	June
Berberis T	hunbergii (Box)	OW I TO 2 PE	er nign.
Lonicera n	itida		
Spirea Ant	thony Waterer	Crimson .	All Summer
	SHRUBS SUIT	ABLE FOR HE	DGES.
Baby I	the Baby Ramb	-ror low hedges	s in the Rose gar-
range of co	olor,		Jure June June April low Augst Midsummer April April June-July Aug-Sept Au
Berber	is Thunbergii.—	One of the fines	st and hardiest,
for low dw	Rambler Roses.— the Baby Ramb olor. is Thunbergii.— is Thunbergii, arf hedges. us Syriacus in v rum amourense sections north	(DHAIL BUX VE	st and hardiest, rivety).—Excellent arge screens. ardy Amoor River linois, where the rivet).—The great I in St. Louis. Added to our list. ng. Can be kept e, only has somegrowth.
Hibiscu	us Syriacus in v	arieties.—For la	arge screens.
Privet for	sections north	of Quincy, Il	linois, where the
Ovalifoliun	n is not hardy ei	nough.	mb
almost eve	rgreen hedge so	largely planted	l in St. Louis.
Lonice	ra nitida.—A ne	w plant just a	idded to our list.
within 1 fe	oot high.	xwood for edgi	ng. Can be kept
Lonice	ra piliata.—A fo	rm of the abov	e, only has some-
Philad	er leaves and son elphus in variets	iewnat stronger v.—Fine for scr	growtn. eening, and where
a tall info	rmal hedge is d	lesired.	e, only has some- growth. eening, and where mal hedge 6 to 8
	typos.—makes a		
feet high.			
feet high. Spirea	Anthony Water	er.—Makes a be	autiful low hedge,
Rhodor feet high. Spirea and if flow bloom all	Anthony Water ver heads are ke summer.	er.—Makes a be	autiful low hedge, as petals fall will
feet high. Spirea and if flow bloom all Spirea Should be	Anthony Water ver heads are ke summer. Van Houttei—M more largely us	er.—Makes a be ept cut as soon lakes a beautifu	autiful low hedge, as petals fall will al hedge or screen.
Spirea and if flow bloom all Spirea Should be	Anthony Waters ver heads are ke summer. Van Houttei—M more largely us	er.—Makes a be ept cut as soon lakes a beautifu	autiful low hedge, as petals fall will al hedge or screen.
Spirea and if flow bloom all Spirea Should be	Anthony Waters ver heads are ke summer. Van Houttei—M more largely us	er.—Makes a be ept cut as soon lakes a beautifu	autiful low hedge, as petals fall will al hedge or screen.
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia and	Anthony Waters wer heads are ke summer. Van Houttei.—N more largely us S WITH BERR	er.—Makes a be ept cut as soon lakes a beautifu	autiful low hedge, as petals fall will al hedge or screen.
Spirea and if flov bloom all Spirea Should be SHRUB Name Aronia and Aronia me Benzoin ac	Anthony Water ver heads are ke summer. Van Houttel — More largely us SWITH BERRI butifolia	er.—Makes a be ept cut as soon lakes a beautifu	autiful low hedge, as petals fall will al hedge or screen.
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia an Berzoin ae Berberis T Callicarpa	Anthony Water over heads are ke summer. Van Houttel—More targely us SWITH BERRI alancarpa sestivale, humbergii purpurca.	er.—Makes a be ept cut as soon lakes a beautift ed on large gro tes IN FALL Height 3 to 6 ft 3 to 6 ft 3 to 6 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft	autiful low hedge, as petals fall will al hedge or screen.
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia an Berzoin ae Berberis T Callicarpa	Anthony Water over heads are ke summer. Van Houttel—More targely us SWITH BERRI alancarpa sestivale, humbergii purpurca.	er.—Makes a be ept cut as soon lakes a beautift ed on large gro tes IN FALL Height 3 to 6 ft 3 to 6 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft	autiful low hedge, as petals fall will al hedge or screen.
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia an Berzoin ae Berberis T Callicarpa	Anthony Water over heads are ke summer. Van Houttel—More targely us SWITH BERRI alancarpa sestivale, humbergii purpurca.	er.—Makes a be ept cut as soon lakes a beautift ed on large gro tes IN FALL Height 3 to 6 ft 3 to 6 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft	autiful low hedge, as petals fall will al hedge or screen.
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia an Berzoin ae Berberis T Callicarpa	Anthony Water over heads are ke summer. Van Houttel—More targely us SWITH BERRI alancarpa sestivale, humbergii purpurca.	er.—Makes a be ept cut as soon lakes a beautift ed on large gro tes IN FALL Height 3 to 6 ft 3 to 6 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft	autiful low hedge, as petals fall will il hedge or screen, unds. ND WINTER, Color or Fruit Scarlet Flack Scarlet Red Deep violet Bladder-like pods White Black Scarlet
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia an Berzoin ae Berberis T Callicarpa	Anthony Water over heads are ke summer. Van Houttel—More targely us SWITH BERRI alancarpa sestivale, humbergii purpurca.	er.—Makes a be ept cut as soon lakes a beautift ed on large gro tes IN FALL Height 3 to 6 ft 3 to 6 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft	autiful low hedge, as petals fall will il hedge or screen, unds. ND WINTER, Color or Fruit Scarlet Flack Scarlet Red Deep violet Bladder-like pods White Black Scarlet
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia an Berzoin ae Berberis T Callicarpa	Anthony Water over heads are ke summer. Van Houttel—More targely us SWITH BERRI alancarpa sestivale, humbergii purpurca.	er.—Makes a be ept cut as soon lakes a beautift ed on large gro tes IN FALL Height 3 to 6 ft 3 to 6 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft	autiful low hedge, as petals fall will il hedge or screen, unds. ND WINTER, Color or Fruit Scarlet Flack Scarlet Red Deep violet Bladder-like pods White Black Scarlet
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia an Berzoin ae Berberis T Callicarpa	Anthony Water over heads are ke summer. Van Houttel—More targely us SWITH BERRI alancarpa sestivale, humbergii purpurca.	er.—Makes a be ept cut as soon lakes a beautift ed on large gro tes IN FALL Height 3 to 6 ft 3 to 6 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft	autiful low hedge, as petals fall will il hedge or screen, unds. ND WINTER, Color or Fruit Scarlet Flack Scarlet Red Deep violet Bladder-like pods White Black Scarlet
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia an Berzoin ae Berberis T Callicarpa	Anthony Water over heads are ke summer. Van Houttel—More targely us SWITH BERRI alancarpa sestivale, humbergii purpurca.	er.—Makes a be ept cut as soon lakes a beautift ed on large gro tes IN FALL Height 3 to 6 ft 3 to 6 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft	autiful low hedge, as petals fall will il hedge or screen, unds. ND WINTER, Color or Fruit Scarlet Flack Scarlet Red Deep violet Bladder-like pods White Black Scarlet
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia an Berzoin ae Berberis T Callicarpa	Anthony Water over heads are ke summer. Van Houttel—More targely us SWITH BERRI alancarpa sestivale, humbergii purpurca.	er.—Makes a be ept cut as soon lakes a beautift ed on large gro tes IN FALL Height 3 to 6 ft 3 to 6 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft	autiful low hedge, as petals fall will il hedge or screen, unds. ND WINTER, Color or Fruit Scarlet Flack Scarlet Red Deep violet Bladder-like pods White Black Scarlet
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia an Berzoin ae Berberis T Callicarpa	Anthony Water over heads are ke summer. Van Houttel—More targely us SWITH BERRI alancarpa sestivale, humbergii purpurca.	er.—Makes a be ept cut as soon lakes a beautift ed on large gro tes IN FALL Height 3 to 6 ft 3 to 6 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft	autiful low hedge, as petals fall will il hedge or screen, unds. AND WINTER, Color or Fruit Scarlet Flack Scarlet Red Deep violet Bladder-like pods White Black Scarlet Scarle
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia an Berzoin ae Berberis T Callicarpa	Anthony Water over heads are ke summer. Van Houttel—More targely us SWITH BERRI alancarpa sestivale, humbergii purpurca.	er.—Makes a be ept cut as soon lakes a beautift ed on large gro tes IN FALL Height 3 to 6 ft 3 to 6 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft	autiful low hedge, as petals fall will il hedge or screen, unds. AND WINTER, Color or Fruit Scarlet Flack Scarlet Red Deep violet Bladder-like pods White Black Scarlet Scarle
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia an Berzoin ae Berberis T Callicarpa	Anthony Water over heads are ke summer. Van Houttel—More targely us SWITH BERRI alancarpa sestivale, humbergii purpurca.	er.—Makes a be ept cut as soon lakes a beautift ed on large gro tes IN FALL Height 3 to 6 ft 3 to 6 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft	autiful low hedge, as petals fall will ledge or screen, unds. AND WINTER. Color or Fruit Scarlet Elack Scarlet Hedge priotet Black Scarlet White Black Scarlet White Fallow Corange-red Red Black Scarlet and orange Red Black Blue-black Blue-black Blue-black Blue-black Red
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia an Berzoin ae Berberis T Callicarpa	Anthony Water over heads are ke summer. Van Houttel—More targely us SWITH BERRI alancarpa sestivale, humbergii purpurca.	er.—Makes a be ept cut as soon lakes a beautift ed on large gro tes IN FALL Height 3 to 6 ft 3 to 6 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft	autiful low hedge, as petals fall will ledge or screen, unds. AND WINTER. Color or Fruit Scarlet Elack Scarlet Hedge priotet Black Scarlet White Black Scarlet White Fallow Corange-red Red Black Scarlet and orange Red Black Blue-black Blue-black Blue-black Blue-black Red
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia an Berzoin ae Berberis T Callicarpa	Anthony Water over heads are ke summer. Van Houttel—More targely us SWITH BERRI alancarpa sestivale, humbergii purpurca.	er.—Makes a be ept cut as soon lakes a beautift ed on large gro tes IN FALL Height 3 to 6 ft 3 to 6 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft	autiful low hedge, as petals fall will il hedge or screen, unds. XND WINTER. Colorer Fruit Elack Scarlet Red Deep violet Bladder-like pods White Yellow Orange-red Red Black Bcarlet seed Black Bcarlet seed
Spirea and if flow bloom all Spirea Should be SHRUB Name Aronia an Berzoin ae Berberis T Callicarpa	Anthony Water over heads are ke summer. Van Houttel—More targely us SWITH BERRI alancarpa sestivale, humbergii purpurca.	er.—Makes a be ept cut as soon lakes a beautift ed on large gro tes IN FALL Height 3 to 6 ft 3 to 6 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft	autiful low hedge, as petals fall will il hedge or screen, unds. XND WINTER. Colorer Fruit Elack Scarlet Red Deep violet Bladder-like pods White Yellow Orange-red Red Black Bcarlet seed Black Bcarlet seed
Spirea and if flow bloom all Spirea Should be SHRUB Aronia me Benzoin a de Berberis T Callicarpa Cornus and Cornus sur Eleagnus ; Eleagnus ; Euonymus Euo	Anthony Water, ver heads are ke summer, ver heads are ke summer. Van Houttel—M more largely us S WITH BERRI JULIFOLIA LARGE MARCHARL STATE LARGE MARCHARL ST	rr—Makes a be typt cut as soon lakes a beautift of on large gro less IN FALL / High representation of the large ground of the	autiful low hedge, as petals fall will il hedge or screen, unds. XND WINTER. Colorer Fruit Elack Scarlet Red Deep violet Bladder-like pods White Yellow Orange-red Red Black Bcarlet seed Black Bcarlet seed
Spirea and if flow bloom all Spirea Should be SHRUB Aronia me Benzoin a de Berberis T Callicarpa Cornus and Cornus sur Eleagnus ; Eleagnus ; Euonymus Euo	Anthony Water, ver heads are ke summer, ver heads are ke summer. Van Houttel—M more largely us S WITH BERRI JULIFOLIA LARGE MARCHARL STATE LARGE MARCHARL ST	rr—Makes a be typt cut as soon lakes a beautift of on large gro less IN FALL / High representation of the large ground of the	autiful low hedge, as petals fall will il hedge or screen, unds. XND WINTER. Colorer Fruit Elack Scarlet Red Deep violet Bladder-like pods White Yellow Orange-red Red Black Bcarlet seed Black Bcarlet seed
Spirea and if flow bloom all Spirea Should be SHRUB Aronia me Benzoin a de Berberis T Callicarpa Cornus and Cornus sur Eleagnus ; Eleagnus ; Euonymus Euo	Anthony Water, ver heads are ke summer, ver heads are ke summer. Van Houttel—M more largely us S WITH BERRI JULIFOLIA LARGE MARCHARL STATE LARGE MARCHARL ST	rr—Makes a be typt cut as soon lakes a beautift of on large gro less IN FALL / High representation of the large ground of the	autiful low hedge, as petals fall will il hedge or screen, unds. XND WINTER. Colorer Fruit Elack Scarlet Red Deep violet Bladder-like pods White Yellow Orange-red Red Black Bcarlet seed Black Bcarlet seed
Spirea and if flow bloom all Spirea Should be SHRUB Aronia me Benzoin a de Berberis T Callicarpa Cornus and Cornus sur Eleagnus ; Eleagnus ; Euonymus Euo	Anthony Water, ver heads are ke summer, ver heads are ke summer. Van Houttel—M more largely us S WITH BERRI JULIFOLIA LARGE MARCHARL STATE LARGE MARCHARL ST	rr—Makes a be typt cut as soon lakes a beautift of on large gro less IN FALL / High representation of the large ground of the	autiful low hedge, as petals fall will il hedge or screen, unds. CND WINTER. CAD Fruit Black Scarlet Red Deep violet Rladder-like pods Black Scarlet White Yellow Orange-red Red Black Carlet and orange Black Bl
Spirea and if flow bloom all Spirea Should be SHRUB Aronia me Benzoin a de Berberis T Callicarpa Cornus and Cornus sur Eleagnus ; Eleagnus ; Euonymus Euo	Anthony Water, ver heads are ke summer, ver heads are ke summer. Van Houttel—M more largely us S WITH BERRI JULIFOLIA LARGE MARCHARL STATE LARGE MARCHARL ST	rr—Makes a be typt cut as soon lakes a beautift of on large gro less IN FALL / High representation of the large ground of the	autiful low hedge, as petals fall will il hedge or screen, unds. CND WINTER. CAD Fruit Black Scarlet Red Deep violet Rladder-like pods Black Scarlet White Yellow Orange-red Red Black Carlet and orange Black Bl
Spirea and if flow bloom all Spirea Should be SHRUB Aronia me Benzoin a de Berberis T Callicarpa Cornus and Cornus sur Eleagnus ; Eleagnus ; Euonymus Euo	Anthony Water, ver heads are ke summer, ver heads are ke summer. Van Houttel—M more largely us S WITH BERRI JULIFOLIA LARGE MARCHARL STATE LARGE MARCHARL ST	rr—Makes a be pt cut as soon lakes a beautifued on large gro less IN FALL / Beight. 3 to 6 ft 3 to 10 ft 4 ft	autiful low hedge, as petals fall will il hedge or screen, unds. Now Witter. County Fruit Black Scarlet Red Deep violet Black Scarlet White Yellow Orange-red Scarlet and orange Red Black Black Scarlet Black Scarlet White Yellow Orange-red Scarlet Red Black Scarlet seed Reddish purple Purplish-black Red Black Red Black Red Black Red Black
and if flow bloom all and if flow bloom all and if flow bloom all and if flow series and if flow series are controlled and controlled and cornus and communication and company and company and company and company and company and cornus and corn	Anthony Water, ver heads are ke summer, ver heads are ke summer. Van Houttel—M more largely us S WITH BERR! utifolia lancarpa estivale, 'humbergii purpurca borescens a siberica comum aguinea augustifolia ongipes alatns americanus ella abida morrow! Regelianum sella abida morrow! utifolia con la morrow! utifolia con siberica amourense ibota antharticus densis utifolia ara ina accinitata ina accinitata ina accinitata ina accinitata ina accinitata ina accinitata ara emesus densis dentatum lantana copulius copulius compulius compulius computer ara esta dentatum lantana lentago copulius copulius computer ara esta dentatum lantana lentago copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copuliu	r.—Makes a be pt cut as soon lakes a beautift ed on large gro less IN FALL / Height. 3 to 6 ft. 3 to 6 ft. 3 to 6 ft. 5 to 8 ft. 6 to 8 ft. 6 to 8 ft. 3 to 6 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 7 to 6 ft. 8 to 12 ft. 8 to 8 ft. 9 to 8 ft. 9 to 8 ft. 10 to 8 ft. 11 to 15 ft. 12 to 15 ft. 13 to 6 ft. 14 to 15 ft. 15 to 16 ft. 16 to 8 ft. 17 to 17 to 18 ft. 18 to 12 ft. 19 to 15 ft. 19 to 15 ft. 19 to 16 to 8 ft. 10 to 8 ft. 10 to 8 ft. 10 to 8 ft. 11 to 16 to 8 ft. 12 to 15 ft. 13 to 6 ft. 14 to 17 ft. 15 to 18 ft. 16 to 8 ft. 17 to 18 to 19 ft. 18 to 12 ft. 18 to 18 ft. 18 to 18 ft.	autiful low hedge, as petals fall will il hedge or screen, unds. Now Witter. County Fruit Black Scarlet Red Deep violet Black Scarlet White Yellow Orange-red Scarlet and orange Red Black Black Scarlet Black Scarlet White Yellow Orange-red Scarlet Red Black Scarlet seed Reddish purple Purplish-black Red Black Red Black Red Black Red Black
and if flow bloom all and if flow bloom all and if flow bloom all and if flow series and if flow series are controlled and controlled and cornus and communication and company and company and company and company and company and cornus and corn	Anthony Water, ver heads are ke summer, ver heads are ke summer. Van Houttel—M more largely us S WITH BERR! utifolia lancarpa estivale, 'humbergii purpurca borescens a siberica comum aguinea augustifolia ongipes alatns americanus ella abida morrow! Regelianum sella abida morrow! utifolia con la morrow! utifolia con siberica amourense ibota antharticus densis utifolia ara ina accinitata ina accinitata ina accinitata ina accinitata ina accinitata ina accinitata ara emesus densis dentatum lantana copulius copulius compulius compulius computer ara esta dentatum lantana lentago copulius copulius computer ara esta dentatum lantana lentago copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copuliu	r.—Makes a be pt cut as soon lakes a beautift ed on large gro less IN FALL / Height. 3 to 6 ft. 3 to 6 ft. 3 to 6 ft. 5 to 8 ft. 6 to 8 ft. 6 to 8 ft. 3 to 6 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 7 to 6 ft. 8 to 12 ft. 8 to 8 ft. 9 to 8 ft. 9 to 8 ft. 10 to 8 ft. 11 to 15 ft. 12 to 15 ft. 13 to 6 ft. 14 to 15 ft. 15 to 16 ft. 16 to 8 ft. 17 to 17 to 18 ft. 18 to 12 ft. 19 to 15 ft. 19 to 15 ft. 19 to 16 to 8 ft. 10 to 8 ft. 10 to 8 ft. 10 to 8 ft. 11 to 16 to 8 ft. 12 to 15 ft. 13 to 6 ft. 14 to 17 ft. 15 to 18 ft. 16 to 8 ft. 17 to 18 to 19 ft. 18 to 12 ft. 18 to 18 ft. 18 to 18 ft.	autiful low hedge, as petals fall will il hedge or screen, unds. ADOWINTER. GADOWINTER. G
and if flow bloom all and if flow bloom all and if flow bloom all and if flow series and if flow series are controlled and controlled and cornus and communication and company and company and company and company and company and cornus and corn	Anthony Water, ver heads are ke summer, ver heads are ke summer. Van Houttel—M more largely us S WITH BERR! utifolia lancarpa estivale, 'humbergii purpurca borescens a siberica comum aguinea augustifolia ongipes alatns americanus ella abida morrow! Regelianum sella abida morrow! utifolia con la morrow! utifolia con siberica amourense ibota antharticus densis utifolia ara ina accinitata ina accinitata ina accinitata ina accinitata ina accinitata ina accinitata ara emesus densis dentatum lantana copulius copulius compulius compulius computer ara esta dentatum lantana lentago copulius copulius computer ara esta dentatum lantana lentago copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copuliu	r.—Makes a be pt cut as soon lakes a beautift ed on large gro less IN FALL / Height. 3 to 6 ft. 3 to 6 ft. 3 to 6 ft. 5 to 8 ft. 6 to 8 ft. 6 to 8 ft. 3 to 6 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 7 to 6 ft. 8 to 12 ft. 8 to 8 ft. 9 to 8 ft. 9 to 8 ft. 10 to 8 ft. 11 to 15 ft. 12 to 15 ft. 13 to 6 ft. 14 to 15 ft. 15 to 16 ft. 16 to 8 ft. 17 to 17 to 18 ft. 18 to 12 ft. 19 to 15 ft. 19 to 15 ft. 19 to 16 to 8 ft. 10 to 8 ft. 10 to 8 ft. 10 to 8 ft. 11 to 16 to 8 ft. 12 to 15 ft. 13 to 6 ft. 14 to 17 ft. 15 to 18 ft. 16 to 8 ft. 17 to 18 to 19 ft. 18 to 12 ft. 18 to 18 ft. 18 to 18 ft.	autiful low hedge, as petals fall will il hedge or screen, unds. ADOWINTER. GADOWINTER. G
and if flow bloom all and if flow bloom all and if flow bloom all and if flow series and if flow series are controlled and controlled and cornus and communication and company and company and company and company and company and cornus and corn	Anthony Water, ver heads are ke summer, ver heads are ke summer. Van Houttel—M more largely us S WITH BERR! utifolia lancarpa estivale, 'humbergii purpurca borescens a siberica comum aguinea augustifolia ongipes alatns americanus ella abida morrow! Regelianum sella abida morrow! utifolia con la morrow! utifolia con siberica amourense ibota antharticus densis utifolia ara ina accinitata ina accinitata ina accinitata ina accinitata ina accinitata ina accinitata ara emesus densis dentatum lantana copulius copulius compulius compulius computer ara esta dentatum lantana lentago copulius copulius computer ara esta dentatum lantana lentago copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copuliu	r.—Makes a be pt cut as soon lakes a beautift ed on large gro less IN FALL / Height. 3 to 6 ft. 3 to 6 ft. 3 to 6 ft. 5 to 8 ft. 6 to 8 ft. 6 to 8 ft. 3 to 6 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 7 to 6 ft. 8 to 12 ft. 8 to 8 ft. 9 to 8 ft. 9 to 8 ft. 10 to 8 ft. 11 to 15 ft. 12 to 15 ft. 13 to 6 ft. 14 to 15 ft. 15 to 16 ft. 16 to 8 ft. 17 to 17 to 18 ft. 18 to 12 ft. 19 to 15 ft. 19 to 15 ft. 19 to 16 to 8 ft. 10 to 8 ft. 10 to 8 ft. 10 to 8 ft. 11 to 16 to 8 ft. 12 to 15 ft. 13 to 6 ft. 14 to 17 ft. 15 to 18 ft. 16 to 8 ft. 17 to 18 to 19 ft. 18 to 12 ft. 18 to 18 ft. 18 to 18 ft.	autiful low hedge, as petals fall will il hedge or screen, unds. CADOWINTER.
and if flow bloom all and if flow bloom all and if flow bloom all and if flow states are all and all a	Anthony Water, ver heads are ke summer, ver heads are ke summer. Van Houttel—M more largely us S WITH BERR! utifolia lancarpa estivale, 'humbergii purpurca borescens a siberica comum aguinea augustifolia ongipes alatns americanus ella abida morrow! Regelianum sella abida morrow! utifolia con la morrow! utifolia con siberica amourense ibota antharticus densis utifolia ara ina accinitata ina accinitata ina accinitata ina accinitata ina accinitata ina accinitata ara emesus densis dentatum lantana copulius copulius compulius compulius computer ara esta dentatum lantana lentago copulius copulius computer ara esta dentatum lantana lentago copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copuliu	r.—Makes a be pt cut as soon lakes a beautift ed on large gro less IN FALL / Height. 3 to 6 ft. 3 to 6 ft. 3 to 6 ft. 5 to 8 ft. 6 to 8 ft. 6 to 8 ft. 3 to 6 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 7 to 6 ft. 8 to 12 ft. 8 to 8 ft. 9 to 8 ft. 9 to 8 ft. 10 to 8 ft. 11 to 15 ft. 12 to 15 ft. 13 to 6 ft. 14 to 15 ft. 15 to 16 ft. 16 to 8 ft. 17 to 17 to 18 ft. 18 to 12 ft. 19 to 15 ft. 19 to 15 ft. 19 to 16 to 8 ft. 10 to 8 ft. 10 to 8 ft. 10 to 8 ft. 11 to 16 to 8 ft. 12 to 15 ft. 13 to 6 ft. 14 to 17 ft. 15 to 18 ft. 16 to 8 ft. 17 to 18 to 19 ft. 18 to 12 ft. 18 to 18 ft. 18 to 18 ft.	autiful low hedge, as petals fall will il hedge or screen, unds. CADOWINTER.
and if flow bloom all and if flow bloom all and if flow bloom all and if flow states are all and all a	Anthony Water, ver heads are ke summer, ver heads are ke summer. Van Houttel—M more largely us S WITH BERR! utifolia lancarpa estivale, 'humbergii purpurca borescens a siberica comum aguinea augustifolia ongipes alatns americanus ella abida morrow! Regelianum sella abida morrow! utifolia con la morrow! utifolia con siberica amourense ibota antharticus densis utifolia ara ina accinitata ina accinitata ina accinitata ina accinitata ina accinitata ina accinitata ara emesus densis dentatum lantana copulius copulius compulius compulius computer ara esta dentatum lantana lentago copulius copulius computer ara esta dentatum lantana lentago copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copuliu	r.—Makes a be pt cut as soon lakes a beautift ed on large gro less IN FALL / Height. 3 to 6 ft. 3 to 6 ft. 3 to 6 ft. 5 to 8 ft. 6 to 8 ft. 6 to 8 ft. 3 to 6 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 7 to 6 ft. 8 to 12 ft. 8 to 8 ft. 9 to 8 ft. 9 to 8 ft. 10 to 8 ft. 11 to 15 ft. 12 to 15 ft. 13 to 6 ft. 14 to 15 ft. 15 to 16 ft. 16 to 8 ft. 17 to 17 to 18 ft. 18 to 12 ft. 19 to 15 ft. 19 to 15 ft. 19 to 16 to 8 ft. 10 to 8 ft. 10 to 8 ft. 10 to 8 ft. 11 to 16 to 8 ft. 12 to 15 ft. 13 to 6 ft. 14 to 17 ft. 15 to 18 ft. 16 to 8 ft. 17 to 18 to 19 ft. 18 to 12 ft. 18 to 18 ft. 18 to 18 ft.	autiful low hedge, as petals fall will il hedge or screen, unds. CADOWINTER.
and if flow bloom all and if flow bloom all and if flow bloom all and if flow states are all and all a	Anthony Water, ver heads are ke summer, ver heads are ke summer. Van Houttel—M more largely us S WITH BERR! utifolia lancarpa estivale, 'humbergii purpurca borescens a siberica comum aguinea augustifolia ongipes alatns americanus ella abida morrow! Regelianum sella abida morrow! utifolia con la morrow! utifolia con siberica amourense ibota antharticus densis utifolia ara ina accinitata ina accinitata ina accinitata ina accinitata ina accinitata ina accinitata ara emesus densis dentatum lantana copulius copulius compulius compulius computer ara esta dentatum lantana lentago copulius copulius computer ara esta dentatum lantana lentago copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copulius computer aracemosus copulius copuliu	nr.—Makes a be pt cut as soon lakes a beautift ed on large gro less IN FALL / Height. 3 to 6 ft. 3 to 6 ft. 3 to 6 ft. 5 to 8 ft. 6 to 8 ft. 6 to 8 ft. 3 to 6 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 7 to 6 ft. 8 to 12 ft.	autiful low hedge, as petals fall will il hedge or screen, unds. CADOWINTER.
and if flow bloom all and if flow bloom all and if flow bloom all and if flow states are all and all a	Anthony Water, ver heads are ke summer, ver heads are ke summer. Van Houttel—M more largely us S WITH BERRI JULIFOLIA LARGE MARCHARL STATE LARGE MARCHARL ST	r.—Makes a be pt cut as soon lakes a beautift ed on large gro less IN FALL / Height. 3 to 6 ft. 3 to 6 ft. 3 to 6 ft. 5 to 8 ft. 6 to 8 ft. 6 to 8 ft. 3 to 6 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 7 to 6 ft. 8 to 12 ft. 8 to 8 ft. 9 to 8 ft. 9 to 8 ft. 10 to 8 ft. 11 to 15 ft. 12 to 15 ft. 13 to 6 ft. 14 to 15 ft. 15 to 16 ft. 16 to 8 ft. 17 to 17 to 18 ft. 18 to 12 ft. 19 to 15 ft. 19 to 15 ft. 19 to 16 to 8 ft. 10 to 8 ft. 10 to 8 ft. 10 to 8 ft. 11 to 16 to 8 ft. 12 to 15 ft. 13 to 6 ft. 14 to 17 ft. 15 to 18 ft. 16 to 8 ft. 17 to 18 to 19 ft. 18 to 12 ft. 18 to 18 ft. 18 to 18 ft.	autiful low hedge, as petals fall will il hedge or screen, unds. ADOWINTER. GADOWINTER. G

A GARDEN OF ROSES



AYRES "MILADY" NOVELTY

(See Page 15)

AYRES HARDY EVER-BLOOMING HYBRID TEAS

STRONG TWO-YEAR-OLD BUSHE, 75c EACH, \$7.50 DOZEN.

THREE-YEAR-OLD BUSHES, \$1.00 EACH, \$9.50 DOZEN.


Our Rose Bushes Bloom Profusely the First Season.

This is the class of roses for general planting everywhere. The great advantage claimed for them is that they combine the hardiness of the Hybrid Perpetual with the constant blooming qualities and delicious fragrance of the Tea Roses. These varieties we list include only the choicest, and your surprise will come from the quantities of beautiful blossoms they produce. Hardy in all localities and without protection, except in the Northern States, where a mulch should be given them.

- AMERICAN BEAUTY. Very large and fragrant. Rather delicate; constitution requires especially well drained soil; rich crimson.
- CAROLINE TESTOUT. Satiny pink, very large flowers. Excellent habit.
- DUCHESS DE WELLINGTON. Intense saffron-yellow, changing to a coppery yellow as the flowers develop; fragrant and free flowering.
- GRUSS AN TEPLIPZ. Medium size, intense scarlet-crimson. Strong grower, sweet scented and persistent bloomer. One of the best roses.
- GENERAL McARTHUR. As an all-round garden rose, there is no variety of its color, a rich crimson, that will give better satisfaction,

ROSES-Cont.

HYDRID TEA ROSES.



PROFUSELY BLOOMING CAROLINE TESTOUT ROSES

Buds coral-red, shaded with yellow and rose; very beautiful.

HOOSIER BEAUTY. Rich dark red fine budder, and very hardy and fragrant.

HADLEY. Darkest velvet color, fragrant and free flower-

JONKEER J. L. MOCK. Greatly improved La France, imperial pink; wonderful keeping qualities: The flowers are of large size, perfect form and highly perfumed.

KILLARNEY QUEEN. Deeper pink than Killarney, producing strong stems and long pointed buds; very hardy.

KILLARNEY WHITE. White, slightly tinted pink, long pointed buds, free bloomer, and no doubt one of the best white roses.

KILLARNEY BRILLIANT. Rich shade of rosy carmine, almost double.

KAISERINE AUGUSTA VICTORIA. Soft pearly white. Very fragrant and productive.

LADY HILLINGTON. Beautiful coppery shade of apricotyellow, pointed bud, very free flowering.

LADY PIERRE. Deep copper reddish-salmon, flushed fawn and copper, an ideal variety.

LA FRANCE. One of the best pink roses, very fragrant.

LOS ANGELES, an improved Marshal Neil and more frag-rant. Flame pink, gold at base of petal. LYON ROSE. The long buds are tipped coral-red and chrome-yellow at the base; very fragrant.

Y MARYLAND. Very free b'oomer; flowers large and double; color bright salmon pink. Should be in every collection.

MRS. B. R. CANT. Bright rose pink, a strong healthy grower and productive.

MRS. AARON WARD. A remarkable floriferous variety of strong, vigorous, but compact, dwarf growth, pointed bud, full double flowers when open. Color a distinct Indian yellow, shaped lighter towards edges

MRS. CHARLES RUSSELL. Long pointed buds dark rose-pink, one of the best keepers. Very fragrant and beau-tiful.

MADAM CHRISTY MILLER. Exquisite silvery pink, one of the best varieties.

PHELIA. Delicate shade of salmon-yellow, shaded with rose, floriferous and beautiful OPHELIA.

ADIANCE. An ideal bedding variety of remarkable free flowering habit of a brilliant rose-pink. One of the best garden roses; good keeping qualities.

RED RADIANCE. Rosy-crimson, vigerous and productive. except color same habit as Radiance.

RICHMOND RED. True shade of red. Very hardy and prolific bloomer.

RHEA REID. Strong grower, and prolific bloomer, carmine rose color. Should be in every collection.

SUNBURST. A superb rose, of good, vizorous habit; buds long cup shaped. Color a rich yellow with orange-

long cup snaped. Color yellow center.

WILLOWMERE. Coral-red color, suffused with carmine in bud state, and opens to a large full flower of a rich

WM. R. SMITH. Creamy-white with rose shadings. Long pointed buds and an excellent bedder.

NOVELTY ROSES.

COLUMBIA. Large double flowers. Deep pink. Very profuse bloomer

PREMIER. Satin pink. Pointed buds, Very fragrant, Hardy

BARY DOLL. Tiny buds. Rich apricot pink shading to vellow.

OSS ROSE. Beautiful shade of pink. Contrasting wonderfully with the mossy-like leaves. Very fragrant.

SHAWVER. Wonderfully formed buds. Cerise. Continuous bloomers.

MILADY. One of the best deep red velvety red roses. Very fragrant and profuse bloomer.

RUGOSA ROSES. Beautiful bushes and highly o owing to the large masses of deep red berries. Beautiful bushes and highly ornamental,

Any of the above, two-year-old bushes \$1.00 each. \$9.50 per dozen.

HARDY HYBRID PERPETUAL ROSES.

These roses are a most valuable class because of their large, sweet, brilliant colored flowers.

AMERICAN BEAUTY. Very large and fragrant, rich crimson color.

GEN. JAQUEMINOT. Too well known to require a lengthy description. It still holds first place among the dark red roses, and is one of the most satisfactory that grow.

FRAU KARL DRUSCHKI. Color fine snow-white, free from any yellow or rose tints.

MADAME PLANTIER. The iron-clad white cemetery rose; bears hundreds of beautiful, snowy-white fragrant blossoms

PAUL NEYRON. One of the finest hardy roses ever grown. It blooms unceasingly from June to November on unf-formly long, stiff, thornless stems, with immense cup-shaped flowers. Color, a bright rose pink.


ULRICH BRUNNER. Flowers good size and fine form with shell-shaped petals. One of the most abundant bloomers, color, cherry red.

Any of the above strong two-year-old bushes at 80c each, \$8.00 per dozen.



PAUL NEYRON

ROSES—Cont. HARDY CLIMBING ROSES.



THOUSAND BEAUTIES ROSE

YOUR CHOICE, ANY VARIETY. EXTRA STRONG FOUR-YEAR-OLD SPECIMEN PLANTS, \$2.00 EACH; \$20.00 PER DOZEN.

TWO-YEAR-OLD PLANTS, \$1.00 EACH; \$10.00 PER DOZEN.

PER DOZEN.

Need No Protection Even in the Coldest Climate.

Very few vines give such an abundance of blossoms as the Climbing Roses. Again there is nothing in cultivation more beautiful and attractive. Surround your house and veranda, cover your pergola, screens, and fences with these famous Climbing Roses. The stock we offer is choice and will give entire satisfaction.

AMERICAN PILLAR. Brilliant carmine rose, with a slight Climbing that the state of the control of the famous rose so long the American favorite, is as lovely and fragrant as the bush form. The hardy climber blood with which it is crossed, gives healthy, perfect foliage and a strong climbing habit of growth; the abundant bloom being in prime before the June show of the bush type.

feet foliage and a strong climbing habit of growth; the abundant bloom being in prime before the June show of the bush type.

Altimoric Bell.

Baltimoric Bell.

**Partition of the bush of the beautiful clusters, the whole plant appearing a perfect mass of bloom, one of the best Climbing Roses.

CRIMSON RAMBLER.

The most popular Climbing Rose, which is strong.

CRIMSON RAMBLER.

CRIMSON RAMBLER.

CRIMSON RAMBLER.

CRIMSON RAMBLER.

CRIMSON RAMBLER.

Definition of the most popular Climbing Rose, which is strong.

**Vigorous growth and general habit, very closely appeared to the proposition of t

pink, like an apple blossom. Spienas and Rose.

FLOWER OF FAIRFIELD. The Everblooming Crimson Rambler, brilliant crimson clusters of flowers.

LADY GAY. A seedling of the popular Crimson Rambler, which it closely resembles in habit and vigor of growth, and the control of the

PERSIAN YELLOW. A favorite yellow climber.

RUSSELL'S COTTAGE. Dark velvety crimson; very double and full; profuse bloomed. SILVER MOON. Half double flowers. Very large. Pure white with yellow stamens.

white with yellow stamens. Thousandschon). The most sensational climbing rose. Imagine a luxuriant rose literally covered with thousands of large, double beautiful, bright blossoms and of the most delicate shade of pink. The color might be described as white, delicately flushed pink which changes to rosy carmine. The name is denoted by the color. The color might be described as white, delicately flushed pink which changes to rosy carmine. The name is denoted by the color. The cluster is a bouquet in tiself, flowering profusely from the beginning of June until the last of July. There is no other rose in cultivation to compare with it, having but few thorns with magnificent foliage free from mildew and absolutely hardy in the open ground everywhere. If lower as is done with many of the tender varieties. In short it is the most remarkable rose of its kind in the Wellchenbilat.

VEILCHENBLAU. (Blue Climbing Rose). It has always been most person's ideal to cultivate a blue rose, and we are now in a position to offer such a variety. It has glossy, green follage, a strong grower and producing glossy, green foli steel blue flowers.



VEILCHENBLAU BLUE CLIMBER

HARDY PERENNIAL PLANTS

The Garden of Hardy Fowers is of gorgeous boom from earliest spring until frost, glorified by its appropriate flowers from month to month, with new things each day to delight you. Year after year this goes on and the garden increases in beauty and loveliness, practically without any expense other than the first cost. Hardy flowers require less care and attention, are more free from insects and disease, yet producing abundance of beautiful blossoms. Among the Hardy Flowers are found all the old-time favorites and some of the noblest plants that have been dear to our grandmother's garden, famous in song and story—a fragrant memory of gay sweetness.

ALL PERENNIALS UNLESS OTHERWISE NOTED, LARGE CLUMPS, 35c EACH, SIX OF THE SAME VARIETY \$1.75

SPECIAL PEHEDNIALS SUITABLE FOR SHADY PLACES. Achillea. Aegopodium, Anemones, Aquiletias, Aralia, Asters, Baptisa, Campanulas, Carnations, Coreopsis, Chrysanthemums, Shasta Daisies, Delphinium, Digitalis, Funkias, Hemerocallis, Hibiscus, Iris, all varietics, Lily of the Valley (Convallaria), Lychnis, Rudbeckias, Papaver (Popples), Primulas, Physostegia, Pentstemon, Pyrethrum, Sedum, Stokesia, Spirca, Violets, All the above varieties will also thrive in sunny, open situations except Anemones, Violets, days of the Valley, Spirca and Violets.

SPECIAL PERENNIALS SUITABLE FOR HOT AND DRY PLACES. Asters, Boltonia, Coreopsis, Cassia, Carnations, Shasta Daisics, Osaliardida, Eulalias The Coreopsis, Cassia, Carnations, Shasta Daisics, Osaliardida, Eulalias The Coreopsis of the Coreopsis o

ACHILEA. Boule de Neige. Dwarf compact grower; fine Double white flowers in profusion all summer.

AGROSTEMMA. A clump of these flowers adds a dash of brilliant color to the border that is not equaled by any other flower.


A. coronaria (Rose Campion). Velvety crimson, June and July, 1½, to 2 ft.

ALYSSUM saxatile compactum. Masses of canary yellow. April and May. 9 inch.


ANCHUSA Dropmorci. A new perennial of great worth. It has gentian-blue flowers, in long sprays, like the Larkspur. June and July. Each, 50c.

ANEMONE (Wildflower). Flowers resembling a dainty, Single rose.

AQUILEGIA (Columbine). Too well known to need much description. The hardy garden is not complete without them. A vulgaris is perhaps the freest growing sort Long spurred hybrids; arious colors; April to June.



AYRES AQUILEGIA (COLUMBINE)



AYRES HARDY CARNATION. (FIRE FLAME RED)

ASTER (Michaelmas Daisy). The Michaelmas Daisies are indespensable, because they bloom when the frosts have killed most of the other flowers. They are an American product, of which we are proud. Do not mistake these for the China Asters, which are grown from seed and which are not hardy. They are strong growers and bear a profusion of bloom.

BOCCONIA (Plume Poppy). A unique plant, well adapted for shrubbery beds or to plant where a bold group is wanted.

BOLTONIA Starwort. Resembles the Asters. Excellent for massing. Pink and white.

CAMPANULA (Bell Flower). A hardy garden is incomplete without a collection of these charming perennials. The tall ones are excellent for cut-flowers.

CARNATION. Hardy. Valuable for cut flowers. Blossoms all summer. Our new fire flame red, yellow, pink, violet,

CENTAUREA Montana (Perennial Cornflower). A garden would be incomplete without a group of this attractive perennial. Good foliage; large flowers. Blue. June to September.

CERASTIUM. Snow in Summer Mouse Ear, Very striking silvery foliage, valuable in rockeries and borders.

CHELONE (Turtlehead). Valuable late flowering plants, doing best in partly shaded places and being most at home in swampy graund, but will do well in the ordinary border. Rose-purple and white.

HARDY PERENNIAL PLANTS—Cont.



JAPANESE CHRYSANTHEMUMS

HARDY CHRYSANTHEMUMS-

ARDY CHRISANTHEMUMS—
Our collection consists of many varieties of every conceivable form and shade of color, and obtained at great expense from every possible source, so that we have every reason to believe that we have the inest collection in the country. Colors: Red. Yellow, White, Pink.

Shasta Daisy. A Burbank production of merit. Large, white. June to September.

Japanese. Everblooming from June until frost. Golden vellow.

(Lily-of-the-Valley). Clumps, 50c each; CONVALLARIA (Lily Roots 75c per dozen.

COREOPSIS. The most common perennial and highly prized. The yellow, cosmos-like blossoms come in profusion all summer.

LANCEOLATA GRANDIFLORA. 11/2 to 2 ft. Yellow. June to September.

ROSEA. Large growing, or rockery, with rose red flowers.

DIANTHUS. Highly prized old-fashioned garden plants that are indispensable in the border. BARBATUS (Sweet William). 1 to 11/2 ft. Various colors.

May to July. PLUMARIUS DIADEMATIS (Scotch Pinks). 9 in. Semi-double, clove-fragrant flowers in all colors. May and

June.

DICENTRA SPECTABILIS (Bleeding Heart). An attractive early spring flower, that is most useful for cutting. 500 each; 6 for \$2.75.



DIANTHUS

DELPHINUM (Larkspur). One of the finest sights of modern gardens is a good collection of blooming Larkspurs. The tall, rich, showy flowers have been in hardy gardens for years. Good for cutting. We have some sights of excellent strains.

CHINENSIS. 1 to 1½ ft. Flowers in varying shades of blue, violet and white.

FORMOSUM. 3 ft. Indigo. A favorite shade. June to August.

BELLADONNA. The freest and most continuous bloomer of all; clear turquoise-blue.

AllLARDIA (Blanket Flower). No plant in the hardy flower-garden gives more satisfaction than the Gaillardia. It flowers in great profusion nearly all summer long. The long, dry spells affect it very little. Cut-and-Comeagain is a good description of this plant. GAILLARDIA (Blanket Flower).

GYPSOPHILA (Baby's Breath). Loose, feathery white flowers, highly suitable for bouquet purposes. Fine for mixing with sweet peas.

GOLDEN GLOW. Very double vellow. Flowers in August

GOLDEN GROW, vary was so years and September,
HELENIUM SNEEZEWORT. Where a large mass of bloom
is required, the Heleniums are excellent subjects.

The negenial Sur-HELIANTHUS (Perennial Sunflower). The perennial Sunflowers, without exception, are good for cut-flowers. They have not the large coarse heads of the common, annual Sunflower. All the double Sunflowers resemble yellow

dahlias.


HEMEROCALLIS (Day Lily). The Hemerocallis, or bronze and yellow Day Lilies, are among the most popular of hardy plants, and if all the kinds are planted, will give a succession of bloom all summer long. The long stems elevate the showy flowers well above the foliage. All are robust growers and satisfactory in every way. Do not confuse with Funkia.

FLAY (Lemon Day Lily) 12 to 2 ft. A lovely flower, nicely formed, fragrant. Yellow. June. dahlias



GAILLARDIAS

HARDY PERENNIAL PLANTS-Cont.



ALLEGHENY HOLLYHOCK

AURANTIACA. Large orange yellow flowers. 2 to 3 ft. June and July.

HEUCHEA (Alum Root). Dainty little plants with the loveliest coral-like flowers imaginable, borne in delicate sprays. Very free flowering. Use in the rock-garden or semi-shaded spots anywhere. Nice foliage.

SANGUINEA MAXIMA. 1 to 2 ft. Bright coral red, large flowers. June and July.

HIBISCUS. Mallow. Hibiscus is best adapted for planting in a damp place, along streams, or in positions where a large, showy plant is required. Red. Bright red; very showy.

Pink. Soft shades of pink.

White. White and very pale-tinted kinds. Any of the above Marvels, 2-year roots, 75c each.

HOLLYHOCK. (Allegheny Hollyhock). The stately Hollyhock is increasing in popularity. The Allegheny Strain has prettily fringed edges. It was in great demand when introduced a few years ago, and the supply was quickly exhausted; but we now have a good supply. All kinds flower from June to August and grow 6 to 8 ft.

DOUBLE. Rosette flowers in white, pink, red, maroon and

IBERIS SEMPERVIRENS SUPERBA (Hardy Candytuft). 6 to 9 in. An Improved form. White. April and May. One of the best for bordering or rock-garden use

LAVANDULA VERA (Lavender). The Lavender bears those familiar fragrant spikes of flowers so useful for the linen closet. Gray, evergreen foliage.

All Perennials, unless otherwise noted, 25c each. Six of the same variety, \$1.50.

LILY.

Swaying their graceful heads in midsummer, filling the air with fragrance and producing wonderful effects, the charming American and Japanese Lilles fill a distinct place in the hardy garden of today.

We predict they will be far more popular in a few years, when they become better known, although thousands are now planted every year feet is gorgeous. They occupy small space and thrive in a semi-shaded situation. Among shrubs of priodogenies are yellow the feet in leads above the other plants and flower in all their glory.

AURATUM (Gold-banded Lily of Japan). Pure white with gold band. Huge flowers. 40c each.

CANDIDUM (Madonna Lily). The fine old Annunciation Lily with tall stems of fragrant, pure white. Tall. Very hardy and lasting, 40c each.

SPECIOSUM Magnificum. Bright, rich red; 40c each.

Album. (White Japanese Lily). All the Speciosums are lovely; flowers on branching stems, gracefully suspended.

IRIS

FLAG OR FLEUR DE LIS.

It is extremely beautiful, and can be grown with great ease. No garden is complete without some, and to acquire the Iris habit is to assume a hobby that can be ridden to the heart's content

There are several main groups as well as additional spe-cies, each having distinctive merits all combining to make a superb family of hardy plants, unsurpassed by an

Prices of all varieties, 35c each; per doz., \$3.50. Smaller divisions, 25e each; \$2.50 per doz.

AUREA. Rich chrome-yellow. A very fine Iris.

ADMIRAL TOGO. White, faintly tinged lavender. Extra fine.

DARIUS. Rich canary yellow; falls lilac margined white. ECLIPSE. Velvety claret red, shaded violet; throat markings gold.

FLORENTINE ALBA. Waxy white, tinted lilac. Early bloomer

GRACCHUS. Crimson, reticulated white; fine early, L'INNOCENCE. Deep lavender standards; white falls.

MAORI KING. Golden yellow, margined velvety maroon goid.

MME. CHERAU. Pure white; irregular border clear blue. Tall.

PENELOPE. White, delicately veined reddish purple.

KOCHII. Rich claret purple: handsome.

REMBRANDT, Light lavender: falls deeper.

TINNAE. Deep ageratum blue.


TRAUTLIEB. The nearest pink Iris, shaded lighter at

IRIS LAEVIGATA KAEMPFERI-Japanese Iris.

Flower in July after the Fleur-de-Lis have long finished their bloom. They prefer moist situations, where they will develop flowers of great size and wonderful colors.

SIBERIAN IRIS

SIBIRICA (Siberian Iris). Just the Iris for moist situa-tions, as are the varieties below. Foliage narrow; flow-ers, though small, come in abundance. Flowers rich blue. Orientals. Rich reddish purple blossoms. A splendid Iris.



GERMAN IRIS-LA INNOCENCE.

HARDY PERENNIAL PLANTS—Cont. PAEONIES



ACRES OF PAEONIES AT OUR NURSERIES

BRYSON AYRES PAEONIES-THE QUEEN OF FLOWERS.

Everyone loves the Paeony. We can all recall the enthusiasm of our grandmothers over the garden Paeoay. You can imagine the raptures, if those old people were brought in contact with the splendid varieties of today.

Paeonies require less care after planted than any other flower, but they will respond abundantly to good care and attention.

They should be planted $3\frac{1}{2}$ to 4 feet apart in good garden soil, and be set so as the eyes or crowns will be from $2\frac{1}{2}$ to 3 inches below the surface. Much them in the fall.

We advise August, September and October as the best time to plant them, but they can also be planted in the early spring. We sell Paconies only of our own growing, and make no pretense to compete with those who have no stock of their own, but only buy and sell them again, with no assurance of their being true to name or quality.

ALBERT CROUSSE, Crousse 1893, Immense convex, rose-shaped flowers, fresh salmon-pink, one of the most striking. 1 yr., 50e; 2-yr., 75e each.

ALEXANDRE DUMAS. Guerin 1862. Lively brilliant pink, interspersed with white, salmon and chamois. Very pretty and one of the earliest of the Chinensis sorts to bloom. 1-yr., 70e each; 2-yr., 75e each.

ASA GRAY. Large semi-rose type. Pale lilac, sprinkled with minute dots of deeper lilac. Of medium height and habit. A very distinct variety. Late. 1-yr., \$1.00 each; 2-yr., \$1.50 each.

BARON J. ROTHSCHILD. Guerin 1850. Outside petals rose, center salmon, fragrant. 1-yr., 50c each; 2-yr., 75c each; \$4.00 per dozen.

BERNARD DE PALISSY. Crousse 1879, Fleshy whit with glossy reflex. 1-yr., 50c each; 2-yr., 75c each.

EDOUARD ANDRE. Mechin 1874. Large globular bloom; deep orimson-red shaded black, with metallic luster on the reflex of the petals, a magnificent striking color; strong grower. Mid-season. 1-yr., 75e each; 2-yr., \$1.00 each.

EDULIS SUPERBA. Lemon 1824. Pink, slightly violanceous, intermixed with narrow whitish petals. Early. 1-yr., 50e ench; 2-yr., 75e ench.

FELIX CROUSSE. Crousse 1881. Large full ball-shaped bloom; brilliant red with ruby-flamed center; exceptionally bright, effective and desirable. Late mid-season. 1-yr., \$1.00 each; 2-yr., \$1.50.

FESTIVA MAXIMA. MicHez 1851. Enormous, very full shell-formed bloom, color snow-white shading to delicate creamy white at base of petals, with an occasional clear purple spot on edges of center petals; very fragrant. Early. 1-yr., 75e euch; 2-yr., \$1.00 each.

FLORAL TREASURE. This variety has few, if any, superiors as a cut flower. It is an excellent bloomer, bearing fine, large blossoms on strong, stiff stems. Color of flowers a bright light pink 1-yr., \$1.00 each; 2-yr., \$1.50 each.

MME. CROUSSE. Calot 1866. Very large, full, well-made flower; color snow-white, center petals edged with bright carmine. One of the finest. Mid-season. 1-yr., 75ct 2-yr., \$1.00 cach.

MARIE LEMOINE. Lemoine 1869. Enormous sulphurwhite bloom, shaded with pink and chamois; strong stems of medium height. Magnificent variety. Very late bloomer. 1-yr., 75c each; 2-yr., \$1.00 cach.

M. JULES ELIE. Crousse 1888. Immense globular, very full, imbricated flower of very strong long stems; petalage broad and overlapping, forming the most perfect Peony in existence; color, the finest glossy flesh-pink shading to deeper rose at the base, the entire bloom covered with a silvery reflex. Mid-season. 1-yr., 75e cauch; 2-yr., \$1.00 cach;

RUBRA SUPERBA. Richardson 1871. Very large and full, dark velvety crimson, the best late dark crimson. 1-yr., \$1.00; 2-yr., \$1.50 each.

TRIUMPH DU NORD. Deep Pink. A grand sort; extremely early. Bears its deep pink glorious blossoms in wonderful profusion. It is a striking variety. 1-yr., 75c; 2-yr., \$1.00 each.



AMERICAN REAUTY PEONY

LARGE SPECIMEN PAEONY CLUMPS, EIGHT YEARS OLD, CAREFULLY BALLED AND BUR-LAPED, \$4.00 TO \$7.00 EACH.

HARDY PERENNIAL PLANTS—Cont.

PHLOX



AYRES HARDY PHLOX HARDY GARDEN PHLOX.

For all-round reliability the Phlox is not outdone by any other hardy perennial.

There are varieties of the most vivid crimson, the clearest and softest shades of pink, clear mauves and purples, and snowy white. The colors are apt to deteriorate as the plants become old, but new plants should be set in to take the place of the old

Price of Phlox, except where otherwise noted, are 25e each.

ANNIE COOK. Flesh pink.

ASTARA. Violet-purple, pure white center, petals undulated.

B. COMPTE (Medium). Brilliant French-purple, with crimson carmine shadings. 35e each,

COQUELICOT. Fine pure scarlet. (Dwarf).

ECLAIREUR. Tall. brilliant, rosy magenta, with lighter center; large flower.

ELIZABETH CAMPBELL (Medium). Very light salmonpink, with lighter shadings and dark erimson eye. The most popular Phlox grown today. 35e each.

EUROPA (Medium). A white variety, with very decided crimson-carmine eye. 35e cach.

FERNAND CORTEZ (Tall). Deep crimson with much darker center, giving bronze effect. 35e each.

GENERAL VON HEUTSZ. Brilliant salmon. 35e each.

INDEPENDENCE (Medium). Large, pure white.

JEANNE DE ARC (Tall). A good standard late white, 35c cach.

JULES SANDERS (Dwarf). Very large flowering. Pure pink. Extra fine. 35c each.

LA VAGUE. Clear pink, vermilion center. (Dwarf.)

MME. MEURET. Flame color, carmine center. (Dwarf.)

MME. PAUL DUTRIE (Dwarf). A delicate, lilac-rose, reminding one of some of the beautiful soft-pink Orchids. 35c cach.

MRS. JENKINS (Tall). The best tall early white for massing. 35c each,

PANTHEON. Brilliant carmine-rose. (Medium.)

PINK BEAUTY (Tall). An enormous spike of beautiful pale pink flowers; very fine. 35c each.

RHEINLANDER. (Dwarf). A most beautiful salmon-pink with flowers and trusses of immense size; 35c each.

 $\ensuremath{\mathbf{RICHARD}}$ WALLACE. (Dwarf). White, violet-carmine center.

RYNSTROM. (Tall). A great improvement on the popular variety, Pantheon; of the same carmine-rose color as the Paul Nevron rose; 35c each.
R. P. STRUTHERS. (Tall). Salmon-pink with crimson center. 35c each.

THOR. (Dwarf). A most beautiful and lively shade of deep salmon-pink, suffused and overlaid with a scarlet glow; 35e each.

TOLSTOI. (Tall). Coppery amaranth, carmine red reflex, and blood-red center; 35e each.

WATER GROFF. Fine tall salmon-pink; flowers profusely; 35e each.

W. C. EGAN. (Medium). One of the finest Phloxes yet introduced, and while the individual flowers according to the color chart are of a delicate Illac color, illuminated by a large bright solferino eye, the color effect as a whole, is a delicate, pleasing shade of soft pink; 35c each.

WM. RAMSEY. (Medium). A fine deep crimson.

PHLOX FOR ROCKERIES AND CARPETING

PHLOX SUBULATA. For rockeries and carpeting. An early spring-flowering type, which, during the flowering season is a mass of bloom. An excellent plant for the rockery and border, and invaluable for carpeting the ground or covering graves.

ROSEA. Pink. Clump, 35e each.

LAVENDER. 35e each.

PRICE OF PHLOX, EXCEPT WHERE OTHERWISE NOTED, ARE 25° EACH. EXTRA SPECIMEN FIVE-YEAR-OLD CLUMPS, \$1.00.

POPPY. Papaver. The Oriental Poppy with its rich crimson flowers is one of the most gorgeous of our hardy perennials.

Orientale. Oriental Poppy. Huge scarlet flowers. June 50e each. 5 year old clumps, \$1.50 each.

Orientale, Livermore. Blood red. June. 35e each. Large Clumps, \$1.25.

Orientule, Royal Scarlet. Intense scarlet. June. 35c each. Large Clumps, \$1.25.

PHYSOSTEGIA. Obedient Plant. The long-flowering spikes of this fine plant are fine for cutting purposes.

VIRGINICA. 21/2 to 31/2 ft. Bright pink and white. August. 35e each.

MARIESI. 1½ ft. Dwarf. Blue and white. June to October. 35e each.

POLYGONUM. Compactum. Grows 15 inches high; during August and September the entire plant appears as a foamy mass of white flowers; 35c each.

PRIMULA. Primrose. The English Primrose with its flowers of every color is a most pleasing border plant. A northern exposure with shade is best. 35c each.



HARDY PERENNIAL PLANTS-Cont.



RUDBECKIA OR GOLDEN GLOW

POLYANTHA. Cowslip. 6 inches. Clusters of flowers on each stem. Various colors. April to June, 35c each.

PYRETHRUM. Mixed. Attractive, useful hardy plants for furnishing blossoms for bouquets. They thrive in almost any soil, and improve with age.

Roseum. 1 to 1½ ft. Very pretty daisy-like flowers. Low foliage. Flowers on good stems, Single. In shades from red and pink. June. 35c each. Extra clumps, 50c each.

RUDBECKIA. Golden Glow. Very free flowering. Showy blossoms, useful for cutting purposes. 35c each.

SALVIA. Azurea Grandiflora. Growing 2 to 2½ ft., producing during August and September, sky-blue flowers in profusion; 35c each.

SWEET WILLIAM. Too well known for description. We offer these for the first time in separate colors. Salmon, red, pink, white and variegated.

TRITOMA. Red-hot Poker. The most curiously formed head of flowers in cultivation. Flamboyant is a very good description of the flowerheads. July to October; 50e each: \$5.00 per doz.

VERONICA. Speedwell. Veronicas are grand subjects for the hardy garden, also rock garden. The long narrow spikes are attractive.

LONGFOLIA SUBSESSILIS HENDERSONII. 1½ to 2 ft. A grand hardy perennial for everybody. Big blue spikes. August. 35c each.

INCANA. Bright silvery foliage, with spikes of amethystblue flowers. July and August. One foot high. 35e

WINCA MINOR. Periwinkle or Myrtle. One of the best evergreen ground covers. Blue flowers. April and May trailing. 35e each.

VIOLETS.

VIOLETS. Sweet English. No garden is complete without the beautiful fragrant English Violets. Ours are perfectly hardy—bloom all fall and early spring. Big clump, each 20c; Extra large clumps, 35c.

VIOLA, Hardy Russia. A robust-growing variety with large, single, fragrant, deep blue flowers. 25c; Extra large clumps, 50c.

YUCCA Filamentosa (Adam's Needle). Color white. A charming plant to group in the hardy flower-border. Clump, each, 75c.

HARDY GRASSES.

The common striped grass, Eulalia variegata, is very attractive and another form in which the bars run crosswise, is Eulalia zebrina. Very effective results can be secured from the hardy grasses, coming as they do in all forms and kinds of foliage.

Interspersed in the shrubbery or perennial border, they are at home. They are fine ss formal beds, being unquestionably the plants that give the best all-round effect, spring, summer and fall.

Prices on all Grasses: Root-clumps, 6 in. diameter, 50e each; extra heavy clumps, 75c each.


EULALIA. False Pampas. The real Pampas Grass is not hardy in the North, but the Eulalias are good substitutes and hardy.

Japonica, 6 to 8 ft. Rich, green foliage which waves with the slightest breeze.

Japonica Gracillima Univittata. 5 to 7 ft. Narrow leaved variety of the one above, very graceful and pleasing.

Japonica Variegata. 4 to 5 ft. Striped with white variegation forming an attractive plan when grouped with the green.

Japonica Zebrina. 5 to 7 ft. Barred with bronze-yellow, and very popular, due to the bizarre effect produced.



SWEET WILLIAM-SALMON PINK

BRYSON AYRES FAMOUS HARDY PERENNIALS

Plant Flowers to beautify your home grounds, to hide unsightly foundations, in borders or hedge, or in artistically arranged beds, to make your grounds radiate with their beauty and fragrance.

artistically arranged beds, to make your grounds radiate with their beauty and fragrance.

Perennials have never been so popular as they are at present, and we feet that a permanent taste has been developed which is certain to continue. Cultivation is of the simplest, beginning with any good soil for a foundation, which may be enriched with any good fertilizer, such as well decomposed cow manue or bone meal, deeply dug, well pulverized, in season as early as possible, so as to enable them to become well rooted and established before hot, dry weather sets in, keeping the ground well stirred, and where it is convenient to water beds during hot, dry weather, a mulch of any loose material, which will keep the soil from baking.

A covering of manure should be applied in the fall. This may be forked into the soil early in the spring; beyond this little care need be given, the occasional staking of a plant, the cutting off of decaying flowers, which will prolong the flowering season of many species, and the dividing and replanting occasionally of such varieties that have become too large.

The Heights given indicate the height Plant attains at maturity.

PERFUNIAL	CLASSIFICATION	LIST

Bonnied Name. Common Name. Ultimate Volume. STO 12 FT. H1614. Aunon Donax. Red Grass. 10 [12 ft. Reddish plumer Speit-Oct. Volume. Speit-Oct. Spei			Yillimata	A LINCELLIN	Mima of	DDITTORY EIGH		. ¥714 las - 4 -		1 101
Age Compared Com	Botanical Name.	Common Name.		Color.	Time of Blooming	Botanical Name.	Common Name.		Color.	Time of Biooming
Reliamburg orgynlis.			1			Papaver orientalis			Scarlet pink	
4 TO 5 FT, MIGH. Michaelmas Dalaies 5 ft R. Buch-brown. Spic-Oct. Daviditata. Michaelmas Dalaies 5 ft R. Buch-brown. Spic-Deck. Daviditata. Anthe research 5 ft R. Michaelmas Dalaies 6 ft R. Michaelmas D		Reed Grass			SeptOct.	Penstemon South Park Gem	Foxglove	l		June-July.
Aster Tauriscus. Michaelmas Daleies 5 ft Bell-brown. Del-brown. Del-brown.	A TO 6 ET WICH	Summower	4 It	Yellow	Sent -Oct	Phlor panigulata	Penstemon	2/3 11	All colors	June to frost. July to Oct.
Bellatin archillias Miller Street, Van St		Michaelmas Daieles	5 /G ft	Bluish-violet	SeptOct.		Smooth leaved	2/3 ft	White pink	. July to Oct.
Dativitata Dat		Dicincinna Duales	0,0	Dialon violetti	Oct.	1	Dimooni leaved		eye	June to Aug.
Pegatama barbatus, var. Tentrar's Functions 51 Nother Margineria (1960) Robbecki hardinal (1960) Robbecki hardinal (1960) Robbecki purpares. Park Biologos. 4/5 ft. Riediah Robbecki purpares. Robbecki purpares. Robbecki purpares. Park Biologos. 4/5 ft. Riediah Robbecki purpares. Robbecki pur	Univittata	Ornamental grass			July-Aug.	Platycodon grandiflora	Balloon Flower	2 ft	Blue, white	July to Sept.
Section Committee Commit		Althea rosca	5/6 ft	All colors		Platycodon japonica fl. pl	Balloon Flower		Double blue	July to Sept.
Raubescia incliniaria — Ses Bottons. — 1/5 ft. Lemon yellow. — 100 to Aust. Aster Mars F. W. Raynor. — Michaelman Dakies of 1. — (Reddish video Sept. — 100 to Sept. — 100		Towner's Benstemen	= 44	Vollow-operlot	July-Aug.	Rudbeckia purpurea	Turple cone flower.	2/3 It	nurnle	July to Oct.
Aster Lawys. Michaelmas Dalies ft. Relictoring buts Sept. Oct. Aster Note, Parier Michaelmas Dalies ft. Pais Heliotrons Sept. Oct. Aster Note, Parier Michaelmas Dalies ft. Pais Heliotrons Sept. Oct. Aster Note, Parier Michaelmas Dalies ft. Pais Heliotrons Sept. Oct. Aster Note, Jarrier Michaelmas Dalies ft. Pais Heliotrons Sept. Oct. Aster Note, Jarrier Michaelmas Dalies ft. Pais Heliotrons Sept. Oct. Boltonia Intiguama. False Chamonile. John Pais Heliotrons Sept. Oct. Boltonia Intiguama. False Chamonile. John Pais Heliotrons Sept. Oct. Boltonia Intiguama. False Chamonile. John Pais Heliotrons Sept. Oct. Boltonia Intiguama. False Chamonile. John Michaelmas John J	hidheckia laciniata	Golden Glow	5 /6 ft	Lemon vellow	July to Aug.	Savlia azurea	Meadow sage	2/3 ft		
Aster Lawys. Michaelmas Dalies ft. Relictoring buts Sept. Oct. Aster Note, Parier Michaelmas Dalies ft. Pais Heliotrons Sept. Oct. Aster Note, Parier Michaelmas Dalies ft. Pais Heliotrons Sept. Oct. Aster Note, Parier Michaelmas Dalies ft. Pais Heliotrons Sept. Oct. Aster Note, Jarrier Michaelmas Dalies ft. Pais Heliotrons Sept. Oct. Aster Note, Jarrier Michaelmas Dalies ft. Pais Heliotrons Sept. Oct. Boltonia Intiguama. False Chamonile. John Pais Heliotrons Sept. Oct. Boltonia Intiguama. False Chamonile. John Pais Heliotrons Sept. Oct. Boltonia Intiguama. False Chamonile. John Pais Heliotrons Sept. Oct. Boltonia Intiguama. False Chamonile. John Michaelmas John J	nchusa italica	Sea Bugioss	4/5 ft	Blue	June to Sept.	Statice latifolia		2 ft	Bluish purple	July to Sept.
Ader None Angelie. Michardmas Dakiel et fl. Vlotet purple. SeptOct. Pinker Follows and Amer Roll. Farmer Michardmas Dakiel et fl. Pinker Follows and Amer Roll. Farmer Michardmas Dakiel et fl. Pinker Follows and Michardmas Dakiel et fl. Ville. Sept. Dakiel and Sept. Pinker Res Blotonia Sattemann. False Chamonsille. 45 fl. White. Sept. Dakiel and Farmer Michardmas Pale Chamonsille. 45 fl. White. Sept. Blotonia Sattemann. False Chamonsille. 56 fl. White. Sept. Blotonia Sattemann. False Chamonsille. 56 fl. White. Sept. Blotonia Sattemann. False Chamonsille. 56 fl. White. Sept. Blotonia Sattemann. False Chamonsille. 57 fl. White. Marchardmas. False Chamonsille. 57 fl. White. Sept. Blotonia Sattemann. False Chamonsille. 57 fl. W	ster Laevis	Michaelmas Daisies	4 ft	Heliotrope blue	SeptOct.	Veronica longifolia		ĺ		
Asker Rodd, Farker Michaelmas Daleis et 1. Paic Hellotroes Sept.—Oct. Michaelmas Daleis et 1. With. Sept. Sept.—Oct. Blotonia Intisquam. False Chamomile. John Marker Sept. Bushia Zebrina. Sept. Promital July. Sept. Promital Advances and the Sept.—Oct. Bushia Zebrina. Sept. Promital July. Sept. Sept.—Oct. Bushia Zebrina. Sept. Promital July. Sept. Promital July. Sept. Sept.—Oct. Bushia Zebrina. Sept. Promital July. John Sartin. July to Sept. Gaillardia maxima. July to Sept. July. Sept. July. Sept. July. Sept. July. Sept. July to Sept. Gaillardia maxima. July to Sept. Gaillardia ma	ster Mrs. F. W. Raynor	Michaelmas Dalsies	4 ft	Reddish violet.		subsessiles				
Again Public Queen	ster Novae Angilac	Michaelmas Daisies	4 ft			Waraniaa aniaa ta	speedwell	2/3 ft	Deep blue	AugSept.
Beltonia astroided. False Chanomile. 4/ 5 ft. White. Sept. Destroits a trianguage. False Chanomile. 4/ 5 ft. Lavrade. Sept. Bottonia lativage. False Chanomile. 4/ 5 ft. Lavrade. Sept. Bottonia astroides. False Chanomile. 4/ 5 ft. Rod-forom. Oct. Bottonia astroides. False Sept. Ballais aponics variesta. Pausas grass. 4 ft. Rod-forom. Oct. Bottonia astroides. Through word. 4 ft. White. Aug. Sept. Ballais aponics variesta. 4 ft. Rod-forom. Oct. Bottonia astroides. Through word. 4 ft. White. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Aug. Sept. Ballais aponics was also for the White Sept. Balla	ster White Oueen	Michaelmas Daisies	4 ft	White			epiked speedwell	2/311	i inte, lose	AugSept.
Campenula pyramidalis. Chimner Bells 4 ff. Perpilab-blue. July 2018 aliala jangonic wirefeast. Permisa grass. 4 ft. Red-forom Oct. Royal and Pink 1 ft. White. May 2019 alian and provided of the Markey of the Mark	oltonia asteroides	False Chamomile	4/5 ft	White			Handy garden	18 /94 in	All colors	Sont -Oat
Bankard mageratoides. Commerce of the property of the prope	toitonia iatisquama	False Chamomile	4/5 ft	Lavender	Sept.		Sweet William	18 in	Asst. colors	June to July
Samala produce verteels. Person vest. 4 ft. White. More vest. 14 May 10 May. Sept. Bellatable Soliel O'Cr. Double sunflower. 4 ft. Deep yellow. July Aug. Sept. Bellatable Soliel O'Cr. Mallow. 4 ft. White. Mallow Aug. Sept. Bellatable Soliel O'Cr. Mallow. 4 ft. Double sunflower. 4 ft. Mallow. 4 ft. White. Publ. 4 ft. Mallow.	ampanula pyramidalis	Chimney Bells					Plantain Lily	18 in	Blue	June-July.
Part Property Pr		Pampas grass	4 ft	Red-brown		Funkia robusta elegans	Plantain Lily	18 in	Lavender	
Helianthus Soliel d'Of. Double sunflower. 4 ft. Deep yellow July Aug. Billow 4 ft. Wilter on Mug. Sept. Millowes and Millow 4 ft. Wilter on Mug. Sept. Millowes and Millow 4 ft. Wilter on Millowes Millow Millowes Millow Millowes Millow	unatorium ageratoides	Thorough wort	4 ft	White		2				
Hibleseu Schmon Eye. Michieseu Mallow 4, 5ft., With. red eye. AugSept. Lathyrus laiffolia. Perennial Pen. "Y 5 / New York 1 March 1 March 2 Mar	felianthus Soliel d'Or	Double sunflower	4 ft	Deep vellow	July-Aug.	Caillandia mandifiana	Planks flame	10 /01 /2		June-July.
Hibiseus Mallow Marvels Afallow 4/5 ft Rend. Orlmon. Aug. Sept Thalletrum dipterocarpum Afallow 4/5 ft Rend. Orlmon. Aug. Sept Thalletrum dipterocarpum Afallow 4/5 ft Cenum white 3 70 4 FT. HiGH. Auguleria chayanatha alba Aug. Sept Agulleria chayanatha alba Aug		Mallow	4/5 ft	White, red eye.	AugSept.	Gamardia grandinora	Bianket Hower	10/24 111	red and	All summer.
Lathyrus lutifolis	Itbiscus Mallow Marvels	Mallow	4/5 ft	Rmd. Crimson	Aug Sept.				1	
Talletrum dipterocarpum. Meadow Rue. 4 ft. Lemon yellow. Aug. Sept. Vacca filaments	- Ab In Alfalla	Denounial Dea		and Pink	Tuln to Sort		Blanket flower	18/24 in.		1
Yacca filamentoss. Adam's Needle. 4 ft. Cream white. June-July. 3 10 4F i. Huch. Adulleria chipsautha. Golden spured Columbine. 3 ft. White. May to Aug. Columbine. 3 ft. White. May. Columbine. 3 ft. White. May. Columbine. 3 ft. White. May. Sept. May. Se	halietrum dinterocarrum		4 ft 12/1	Lemon velley	Aug -Sept.					1
Aquilegia chrysantha alba Nather Columbine 3 ft. Golden veltow. Aquilegia chrysantha alba Nather Columbine 3 ft. White Var to Aug. Aquilegia chrysantha alba Nather Str. White Var to Aug. Aquilegia chrysantha alba Nather Str. White Var to Aug. Aquilegia chrysantha alba Nather Str. White Var to Aug. Aquilegia chrysantha alba Nather Str. White Var to Aug. Aquilegia chrysantha Str. White Var to Aug. Adullegia nives grandiflora. Hybrid Columbine 3 ft. White Var to Aug. Adare anethysinus. Michaelmas Daises 3 ft. Amethyst blue. Age Consideration Hybrid Columbine 3 ft. White Var to Aug. Age Consideration Hybrid Columbine Michaelmas Daises 3 ft. Amethyst blue. Age Consideration Hybrid Columbine Michaelmas Daises 3 ft. White Material Adare anethysinus. Michaelmas Daises 3 ft. Amethyst blue. Age Consideration Hybrid Columbine Michaelmas Daises 3 ft. White Michaelmas Daises 4 f	ucca filamentosa	Adam's Needle	4 ft			mulitario I				Ali summer.
Agullegia chrysautha alba White spurred Columbrine. Agullegia chrysautha alba White spurred White spurred Agullegia chrysautha alba White spurred Columbrine. Agullegia chrysautha alba White spurred St. White. Bocconia spurred St. White. Bocconia cordata Fluime Poppy St. White. Hemerocallis parantiaca. Day July. Snezze-wort. 3 ft. White. Hemerocallis arrantiaca. Day Lily. Snezze-wort. 3 ft. White. Hemerocallis arrantiaca. Day Lily. Snezze-wort. July Lily. Snezze-wort. July Lily. Snezze-wort. July Lily. Snezze-wort. July Lily. Snezze-wort. July. July. Snezze-wort. July. July. Snezze-wort. July. July. July. Snezze-wort. July. Jul	3 TO 4 FT. HIGH.					Geranium sanguineum	Wild Geraniums	18 in		May-June.
Aquilesia chrysantha alba. White spurred with supported with the part of the p	quilegia chiysautha					Hemerocallis Dumortieri	Day-Lily	18 in	Bright yellow.	June to Sept.
Aduligela nerysations 3.1. White May to Air. Aduligela nives grandiflora, Southernwood. \$4.1 the June to July. Afternesia abrotanum Assara Alleria grandiflora, Southernwood. \$4.1 the June July. After anethylmins Michaelmas Datisés 3.1. White June July. Beccola cordata. Plume Poppo 3.1. White June July. Augusta anethylmins Michaelmas Datisés 3.1. Amelylaty blee. Per July Alleria Barotanum Assara anethylmins Michaelmas Datisés 3.1. Amelylaty blee. Per July Alleria Barotanum Assara Alleria Barotanum Assara Alleria Barotanum Assara Tenham Brothylmins Michaelmas Datisés 3.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 3.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 3.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 3.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 4.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 4.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 4.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 4.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 4.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 4.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 4.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 4.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 4.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 4.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 4.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 4.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 4.1. Amelylaty blee. Per July Alleria Barotanum Assara Michaelmas Datisés 4.1. Amelylatylatylatylatylatylatylatylatylatyla			3 ft	Golden yellow		Iris germanica	Fleur de Lis	18/24 in.	All colors	May-June.
Adulgela hirea grandiffors. Aftenesia shrotanum. Attenesia shrot	quilegia chrysantha alba	White spurred	0.00	TULIA.	May to Aug.	Lastrea Felix-mas	Male Fern	18 / 24 in.		
Artemesia abrotanum Southernwood. 3/4 ft. Bright yellow Boccoil a cordath. Southernwood. 3/4 ft. White. Boccoil acquathema. Caterbury Bell. 3/4 ft. White. Boccoil acquathema. Caterbury	authoria nives grandiflora.						Evening Primrose	18 in		AugSept.
Aster amethyst inus. Michaelmas Daises 3ft. Amethyst Dive. Aug. SeptOct.	rtemesia abrotanum	Southernwood	3/4 ft	Bright vellow	July.	Osmunda cinnamomea				
Beconia cordata. Plume Poppy 3.74 t. White. Aug. Aug.	ster amethystinus	Michaelmas Daisles	3 ft	Amethyst blue.	SeptOct.	Pyrethrum hybridum	Flowering Fern	18 /24 in	Red white	July-July.
Campennia calycantness Canterbury field 3/4 ft. All shades June-July Delphinium Larkspur. 3/4 ft. All shades June-July Delphinium	occonia cordata	Plume Poppy	3 ft	White	Aug.	Stokesia cyanez	Stokee Aster	18 in	Light blue	All summer.
Hemerocellis aurantiaca Day Lify 3ft Deep yellow June-July Hemerocellis tavanantiaca Day Lify 3ft Deep yellow June-July Hemerocellis tavanantiaca Day Lify 3ft Deep yellow June-July Abdilles paramica "The Public Mary-June Lillium caretum" Globel board-Life June July Aug. Lillium auratum Globel board-Life June July Aug. Lipinas polyphyllus also Index Lipinas Lipinas polyphyllus also Index Lipinas Index Lipinas polyphyllus also Index Lipinas polyphyllus also Index Lipinas polyphyllus also Index Lipinas polyphyllus also Index	ampanula calycanthema	Canterbury Bell	3/4 ft			12 TO 18 IN. HIGH.	1			
Hemerocallis aturantiaca. Day Idy 3 ft. Orange yellow. June-July. Alternetically and the control of the control	elpninium	Spagge-wort	3/4 11	Vollow			Yarrow	12 in	Pink	Aug.
Hemerocallis filava Lemon Lily 3 ft Deep yellow June-July Addinan Lily 3 ft Orange Tuly-Aug. Adullegia carlorian Lily 3 ft Captage Tuly-Aug. Adullegia carlorian Lily 3 ft Captage Tuly-Aug. Adullegia carlorian Lily Aug. Adullegia carlorian Lily Aug. Adullegia carlorian Lily Aug. Aug	emerocallis aurantiaca	Day Lity	3 ft	Orange vellow		Achillea ptarmica "Boule	Tanada		White	All summer.
Hemerocellis kwanso fl. pl. blooble Day-Jally 3 ft. Orange. [ally-Aug. Lillum andidum. Madona Lilly 3 ft. White. May-June. Lillum andidum. Madona Lilly 3 ft. White. May-June. Lillum arthrom. Columbine. 15 ln. White. May-June. Lillum arthrom. Shoted Lilly 3 ft. Red pink. AugSept. Lupinus polyphyllus alba Hardy Lupine 3 ft. Puple. IncJuly. Lupinus polyphyllus alba Hardy Lupine 3 ft. White. May-Sept. Lupinus polyphyllus alba Hardy Lupine 3 ft. White. June-July. Lupinus polyphyllus alba Hardy Lupine 3 ft. White varies are all the properties of th	lemerocallis flava	Lemon Lily	3 ft			A shilles ptarmics "The	Double winte	15 In	white	All summer.
Lillum rubrum. Gloden banded. 3 ft. White. yellow ledged barden. Jillum rubrum. Spotted Lily. 3 ft. Red pink. Aug. Sept. Lupinus polyphyllus alta. Hardy Lepine 3 ft. Porple. Lupinus polyphyllus alta. Hardy Lepine 3 ft. Porple. June July. Aug. Angelerium red programment of the programment of t	emerocallis kwanso fl. pl	Double Day-Lily	3 ft	Orange		Pearl"	Double white	15 in	White	All summer.
bands spot- builtium rubrum. Spotted Lily 3 ft depurple luly-Aug.		Madonna Lily	3 ft	White	May-June.	Aquilegia coerutea				
tel purple. Iuly-Aug. Aspidium account Aspidium Aspidium account Aspidium accou	mum auratum	Golden banded	311	hands spot-			Columbine	12 in		
Lillum urbrum. Spotted Lilly 3 ft Red pink. AugSept Apple-ful me vills Femilias Apple-ful me vills Apple-ful me vil				ted purple	July-Aug.	t talium a atiabaidan	Was A Tlann	10 /	white	April to June
Lupinus polyphyllus alba. Hardy Lupinus 3 ft. White warder and the proper of the prop		Spotted Lily	3 ft	Red pink	AugSept.					
Adulegia Helenae. Hybrid Columbine. 2 ft. Victor of ange. 2 f								12/15 in		
Phalatria arundinacea Ribbon Grass 3 ft. White varie- Tribuna pitkertana Yeadow Rue. 3 ft. deafo Nue. 3 ft. vermion. Aug. to Oct. Planter Plower 3 ft. Vermion. Aug. to Oct. Planter Plower 3 ft. Vermion. Aug. to Oct. Planter Plower 3 ft. Vermion. Aug. to Oct. Rarostemma coronaria. Rese Champion. 2 ft. 7 from. 1. Rarostemma coronaria. Rese Champion. 2 ft. 7 from. 1. Rarostemma coronaria. Rese Champion. 2 ft. 7 from. 1. Rarostemma coronaria. Rese Champion. 2 ft. 7 from. 1. Rarostemma coronaria. Rese Champion. 2 ft. 7 from. 1. Rarostemma coronaria. Rese Champion. 2 ft. 7 from. 1. Rese Champion. 2 ft. 7 from. 1. Rese Robin. 12 in. Purple varie- gated foliage. Research Robin. 12 in. Robin to July Robin type for dolumbine. Research Robin. 12 in. Robin type for dolumbine. Research Robin. 12 in. Robin type	upinus polyphyllus alba	Hardy Lupine	3 ft			Carnation	Hardy Carnation	12/18 in.	Mixed colors	June-July.
## Readow Rue. 3 ft. Ros purple. Inne-July.	halaria arundinacea	Bergamot	3 11		June to Sept.	Chrysanthemum "Alaska"	Shasta Daisy	12/18 in	White	June to Sept.
Thalictum adullegifolium Meadow Ruc. 3 ft. Rosy purple. Unne-July. Tultions offite reference and the property of the property	namins ai dhomacca	Kibbon Grass	o 1t	gated foliagle	Aug.		m	10 (10 1)	YEA-14-	June to Sept.
Trittom pfitzeriam. 2 To 5 FT, HiGH. Asclepias tuberosa Asclepias tuberosa Asclepias tuberosa Asclepias tuberosa Aschemia keleagii. Gasa Clampion. 2 ft. 'Timson. Ulusummet. Arthemia keleagii. Gasa Clampion. 2 ft. 'Timson. Ulusummet. 2 ft. 'Visilow and orange. 3 ft. 'Visilow and orange. 4 ft. 'Visilow and orange. 5 ft. 'Visilow		Meadow Rue	3 ft				Snasta Daisy	12/18 in.	white	June to Sept.
Aculegia Successor is a considerable selection of the sel		Flame Flower	3 ft	Vermilion	Aug. to Oct.	nieta	Plantain Lily	12 in	Purple varie-	
Agrostema coronaria Icas Champion 2 ft. Timson Ul summer. Arthemis kelwayii Marguerite or Chamomile 2/3 ft. Deep yellow Inne to Aug. Augustia Sangya Lychnis 2 in Orango and crimson 1 starting 2 ft. White Marguerite or Chamomile 2/3 ft. Deep yellow Inne to Aug. Sangya Lychnis 2 in Orango and crimson 2 ft. White Marguerite or Cambania Marguerite or Cambania 2 ft. White Marguerite or Cambania Marguerite or Cambania 2 ft. White Marguerite or Cambania Margueria Margueria Margueria Margueria Ma	2 TO 3 FT. HIGH.					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
Acthemis kelwayii. Orangenete or Camemile. 2/3 ft. Deep yellow. Inne to Aug. September 2 ft. More to Aug. September 2 ft. Deep yellow. Inne to Aug. September 2 ft. Deep yellow. Inne to Aug. September 2 ft. Deep yellow. Inne to Aug. Lychnis haegeana. Shagay Lychnis. 12 in. Orange and crimson. Its orange. Its District Columbine. 2 ft. Wild columbine. 2 ft. Wild columbine. 2 ft. Shagay Lychnis haegeana. May-June. Aguitesia Mrs. Scott Elliott. Hybrid Columbine. 2 ft. Shagay Lychnis haegeana. May-June. Aguitesia Mrs. Scott Elliott. 3/3 ft. White. Inne-July Campanula medium. 2 ft. Assorted colors. Way to June Aguitesia Mrs. Scott Elliott. 3/3 ft. White. Volet. June-July Campanula medium. 2/3 ft. United his and the september 2 ft. Assorted colors. Way to June Aguitesia Mrs. Scott Elliott. 3/3 ft. White. Volet. June-July Delphinium Belladonan. Larkspor. 2/5 ft. Light blue. June to July Delphinium Belladonan. 2/5 ft. United blue. June-July Elliptical Space and Shagay Lychnis Agus. 2/5 ft. United blue. June-July Elliptical Space and Shagay Lychnis haegeana. Lychnis haegeana. Shagay Lychnis haegeana. Lychnis haegeana. Shagay Lychnis haegeana. Shagay Lychnis haegeana. Lychnis		Butterrly weed	2/3 It						Deep red	June.
Adulegia California Hybrida. California Columbine. 2 ft. Vellow and orange. 2 ft. Vellow and orange. 3 ft. Vellow and orange. 4 ft. Vellow and orange. 4 ft. Vellow and orange. 4 ft. Vellow and orange. 5 ft. Vellow and or	r.themis kelsvayii	Marguerite or	5 It	Jamson	vii stimmer.					May-June.
Aquilegia Galifornia Columbine. Aquilegia Helenae Herbad Columbine. Aquilegia Mrs. Scott Elliott. Hybrid Columbine. Aquilegia Mrs. Scott Elliott. Aquilegia Mrs. Aquilegia Mrs. Mybrid Mrs. Mybrid. Aquilegia Gandensis. Aquilegia Mrs. Mybrid.			2/3 ft	Deep yellow	June to Aug.	Lyennis haegeana	Snaggy Lyconis	12 III		June to Aug.
Aquileria Helenae bine. 2 ft. Vellow and Garden pinks. Sept. Helenae bine. 2 ft. Vellow and Garden pinks. April to June Aguileria Mrs. Seott Elliott. Hisrard Columbine. 3 ft. Avaried colors. Vigoria and periper grant of the Campanula medium. "anceture Bell. 2 ft. Millino bine. Sept. Oct. Campanula medium. "anceture Bell. 2 ft. Millino bine. Sept. Oct. Campanula persicifolia. Campanula pe			'			Lychnis viscaria	Ragged Rohin	12 in	Rose	June.
Adullegia Helenae Hybrid Columbine 2 ft Buse white April to June Adullegia Mrs. Seott Elliott Hybrid Columbine 2 ft Buse white April to June Adullegia Mrs. Seott Elliott Hybrid Columbine 2 ft Arsorted colors; May to June 4 ft Arso	Hybrids		0.5			Oenothera Missouriensis	Missouri Primrose.	12 'n	Bright yellow	June to Aug.
Aquileria Mis-Sort Elliott, Tipride Columbine. 2 ft. 4 Norted colors. My Journe 2 ft. 4 Amilino bine. Sept-Oct. Campanula medium. "ancebury Bell. 2/3 ft. Bine rose. June-July. Campanula persiciolia. "each Bells. 2/3 ft. White. violet. June-July. Campanula persiciolia. "each Bells. 2/3 ft. White. violet. June-July. Campanula persiciolia. "each Bells. 2/3 ft. White. violet. June-July. Deliphinium Belladonan. Larispur. 2/3 ft. Light blue. June-July. Deliphinium Belladonan. Larispur. 2/3 ft. Light blue. June-July. Deliphinium Belladonan. Larispur. 2/3 ft. Light blue. June-July. Deliphinium Belladonan. Larispur. 2/3 ft. Deliphinium Belladonan. 2/3 ft. Deliph		bute	2 ft		May-Tune					May.
Aguitefa Mrs. Scott Elliott. Hybrid Columbine 2 ft. Arsorted colors. May to June Weronica Incana. Hoary Speedwell. 12 in. Violet blue. Adapter feithban Blue. Michaelans Daisie 3½ ft. Allinio blue. Specifical S	quilegia Helenae	Hybrid Columbine.	2 ft	Blue & white		Ranneculus aeris fl. pl	Bacbelor Button			
Aster Feitham Blue. Michaeimas Daisies 2½ ft. Anilino blue. SeptOct. Campanula medulum. Campanula persiciolia. Peach Bellis. 2/3 ft. Blue rose. June-July Campanula persiciolia. Peach Bellis. 2/3 ft. White. violet. June-July Campanula persiciolia. Peach Bellis. 2/3 ft. White. Violet. June-July Campanula persiciolia. Peach Bellis. 2/3 ft. White. June-July Campanula persiciolia. Peach Bellis. 2/3 ft. White. June-July Campanula persiciolia. 2/3 ft. White. June-July Lawrence 2/4 ft. White. June-July Dictamism frantial. 2/4 ft. White. pink. June-July June-July Lawrence 2/4 ft. White. Peach and purple. June-July June-July Lawrence 2/4 ft. White. Auc. Sept. June-July June-July June-July Lawrence 2/4 ft. White. Auc. Sept. June-July June-July Lawrence 2/4 ft. White. Auc. Sept. June-July June-July Lawrence 2/4 ft. White. July-Auc. J	quitegia Mrs. Scott Elliott.	Hybrid Columbine	2 61	Assorted colors.	May to June	veronica amethystinus	Hoary Speedwell	12 / 15 In.	Violet blue.	June-July. June-July.
Campanula medium. Campanula med	ster Feltham Blue	Michaelmas Daisies	21/2 ft	Anilino blue	SeptOct.		LIORIY DECCUMENT		. ,ore order	Jane vary.
Cocceptis grandiflora. Televest 2/1 Viles et al. Blummer. Delphinhum Bellanosau. Larkopur. 2/51 Libra line. June to July. Delphinhum Bellanosau. Larkopur. 2/51 Libra line. June to July. Dichamus frankinella. Gas Pant. 2/51 White. Die June to July. Dichamus frankinella. Gas Pant. 2/51 White. Die June to July. Dichamus frankinella. Gas Pant. 2/51 White. Digitalis positionisefora. Foxglove. 2/51 White. Oscillationisefora. Foxglove. 2/52 White. Multi-State White. Oscillationisefora. Foxglove. 2/52 White. Multi-State White. Oscillati	ampanula medium	"anterbury Bell	2/3 ft	Blue rose	June-July.		Maldenhair Fern	8 /12 in.	J	l
Delphinium Belladonan. Carkenur. 2/5 ft. Leich line. June to July Delphinium Belladonan. Carkenur. 2/5 ft. Leich line. June to July Delphinium Belladonan. Carkenur. 2/5 ft. Nepture. Delphinium Belladonan. Carkenur. 2/5 ft. Nepture. Delphinium Belladonan. Carkenur. Carkenur. Delphinium Belladonan. Carkenur. Carkenur. Delphinium Belladonan. Carkenur. Delphinium Bell	ampanula persicifolia	Peach Bells	2/3 ft	White, violet	June-July.	Aquilegia canadensis			Scarlet and	
Delphinium Bellamosum. [arkspur. 2/8 ft. White, pink. June to July.] Diebramus fraxinella (Gas Pant. 2/8 ft. White, pink. June July. Diegrams fraxinella (Gas Pant. 2/8 ft. White, pink. June July. Diegrams of Di	Pelphinium Belladonna	Larkspur	2 /3 61	Light blue	June to July				yellow	May-June.
Detamus fraxinella — Gas Piant. 2/3 ft. White, pink. June—July — Butter for Determination of the properties of the prope	Delphinium Bellamosum	Larkspur	2/3 ft	Deep blue	June to July.		Lily of the Valley	6 in	White	Мау.
Digitals positinalizations of Dientra. Bleeding Beart 2 ft. Ress. May-June Feature gate 1 ft. Ress. May-June Digitals promised from the property of t	Dictamnus fraxinella	Gas Plant	2 /3 ft	White, pink	June-July.		Garden pinks	6/8 m	Asst. colors	May-June.
Digitalis grandifilora Foxilors 2/3 ft Mnife rose 1/2 methods	Dielytra or Dicentra	Bleeding Heart	2 ft	Rcse	May-June.					July to Sept.
Digitalis grandiflora Foxilore 25,-27 Veltow June to July Phlox subulata Moss pink. 6 iin. Lifac, rose noticitals maculat superbs. Poxilore 7/2 Sported June to July Digitalis maculat Superbs. Poxilore 7/2 Sported June to July Digitalis maculata Superbs. Poxilore 7/2 Sported June July Pulmba Digitalis maculata Superbs. Poxilore 7/2 Sported June July Pulmba Sedum speciable brilliant. Sedum speciable brilliant. Sedum speciable brilliant. Sporte S	ngitans ploxiniaeriora	Foxglove	2/3 ft	White, rose	Tuno Tuly					June.
Digitalis maculata superba. Foxelore. 2/7 ft. Spotfool. June to July Digitalis maculata superba. Full plutain Lily 21t. White. Aug. Sept. Luly-Aug. June by July-Aug. June Heperis matronalis. Sected Rocket 2 ft. White. July-Aug. July-Aug	digitalis grandiflora	Forglove	91/-2/		June to July				Lilac, rose	AugSept.
Digitalis maculata superba Plantain Lily 2 ft. White Muy. Aug. Sept. Genrophila paniculata Mary S Breath 2 ft. White Muy. Aug. Muraminor Mary S Breath Mary S Breath	picitalis maculata superba.	Foxglove	9 /3 (1						and white	
Gresophila paniculata. Baby's Breath. 2 ft. White. July-Aur. Hesperis matronalis. Sceet Rocket. 2 ft. LiLac. June-July Hesperis matronalis. Sceet Rocket. 2 ft. LiLac. June-July Lilium umbeliatum. 2 ft. Crimson and 2 ft. Crimson	Digitalis maculata superba.	Plantain Lily	. 2 ft	White		Plumbago larpentae	Lead-wort	8/12 in.	Deep blue	April-May.
Volar Prince of Wales Violets, hardy 6/8 in Blue	psophila paniculata	Baby's Breath	2 ft	White	July-Aug.	Sedum spectabile brilliant.	Showy Sedum	6 in	Violet	AugSept.
Linum unnequatum. 2½ ft. Crimson and May-June. Lyckhulis chaledonica. Jerusaleum Cross. 2 ft. Sea. June-July. Paeonia. Herbaceous Fcony. 2/3 ft. Red. white. Block white. Red. white.	Hesperis matronalis	Sweet Rocket	23/2 ft	Lilac	June-July.	Viola Prince of Wales	Violets bardy	6/8 in	Blue	May.
Lychinis chalcedonica	Lillum umbeliatum		2½ ft	Crimson and	Man Tune		violets, maraj	~/ o m		
pink May-June. Sedum acre Golden moss 3/4 in Bright yellow	wehinis chalcedonica	Tarusalem Cross	2.61			Bellis Perennis.	English Daisy	3/4 ip	JPink	. Мау.
pink May-June. Sedum acre Golden moss 3/4 in Bright yellow	Paeonia	Herbaceous Pconv.	2/3 ft	Red, white.	The say.	Cerastium tomerctosum	Snow in summer	4/6 in	. White	. June.
Onoclea struthiopteris Ostrich Fern			1 '		May-June.	Sedum acre	Golden moss	3/4 in	. Bright yellow.	May.
	On ocle a struthiopteris	Ostrich Fern	. 2/3 ft	.\		Veronica rupestris alba	Rock Speedwell	4/6 in	,[White	. May-June.

CLIMBING VINES AND CREEPERS

Climbing Vines are just as necessary in the beautifying of grounds as shrubs, trees or grass; they have their important part in the planting of every place. Around new buildings, they give shade quickly and are very cooling and cheerful. For verandas or trellises, there is nothing that adds more beauty than a proper selection of vines and, by covering summer-houses, or trunks of of vines and, by covering summer-houses, or trunks of dead trees, a strikingly wild, naturalistic effect is secured



BOSTON IVV

AMPELOPSIS ENGELMANNI (Engelmann's Ivy). This is perfectly hardy in Missouri and will cling to brick, stone or stucco.

Quinquefolia. (Virginia Creeper).

Veitchii. (Boston Ivy). Very fine. Will cling to brick, stone or stucco.

BIBNONIA RADICANS (Scarlet Trumpet Vine).

BITTERSWEET

CELASTRUS ORBICULATUS (Japanese Bittersweet). Almost an Evergreen Vine, as leaves and beautiful orange colored berries hang on until late in winter. Always free from insects and disease. Blossoms in June.

CLEMATIS

CLEMATIS, COCCINEA (Scarlet Clematis).

Duchess of Edinburgh, Henryi. Single white.

Jackmanii. Large single purple.

Madame Edouard Andre. Large single red.

Paniculata. Pure white in clusters. 2 yrs. old, 75c each.

NOTE-We guarantee Clematis to reach our customers in good condition but we cannot agree to replace if they



SWEET HONEYSUCKLE

DUTCHMAN'S PIPE (Aristolochia Sipho). HONEYSUCKLE, Hall's Japan. (Lonicera Halliana.) 2 yrs old. 75e each.

Scarlet Triumpet, (Lonicera sempervirens). 2 yrs. old 75e each.

VITIS, OF HARDY WILD GRAPE. Beta. (Grape).



WISTARIA CHINENSIS (Chinese Purple Wistaria).
WISTARIA CHINENSIS ALBA (Chinese White Wistaria).

ALL FLOWERING VINES LISTED ARE OVER 3 YEARS OLD, AND UNLESS OTHERWISE NOTED, YOUR CHOICE, EACH, \$1.00. IVIES, 50c EACH.

SIX LEADING PERENNIALS

We list herewith six Hardy Perennials in extra specimen size clumps that will bloom profusely this coming season. In case you want immediate effect in your hardy garden, be sure and try a few. ORIENTAL POPPY—Gorgeous orange red; blossoms as large as a saucer. Extra specimen

size clumps, each \$1.25.

GYPSOPHILA PANICULATA—Beautiful pure white. Lasts nearly all summer and is wonderful dried for winter boquets. Extra specimen size, each 50c.

ANCHUSA DROPMORE—Rich gention blue. A most vigorous grower. Extra specimen size

clumps, each 75c.

EVERBLOOMING JAPANESE CHRYSANTHEMUM-This wonderful flower should be in every home. It is truly a wonder-begins to bloom in June and continues throughout the summer and fall. Color, beautiful golden yellow. Needs no protection during the winter. Extra specimen size clumps, each 50c.

CARNATION FIRE FLAME—This beautiful Red Carnation is in bloom continually from May until late fall. Extra specimen size clumps, each 75c.

CELOSIA CHRYSANTHEFLORA AND STRAWFLOWER PLANTS READY MAY 15TH. DOZEN, \$1.00; FOUR DOZEN, \$3.50.

CREATING LANDSCAPE HARMONY

Anyone can dig holes and plant trees; likewise, anyone can take spoonfuls of medicine. If the latter happens to be the wrong kind and taken in wrong proportions, comfort and physical harmony are disturbed. If trees and plants are put into the ground at random, without a preconceived idea as to final effects, there will be a disturbing of landscape harmony that will become more serious as the planting grows.

Where planting is to be done, it is the part of wisdom to procure expert suggestions as to plans and as to kinds of trees or plants to be used, for a knowledge of their habits, preferences, and appearances is absolutely essential in the preparation of a harmonious planting plan. Certain plants grow tall and spirelike, others short and bushy; some prefer moist soil, others dry;

some are radiant masses of bloom in spring, others flaming groups of crimson foliage in autumn; some are hardy and withstand very low temperatures, others freeze very easily. Just which are which in these various categories and what ones are to be combined to secure the greatest effectiveness are matters that may profitably be left to the landscape architect to determine. All that special knowledge is his; he can draw up plans for home grounds, vast estates, or parks, and choose such trees and plants as will create a landscape picture which, though it may not be possible to view as a whole at one time, will be found as pleasing to the eye and as replete with harmony as the smaller-scale work of the artist or of the sculptor.

OUR SPECIAL SERVICE SAVES YOU TIME, MONEY AND DISAPPOINTMENT

After years of close personal contact with our customers, we come more and more to feel that here is our opportunity to help you. Primarily we are nurserymen, and are interested in the distribution of trees and plants of all kinds; but, for the convenience and assistance of our custotomers, we now maintain a service department. and if you have just built a new house or are planning the rearrangement of your grounds, or wish an effective grouping on any part of your grounds, you should get in touch with this department, for it includes one of the foremost landscape architects in the country as well as orchard and planting experts. Through it we can undertake the planning, the arrangement, and the actual planting itself, without trouble or worry on your part, of any site whatever, be it

an estate or modest home.

Let our Landscape Department solve your planting problems for you. The money that you would otherwise have to give to a landscape architect may then be devoted entirely to the purchase of the finest kind of growing ornamentals without any part of it being diverted as architect's fees.

Let us get in touch with you today. We are anxious to come and talk it over with you, not through a salesman, as we do not employ them, but some member of the firm personally. We have found this to be the only way to most effectively cooperate with our customers.

Write us and we will arrange an appointment to suit your convenience. Once the outline of the work is agreed on, we will do the rest.

BRYSON AYRES LANDSCAPE SERVICE
Eleventh and McGee Sts. Phone, VIctor 7591

EVERGREENS



SCOTCH PINE

For your comfort, beauty, economy and value of your place, there is nothing more appropriate than Evergreens. I have heard the remarks from seemingly well meaning persons that Evergreens made them sad, reminding them of a cemetery. How ridiculous! Evergreens today are perhaps the most fashionable of all ornamental trees, and if one Evergreen ever made us feel sad, it was because some other fellow had a specimen we did not have in our nursery.

Our Evergreens are extra robust and bushy and should be in every yard. By planting evergreens you will help carry out the ideal of the late President Roosevelt.

REST FOR LAWN PLANTING AND GROUPING. Arbor Vita, globe. Pinus Nigra Austriaea. (Austrian Pine.) Pinus Strobus. Pinus Sylvestris, (Scotch Pine.) Thuya Gecidentalis.



RHODODENDRON



EVERGREENS, WITH GLOBE ARBOR VITEA IN FORE-GROUND.

Picea Pungens, Var. Glanca. (Colorado Blue Spruce.)
Picea Douglasli. (Douglas Spruce.)
Juniperus Virginian.
Ables Concolor. Concolor Fir.
Ables Concolor. Concolor Fir.
Concolor. Concolor Fir.
Live sett only specimen size Evergreens. Each tree cartily each of the concolor fire from the concolor fir EUONYMUS RADICANS VECTUS. Beautiful Evergreen vibe for planting on porches or trailing for ground cover, thrives in shade. The contrast in winter of its beautiful red berries with its glossy green leaves makes a most striking sight. \$0.50 each; 6 for \$2.75.

EVERGREEN VINES AND SHRUBS

MAHONIA ACTARONAL STATES AND STREED With Holy-like leaves and blue berries. In mit-winter the leaves change from a deep green to a shiny bronze red. Every-one should have this. Thrives in partial shade. Grows only about two feet high. \$0.75 each; 6 for \$4.00. RHODODENDRON. Large bushes, \$5.00 each.



CONCCLOR FIR

SHADE TREES

If you were looking for a home, one with large Trees, Shrubbery and Flowers would appeal to you most, wouldn't it? You often hear the remark of one envious neighbor to another: "I wish I had that beautiful tree in my yard." The Bryson Ayres Service has made it possible for you to have the kind of Tree you want in your yard. You do not have to wait years for them to grow, either. Our Trees are moved with the greatest of care.



A Corner at Harvard Botanical Gardens Cambridge, Mass.

MAPLE.

BIRCH.

BIRCH (Cut-leaf Weeping Birch). A most graceful tree with finely cut foliage. 5 to 6 ft., \$2.50; 6 to 8 ft., \$3.50.
BIRCH PAPYRHERA. Pure white bark is the attraction of this tree. It will develop into a large, shapely tree, with good foliage. The best of all white Birches, contrasting beautifully with surrounding plants, especially evergreens. 4 to 5 ft., \$1.50; 5 to 6 ft., \$2.50; 6 to 8 ft., \$3.50.

CERCIS-RED BUD.

C. canadensis. (American Judas). M.—A small tree of irregular rounded form, with pretty foliage, and very showy when in bloom; the branches and twigs are covered with a donse mass of beautiful pink flowers before the leaves ex-

pand.
3 to 4 ft., each......
4 to 5 ft., each...... 2.50 Specimen Tree \$3.00 to \$10.00 Each.

CATALPA (Umbrella Tree). The large, tropical-appearing leaves and rapid growth make the Catalpa very desirable. C. Bungel (Globe-Headed Chinese Catalpa). 7 to 10 ft. The dense, well formed, round head, on a straight stem about ft. high, makes this an admirable tree for formal planting. 5 to 7 ft. stems. 1½ to 2 ft. head, \$3.50; 5 to 7 ft. stems, 2 to 2½ ft. head, \$4.50; 5 to 7 ft. stems, 2½ targer specimens, \$7.50 to \$15.00.

ELM---ULMUS.

ELM—ULMUS.

Ulmus Americana (American Elm). Our native Elm is too well known to need description. Just the tree for quick growth and is unsurpassed for city and suburb planting. either as a street or specimen tree. None more graceful. 8 to 10 ft., 1½ to 1½ in., \$2.00; 10 to 12 ft., 1½ to 12 in., \$3.00; 12 to 14 ft., 2 to 2½ in., \$4.00; 14 to 16 ft., 2½ to 3 ft., \$6.00; larger specimens, \$4.00 to \$52.00 to \$2.00 to

LINDEN-TILIA

A quick grower, and a good shade tree. Fine for street or lawn use. The flowers are very numerous and deliciously fragrant, scenting the surrounding air.

Americana. (American Linden or Basswood.) 50 to 40 for Antractive, fine, large-sized tree, of rapid growth, well suited for broad avenues, parks and public places, where it can develop. Special price, 5 to 6 ft., \$1.50 each.

LIRIODENDRON-TULIP TREE

Tulip Tree. Liriodendron Tulipifera. (L). A grand native tree of rapid growth after it becomes established. A little difficult to transplant and small sizes are preferable for planting. 5 to 6 ft., each, \$2.50; 6 to 8 ft., each, \$3.50.

THE MULBERRY TREE-MORUS

M. Tartarica. (Teas Weeping Mulberry). The sweet, flushy fruits are a great attraction to birds and should be planted extensively. Grafted on stems about 5 ft. high, the pendulous branches completely hide the stems and sweep the ground. 5 to 6 ft., \$3.50 to \$5.50.

THE POPLARS-POPULAS.

A formal tree of pyramidal habit; very desirable for screen and wind breaks.

Carolina Poplar (Caroliniana). 10 to 12 ft., 1½ to 2 in., \$3.50; 12 to 14 ft., 2 to 2½ in., \$4.50.

Lombardy Poplar. P. nigra. (fastigiata). Very decorative. Valuable for screening. 6 to 8 ft., \$1.00; 8 to 10 ft., 1½ to 1½ in., \$1.50; 10 to 12 ft., 1½ to 1½ in., \$2.50; 12 to 16 ft., 1½ to 1½ in., \$2.50; 12 to 16 ft., 1½ to 1½ in., \$4.50. Special price on lots of 25 or more.

FLOWERING PLUM-PRUNUS.

P. Psardi. (Purple-Leafed Plum.) Bright purple leaves that hold their color all summer; fine when set in the background in group planting. 3 to 4 ft, \$2.09; 4 to 6 ft, \$2.50. P. triloba. (Double-Flowering Plum.) This small growing tree is a great favorite; the branches are completely covered with double pink flowers in May; foliage green. 2 to 3 ft, \$1.50; 3 to 4 ft, \$2.00.

MALUS-FLOWERING CRAB APPLES.

Hardy little flowering trees that bloom abundantly in Spring. Each year they are becoming more popular. Being of a somewhat dwarf nature adapts them for small lawns or for group planting on larger areas.

Sweet Scented Crab. Malus coronaria. (S.) 4 to 5 ft.,

sweet Scented Crab. Malus coronaria. (S.) 4 to b tt., each, \$3.00.

M. floribunda. (S.) General effect of the flower is pink. to 3 ft., each, \$3.50.

No. floribunda. (S.) General effect of the flower is pink. to 3 ft., each, \$3.50.

Eastliful delicate pink flowers. Double and in bud form, almost as pretty as a rose. 2 to 3 ft., each, \$1.50.

3 to 4 ft., each, \$2.50; 4 to 5 ft., each, \$3.00.

Furkman's Flowering Crab Apple. Malus Parkmanil. (S.) Bright rose-colored flowers. Because of the irregular reacted as a shrub. 3 ft., each, \$1.50; 4 to 5 ft., each, \$2.50; 5 to 6 ft., each, \$3.00.

PLANE TREE-PLATANUS.

P. orientalis. (Plane or Buttonball.) The best street tree for cities. Of quick growth, spreading character, and with occasional pruning it develops into a shapely specimen. Prune severely when transplanted. 6 to 8 ft., \$2.09; 8 to 10 ft. 1½ in. cal., \$3.00.


WILD CHERRY.

PRUNUS: WILD CHERRIES. Prunus Americana. (S.) 4 to 5 ft., \$2.00; 6 to 8 ft., \$3.00; larger specimens, \$8.00 to \$25.00.

REMEMBER THE BRYSON AYRES LANDSCAPE SERVICE.

BRYSON AYRES GARDEN BOOK

LAWN GRASS SEED



The essentials for a fine lawn are: First, a rich well-drained soil; second, careful preparation of the ground, making it as fine and smooth and mellow as possible; third, a wise selection of seeds; fourth, sowing at such a time as to give the young plants a chance to become well established before being subjected to very dry or cold weather or to the direct rays of the hot summer sun. However much care is bestowed on the soil and seed, no lawn will be beautiful without frequent mowing and rolling. Too much care cannot be bestowed upon the selection of Grasses, as some varieties are the most luxuriant in spring, others in summer, others again in autumn, and a combination of the proper sorts is required for a perfect, carpet-like lawn. It may be planted early in spring or fall, and should be sown at the rate of 60 to 100 pounds per acre. If sown in the spring, sow as early as possible, making the surface very fine and smooth, then raking it over and sowing the seed just before a rain, which, if the surface has just been raked, will cover the seed sufficiently. For fall seeding, sown before the autumn rains and early enough to enable the young grass to become well established before very cold weather, when a light dressing of manure should be given.

AYRES EXTRA FINE MIXED.—We have given much thought and make many experiments to secure the best selection, and think our Ayres Mixture is the best possible for shaded lawns. One pound is the minimum quantitl, sufficient to sow 600 square feet. One Ib. 50c, 10 Ibs. \$4.50, 100 Ibs. \$40.00.

AYRES GOLF COURSE MIXTURE.—While there are on the market numerous ready-prepared Golf Mixtures of more or less value, we have found that the best results are obtained by giving individual attention to each customer and making a special Mixture to suit his needs. Write us a description of your links, telling what the nature of the soil is, how drained, how much it has the sun, whether the winters are long or open, and whether the summers are wet or dry, and we will offer you two or more Mixtures especially adapted to the various parts of your grounds. Write for prices.

KENTUCKY BLUE GRASS.—It has been thoroughly demonstrated that the soil of Kansas is as well adapted for raising Blue Grass as that of Kentucky. We have the facilities for harvesting and caring for the seed, and a market for distributing it lies at our door. The seed raised here is fully equal to that raised in any other part of the country, the germinating qualities of it being above the average of the seed usually shipped in. Possessing all these natural advantages.

In connection with White Clover, Blue Grass forms the finest and closest lawn; for this purpose an extra quantity of seed should be used—say 3 bushels of Blue Grass and 2 pounds of White Clover per acre or 1 pound

for 150 feet; if sown by itself for pasture, 14 pounds is sufficient. Sow early in the spring or during the months of September and October. One lb. 50c, 10 lbs. \$4.50.

ENGLISH BLUE GRASS OR MEADOW FESCUE.—All points considered, this Grass must be regarded as one of the most valuable Grasses that can be sown anywhere in this country. Its most important features are that it is drouth-resisting, frost-resisting and furnishes an abundance of pasturage early in the spring and late in the fall, when other Grasses have not come up or have died out. It is suited to a wide range of soils—does well on loamy, clay, and gravelly soils, and thrives on heavy black loan, and strong and low-lying soils. In wet places in a pasture when trampled down by the stock, where Timothy, Red Clover, and Kentucky Blue Grass fail, Meadow Fescue is the only Grass that will keep these places productive, and no amount of trampling is able to destroy it. It is not adapted to light, sandy soils.

Meadow Fescue is of the greatest value if sown in connection with other Grasses; and as farmers realize the value of mixtures of perennial Grasses for pasture or meadows, the demand for Meadow Fescue will be greatly increased, mainly because it is so sure to grow and come up quickly, keeping the weeds down and furnishing forage while the weaker Grasses are getting started. Meadow Fescue matures at the same time as Timothy and Red Top and Alsike Clover, and for meadows these varieties are often grown together. It is easily exterminated. When plowed up, it is dead for keeps. Sow 10 to 15 pounds per acre broadcast without a nurse crop. One lb., 35c; 10 lbs., \$3.00.

BERMUDA GRASS.—Peculiarly adapted to the Southern States. A delicate Grass, valuable alike for lawn and hay crop. Grows on any soil. Oklahoma Experiment Station recommends it highly. It does well in the south part of Kansas and Southern States generally. A dry weather Grass, and is splendid to bind loose soils together. Propagate by division of the roots or sow the seed in amounts of 5 to 6 pounds to the acre. Sow from April to June. One 1b. 50c, 10 lbs. \$4.50.

WHITE CLOVER.—This is a low, close-growing Clover, with round white heads, and very fragrant; excellent for pasture, and when mixed with Kentucky Blue Grass makes the finest kind of a lawn and is universally used for this purpose in the United States. It also makes excellent pasture, and is very nutritious for sheep and cattle. It does well on almost any soil. Sow 5 to 8 pounds per acre alone for pasture; for lawn, 1 pound to 400 square feet. One lb. 80c, 10 lbs. \$7.50.

Write for prices on larger quantities and special mix-

28


BRYSON AYRES

Tested and Certified Vegetable Seeds

ASPARAGUS

If rows be 6 feet apart, 5,000 plants are required per

Culture.—Asparagus is one of the first vegetables in spring, as well as one of the best grown in the garden. It is perfectly hardy, grows year after year from the same roots, and never fails to produce a crop. Asparagus does well on any well-drained soil, but the best results are obtained from rich, deep, loamy soil. Asparagus is easily grown from seed. One ounce will plant about 50 feet of row and furnish about 400 plants. The seed should be planted as early in the spring as the weather becomes estiled. Considerable crop may be expected the third year from seed, but it is best to buy two-



Colossal Asparagus.

CONOVER'S COLOSSAL .- A well-known standard variety, very large, strong shoots of excellent quality; not as clear white as Mammoth White, but preferred by many. Seed, price, prepaid, oz., 10c; 1/4 lb., 35c; 1 lb., \$1.00; 5 lbs., \$4.00. Roots, prepaid, per 100, \$2.00.

PALMETTO .- A very early maturing and prolific variety, producing an abundance of very large, deep green shoots of the best quality. See price prepaid, oz., 10c; 1/4 lb., 35c; 1 lb., \$1.00; 5 lbs., \$4.00. Roots, price prepaid, per 100, \$2.00.

Our strong two-year-old roots will give the best results; bear some first year. Doz., 40c, postpaid.

Mature for table 30 to 50 days from germination—according to variety. Two bushels to the acre in drills.

according to variety. Two bushels to the acre in drills. Order early.

Culture.—When all danger of spring frosts is over is the time to plant Beans. They thrive little when the soil, the days and nights are cold. Given moisture, this crop can be planted in succession until the middle of August Sandy loam is the best soil, but they grow well in any soil of average richness see in drills. Fush varieties should be planted 1½ inches deep in drills 18 should be planted two for three beans in a hill, 3 feet apart each way. When plants are well up, thin gradually to 6 or 8 inches from each other, leaving the strongest plants as much as possible. Give them clean cultivation, mellowing the soil about them, but not going too deep, billing broad and flat about the time they are to bear. Do not hee when well rough the work of the clear three reals are the clear that a flat about the clear and the control of the control

DWARF OR BUSH BEANS

Best Green-Podded Sorts.



Stringless Green Pod.

BOUNTIFUL.—(31 days.) A prolific and continuous bearer. The first in spring, the last in fall. Absolutely stringless; very tender and of delicious flavor. This is a green-pod Bean and the pods are absolutely stringless. long, more or less curved, deeply creased back, sharply constricted between seeds, dark green, extremely brittle, and totally without fibre. The plant is large and very erect when young, but becomes weighted down when fully developed. Because of its absolutely stringless, brittle, fiberless green pods, is one of the most popular varieties. Pkt., 10c; 1 lb., 35c; 10 lbs., \$3.00, postpaid.

BURPEE'S STRINGLESS GREEN-POD .- (33 days.) The pods are absolutely stringless, full, fleshy, crisp, very tender and of the finest flavor, remaining long in edible condition. Ready for the market two days earlier than Valentine and very prolific. Pkt., 10c; 1 lb., 35c; 10 lbs., \$3.00, postpaid.

GIANT STRINGLESS GREEN POD BEAN,-This is a great improvement on the old-time popular favorite Valentine Bean. The pods are fully one-third longer, averaging 5 and 6 inches in length; absolutely stringless, very crisp, round, full and fleshy. It is enormously productive, its handsome pods being ready for market a few days earlier than the old Valentine. Pkt., 10c; lb., 35c, postpaid; 10 lbs., \$3.00, postpaid.

EXTRA EARLY RED VALENTINE-(35 days.) Best improved round pod strain. Pkt., 10c; 1 lb., 35c; 10 lbs., \$3.00, postpaid.

LONG YELLOW SIX WEEKS.—In many sections a popular market sort. When young, pods are of good quality. Very productive and hardy. Pods are long, straight and quite thick. Pkt., 10c; 1 lb., 35c; 10 lbs., \$3.00, postpaid.

BLACK VALENTINE .- A great improvement over the popular Red Valentine, the pods being perfectly round and straight, though not quite so early. It will withstand early and late frosts. Owing to its enormous yielding qualities and handsome appearance, it is a desirable sort for the market gardener. Pkt., 10c; 1 lb., 35c; 10 lbs., \$3.00, postpaid.

Special Prices on all Seeds and Plants in Large Quantities

Beans, Dwarf or Bush-Cont.

BEST YELLOW-PODDED SORTS

IMPROVED GOLDEN WAX.—(32 days.) Very early, pods are large, about 5 inches long, a golden wax color, very tender and brittle. Pkt., 10c; 1 lb., 35c; 10 lbs., \$2.75, postbaid.


PROLIFIC BLACK WAX.—(33 days.) The pods are yellow, very tender, 4 to 5 inches long, transparent, and stringless. Pkt., 10c; 1 lb., 35c; 10 lbs., \$2.75, postpaid.

WARDWELL'S KIDNEY WAX.—(35 days.) This variety, maturing a little later than the Golden Wax, yields a large crop of long, nearly straight, broad, light golden yellow, handsome pods. These are of large size, about 6 inches long, and of good quality. They always command a ready sale, making the variety one of the most profitable for the market gardener. Suitable also for snaps for home garden use. The leaves are large and slightly roughened. Seed large, flattened, kidney-shaped, white, with dark markings about the eye. Pkt., 10c; 1 lb., 35c; 10 lbs., \$2.75, postpaid.

GOLDEN EYE WAX.—Very productive; long, nearly straight; golden yellow pods; large size, fine quality; one of the best for market gardeners. Pkt., 10c; 1 lb., 85c; 10 lbs., \$2.75, postpaid.

DAVIS' WHITE WAX.—(40 days.) Very productive bearing large handsome pods, straight, 6 inches long. Pkt., 10c; 1 lb., 35c; 10 lbs., \$2.75, postpaid.

CURRIE'S RUST-PROOF WAX.—Seed black; a very fine sort. Rust-proof, tender, thick-fleshed pods; early and very productive. Pkt., 10c; 1 lb., 35c; 10 lbs., \$2.75, postpaid.



Improved Golden Wax.



Davis' White Wax.

Beans, Pole, Lima and Field Beans

POLE BEANS


KENTUCKY WONDER.—Also known as Old Homestead. We believe this variety is the most practically useful of the green-podded Pole Beans, suitable for use as snaps. It is an early, very prolific sort, with showy pods of most excellent quality. The vines are vigorous, climbing well and very productive, bearing pods in large clusters. The pods are medium light green, very long, often reaching 9 to 10 inches, curved and twisted, nearly round and very crisp when young, becoming very irregular and spongy as the Beans ripen. One of the very best early Pope Snap Beans for the home garden or market. Pkt., 10c; 1 lb., 35c; 2 lbs., 65c, postpaid.

KENTUCKY WONDER WAX.—A yellow-podded "Kentucky Wonder," which bears a large quantity of rich, golden-yellow pods from the time the plant is about half grown until it is killed by frost in the fall. By express or freight, at purchaser's expense, pkt., 10c; 1 lb., 35c; 5 lbs., \$1.50, postpaid.

CUT SHORT OR CORNFIELD.—Green-podded Snap Pole Bean A marvel of productiveness from July until frost. Large, thick, stringless pods, meaty, tender and delicious; pods green, round and long. Resembles the Kentucky Wonder, but has many superior qualities. It is larger and more prolific. Bears when scarcely higher than the average bush variety and produces continuously until frost. Absolutely stringless. Pkt., 10c; lb., 35c; 10 lbs., \$3.00, postpaid.

LAZY WIFE.—Pods are wonderfully broad and flesby, and, above all, stringless. In many respects, they surpass anything we know of. Then again, the pods retain their stringless and tender qualities until they are almost ripe. Pkt, 10c; 1 lb., 35c; 10 lbs., \$3.00, postpaid.

Beans, Pole Beans-Cont.




Kentucky Wonder. LIMAS

KING OF THE GARDEN POLE LIMA.—An improvement on the large White Lima, producing a continuous bloom and fruitable to the end of the season. Pods are of enormous size. Pkt., 10c; 1 lb., 35c; 10 lbs., \$3.00, postpaid. HENDERSON'S BUSH LIMA.—(50 days.) Two weeks

HENDERSON'S BUSH LIMA.—(50 days.) Two weeks carlier than the Pole Lima. A bush strain of Sieva. Pkt.,

10c; 1 lb., 35c; 10 lbs., \$3.00, postpaid.

FORDHOOK BUSH LIMA BEAN.—The only stiffly erect Bush form of the popular "Potato" Lima. Bushes of stiffly erect habit. The stalks that produce the blossoms are thrown out from the lateral and main stalks; the pods are borne in "clusters" of from four to eight.



Bush Lima.

FORDHOOK is in season from four to six days earlier. The green beans even when of full size, are tender, julcy, and sweet in flavor when cooked—as distinct from the rather dry and mealy character of other varieties of the Potato Lima type. Pkt., 10c; lb., 40c; 10 lbs., \$3.50, postpaid.

BURPEE'S BUSH LIMA.—A bush form of the true large Lima. Plants uniformly dwarf, bearing very abundantly; single plants, under favorable circumstances, yielding from 150 to 350 pods containing 4 to 6 Beans; grows only 20 inches high, branching freely; immense bearer. Pkt., 10c; 1 lb., 40c; 10 lbs., \$3.50, postpaid.

BEETS

GARDEN BEETS FOR TABLE USE

Crimson Gold.

Culture.—For earliest use and market sow seed of any round sort under glass in Pebruary or March, and transplant to open six ground can be put into proper condition. For table beets, sow in drills 14 inches apart, and thin to stand 3 to 4 inches apart in the rows. Use I ounce to 100 feet of drill, and cover lightly; 6 to 8 pounds per acre The round and turnip-shaped beets are best for spring and summer; the half long kinds for winter. Make successing the standard of the sta

DETROIT DARK RED (Turnip-Shaped).—(45 days.) Valuable because of its uniformity, medium in size, always smooth and free from small roots. The flesh is tender, fine-grained, and remains so long after many sorts have become woody, early or late. Pkt., 10c; oz., 15c; 1/4 lb., 25c; 1 lb., 75c, postpaid.

CROSBY'S EGYPTIAN.—(42 days.) The earliest Bect on the market. A selection from that standard market Beet, Early Egyptian, which retains the earliness of the parent stock and has added thickness. It is the deepest red, almost black in color, and is of finer quality than the Egyptian, being sweeter and even more tender and smoother. The most desirable sort for small Beets for early market. It is a very rapid grower, and can be sown outside as late as July. Pkt., 10c; oz., 15c; 1/4 lb., 25c; 1 lb., 75c, postpaid.

ECLIPSE.—(42 days.) A very early, smooth, dark, globe-shaped Beet, with small top; in earliness and qualty it is excelled by none. A good cropper. We recommend it for market and garden use. Pkt., 10c; oz., 15c; 1/2 lb., 25c; 1 lb., 75c, postpaid.

crimson Globe.—(45 days.) Root of medium size, very handsome globe shape, and has a remarkably smooth surface. Both the skin and flesh are deep, rick red, fine-grained, sweet and tender in all stages of growth. Small tap root; leaves are small. Remains so long after many sorts have become woody. Early or late. Pkt, 10c; oz., 15c; 1/2 lb., 25c; 1 lb., 75c, postpaid.



GARDEN BEETS, Cont.

THE BANQUET .- (40 days.) Dark red early Turnip Beet. A perfect out-door forcing variety, preferable to all others for first sowing; may be sown in February or sooner, if the soil can be worked. Being a rapid grower, may also be sown continuously as late as July. Handsome



form, good size and above all, of very superior quality. Pkt., 10c; oz., 15c; 1/2 lb., 25c; 1 lb., 75c, postpaid. EARLY BLOOD TURNIP, IMPROVED.—(45 days.) One of the most popular early sorts. Smooth and dark red. Excellent quality. Pkt., 10c; oz., 15c; 1/4 lb., 25c; 1 Ib., 75c, postpaid.

THE ELECTRIC .- The best second-early Beet. Thoroughbred, uniform in shape and size, with smooth, dark, red skin, small leaves and a small tap root. The flesh is fine-grained and tender; color, rich red, ringed with dark crimson. An extra fine early table Beet. Pkt., 10c; oz., 15c; 1/4 lb., 25c; 1 lb., 75c, postpaid.

MANGEL AND SUGAR BEETS

Culture.—Sow in the early spring as soon as ground can be gotten in proper condition, in drills 2 to 3 feet apart. Cover the seed with 1 inch of soil and thin to etand about 8 to 12 inches apart in the rows. Use 1 cunce to 100 feet of drill, 5 to 6 pounds per acre. A light loamy soil is best. Cultivate frequently. Keep from weeds.

LONG REFD.—A loans

LONG RED .- A large, long variety grown for stock feeding. It stands up well above the surface; color light red; flesh white and rose colored. Oz., 10c; 1/4 lb., 20c; 1

lb., 60c, postpaid.

GOLDEN TANKARD.—Shape cylindrical, color deep

yellow, flesh yellow circled with white. Unequaled for feeding stock. Oz., 10c; 1/4 lb., 20c; 1 lb., 60c, postpaid. VILMORIN'S IMPROVED SUGAR.—(85 days.) A variety originating in France. It differs from the Mangel Wurzel in containing the largest percentage of sugar of any known variety. In size it is medium, yielding from 10 to 16 tons per acre, containing about 18 per cent sugar. Should be grown in deep soil. Oz., 15c; 1/4 lb., 30c; 1 lb., 95c, postpaid.

MAMMOTH GOLDEN GIANT.—(85 days.) provement on the Long Yellow Mangel, being of greater size, more than half above ground, and of a russet yellow color. Remarkably even in shape, rather elongated, of vigorous growth. Fine neck and a very smooth skin. Flesh white, firm and sweet, much liked by cattle. A magnificent root, easily lifted from the ground, producing enormous crops; 40 to 60 tons per acre. Relished by milch cows and sheep. Oz., 10c; 1/4 lb., 20c; 1 lb., 60c, postpaid.

RED GLOBE.—(85 days.) A large, globular, red sort; a better keeper than the Long Red. Produces fine crops

on shallow soil; its fine grain and excellent keeping qualities render it most desirable. Oz., 10c; 1/4 lb., 20c; 1 lb., 60c, postpaid.

KLEIN WANZLEBEN SUGAR .- Planted for its sugarproducing qualities. Eighteen tons of sugar have been made from 100 tons of these Beets. Recommended as a winter food for milch cows. Oz., 15c; 1/4 lb., 25c; 1 lb., 75c, postpaid.

CABBAGE

GARDENERS CAN RELY UPON AYRES' CABBAGE SEED. IMPORTED FROM DENMARK AND THE FINEST STRAINS OBTAINABLE.

Sow 1 ounce for 3,000 to 4,000 plants: 4 ounces for one acre.

-For plants of the earlier sorts, sow seed in January or Culture.—For plants of the earlier sorts, sow seed in January or February under glass and set out in flats or frames about 2 inches apart each way. Transplant to open ground as soon in spring as the land can be properly prepared. A rich, warm fibrous loam is best. Have the plants in the rows 20 to 24 inches apart and the rows at least 2 feet apart. Give thorough cultivation and irrigate in dry weather if practicable. Protect against the ravages of culturoum, magget and green worm, dusting with tobacco dust, insect

HOLL'AND CABBAGE,-(65 days.) Extreme size, earliness, handsome color, solidity, tender fiber, fine flavor; superior for cooking, for kraut, or for profitable market. Pkt., 10c; oz., 35c; 1/4 lb., 90c; 1 lb., \$3.00, postpaid.

EARLY SUMMER .- Second early, somewhat flattened; valuable for home garden and takes well on market. Also well adapted for kraut. Plants are vigorous and strong growing, compact, with numerous, but not large, rather spreading, outer leaves which are somewhat frilled and sometimes rather thin and slightly undulating. Stem is rather short. Heads medium size, round, somewhat flattened, and keep longer without bursting than most early sorts. Pkt., 10c; oz., 35c; 1/4 lb., 90c; 1 lb., \$3.00, postpaid.

EXTRA EARLY JERSEY WAKEFIELD.—(70 days.) Select stock. Long recognized as the best very early marketable Cabbage. Medium size; in shape, pyramidal, with a pointed peak. Is a reliable, certain header, and one of the most profitable Cabbages for the market gardener. Our strain of seed is of superior quality. Pkt., 10c; oz., 25c; 1/4 lb., 90c; lb., \$2.50, postpaid.

EARLY FLAT DUTCH .- (75 days.) A good secondearly and sure header. Tender and fine-grained. Pkt., 10c;

oz., 25c; ¼ Ib., 85c; 1 Ib., \$3.00, postpaid. EARLY WINNINGSTADT.—(75 days.) An excellent variety. Heads hard, conical in shape, and a good keeper.

Pkt., 10c; oz., 35c; ½ lb., \$1.00; lb., \$3.00, postpaid.
ALL SEASONS.—(80 days.) Large heads; very desirable for early spring, summer or fall use; good keeper.

Pkt., 10c; oz., 35c; 1/4 lb., \$1.00, postpaid. SURE HEAD.—(85 days.) It never fails to make a fine, solid, large head. Pkt., 10c; oz., 35c; 1/4 lb., \$1.00, postpaid.



Early Flat Dutch.

CABBAGE—Cont.

IMPROVED LATE FLAT DUTCH .- In this superior strain of late Cabbage we have combined every good quality essential to perfection. The result of several years' selection of seed stocks of the most perfect and largest heads, with low stalks, especially those that show greater earliness in heading, with few outer leaves and very uniform color. By such selection we have a highly improved strain. Market gardeners grow it in preference to all others for a main crop. It is uniform in shape, size and color. Pkt., 10c; oz., 35c; 1/4 lb., \$1.00, postpaid.



Drumhead.

AMERICAN DRUMHEAD SAVOY (Wirsing).—The ing variety of all Savoys. Valuable for the private leading variety of all Savoys. Valuable for the private garden. Sweeter than other Cabbages, especially when touched by a slight frost. Pkt., 10c; oz., 35c; 1/4 lb., 90c; 1 lb., \$3.00.

RED DRUMHEAD (Improved Large Red Dutch) .- The well-known standard. Heads of large size, slightly rounded, 7 to 8 inches in diameter. Pkt., 10c; oz., 35c; 1/4 lb., \$1.00; 1 lb., \$3.25, postpaid.

COPENHAGEN MARKET .- (60 davs.) round-headed Cabbage. An extra early variety, maturing same time as Jersey Wakefield, but produces larger heads than any other Cabbage equally as early. Heads average 10 pounds in weight, are ball-shaped, solid and firm, with a small core, and fine texture and quality. Seeds mature at the same time, so entire crop may be harvested at one time. Leaves are light green, tightly folded, permitting close planting, and has a short stem, growing close to the ground. Our stock is grown by the originator in Denmark and is earliest of our Danish Cabbages. Pkt., 10c; oz., 40c; 1/4 lb., \$1.35; 1 lb., \$5.00.

LARGE LATE DRUMHEAD .- Enormous heads, hardy, and especially desirable for winter. Fine shipper. Pkt., 10c; oz., 35c; 14 lb., \$1.00; 1 lb., \$3.00, postpaid.

DANISH BALLHEAD.—One of the best winter sorts.

Heads round and solid. Pkt., 10c; oz., 35c; 1/4 lb., \$1.00; 1 1b., \$3.00, postpaid.

CHINESE CABBAGE

Culture.—Same as ordinary Heading Plant.

PET-SAL-(Original strain.) This stock comes from China, where the purest strains are grown and from where the best results are obtained in Florida planting. This is the ORIGINAL strain of Chinese cabbage that has always given success and satisfaction. Pkt., 10c; oz., 35c; 1/4 lb., 90c; 1 lb., \$3.00, postpaid.

CARROTS

Culture.—Carrots will do well in any good, well-worked soil. For early use, sow when the apple is in bloom in rows 15 inches apart, when 2 inches high thin out so that plants stand out inches apart in the row. For fall and winter use, sow seed from the 1st to 15th of June. Roots may be stored in cellar or pit covered with dry sand, where they will keep fresh and solid until late in apring. Sow 1 ounce of seed to 100 feet of drill; 2 to 3 pounds to acre.



Chantenay.

CHANTENAY .- (52 days.) A smooth Carrot of perfect uniform shape. Heavy yielder, fine table quality, 5 to 6 inches long, easily dug. Flesh is of a deep yellow color, tender, excellent flavor. Pkt., 10c; oz., 15c; 1/4 lb.,

35c; 1 lb., \$1.00, postpaid.
OXHEART OR GUERANDE.—(48 days.) The French Carrot is one of the most valuable varieties, for family use or market. An intermediate between the half-long and the horn type, attaining a diameter of 3 to 4 inches at neck. Very productive, rich orange com, beauth.

Pkt., 10c; cz., 15c; 1/4 lb., 35c; 1 lb., \$1.00, postpaid.

EARLY FRENCH FORCING.—Earliest variety, large-

ly grown for forcing purposes; globular shaped root, orange red color. Pkt., 10c; oz., 15c; 1/4 lb., 35c; 1 lb., \$1.00.

STOCK-FEEDING CARROTS

IMPROVED LONG ORANGE .- (75 days.) Old standby for stock-feeding and table use, summer or winter. Fed to milch cows, it increases the flow of rich milk and gives 10c; oz., 15c; 1/4 lb., 35c; 1 lb., \$1.00, postpaid. to butter a fine flavor and beautiful golden color.

DANVERS HALF LONG .- (50 days.) Admirable in color, wonderful producer; best of all for the stock-breeder and valuable to market gardener. With this variety planters secure the largest return to acre, with least difficulty of harvesting. Pkt., 10c; oz., 15c; 1/4 lb., 35c; 1 lb., \$1.00, postpaid.

CRESS OR PEPPER GRASS

Culture.—A refreshing salad of easiest culture. As soon as the ground can be worked in the spring sow thickly, broadcast, or in rows 8 inches apart. Repeated sowings may be made every two

ts for a succession.


DWARF FINE CURLED.—A small, pungent salad of easiest culture. Seed should be sown early in rows about 15 inches apart and covered lightly; when 2 or 3 inches high it is ready for use. It is often mixed with lettuce, and imparts a warm agreeable taste to the salad. Pkt.,

10c; oz., 20c, postpaid.

TRUE WATER CRESS.—Succeeds only where the roots and stems are submerged in water. A highly prized salad of a pleasant and agreeable flavor. Should be planted wherever a suitable place can be found for it. Pkt., 10c; oz., 50c, postpaid.

CAULIFLOWER

Culture.—A vegetable requiring very rich soil and plenty of moisture and careful attention. Not as hardy as Cabbage in resistance to hot, dry or cold weather. Sow in hot-beds in January or February and when plants are large enough transplant. Set plants out 15 to 18 inches apart and rows 2 feet apart. When the heads begin to form, tie up the outer leaves to protect the head from sun and weather. One ounce will produce 2,000 plants.



Early Snowball.

EARLY SNOWBALL.—Under favorable conditions, every plant produces a white head of fine quality. Pkt.,

10c; oz., \$2.50, postpaid.

EXTRA SELECT DWARF EARLY ERFURT.-The best in general cultivation for forcing and open ground. Head close, compact and large, measuring from 7 to 10 inches in diameter. Plants are quite dwarf, and seldom fail to form a good sized symmetrical head of flower. Pkt., 10c; oz., \$2.50, postpaid.

COLLARDS

Oulture.—This is a tall, loose-leafed cabbage-like or kale-like plant, known in different sections as "Cole." "Colewort," or simply "Greena." It is extensively used for the table, as well as for stock teeding. Sow the seed thickly in drills, in rich ground, transplanting the seed thickly in drills, in rich ground, transplanting the seed thickly in drills where the plants are to remain, and when he high, or sow in drills where the plants are to GEORGIA. SOUTHERN, OR CREOLE.—This is the

white or green-stemmed variety growing 2 to 3 feet high and forming a large, loose, open head or cluster of leaves with a rather long stem. A frost, if not too severe, will improve rather than injure the quality of the leaves. Pkt., 10c; oz., 20c; 1/4 lb., 35c; 1 lb., \$1.00, postpaid.

CHICORY LARGE-ROOTED OR COFFEE.—Pkt. 10c. CELERY

Culture.—Celery seed is slow to germinate and ample time must be given. Sow thin; cover lightly. Keep constantly moist. About 7,500 plants per ounce of seed, or k pound per acre. When seeding plants are 3 inches high thoy should be clipped at top to favor plants are 4 inches high thoy should be clipped at top to favor clipped the control of the cont

are broad, thick and crisp, and rich nutty flavor. Heart is golden yellow, very full and attractive in appearance; bleaches very easily and quickly. Pkt., 10c; oz., 30c; 1/4

Ib., 90c, postpaid.

GOLDEN SELF-BLANCHING .- (100 days.) A beautiful plant, of close habit, compact growth, and straight and vigorous stalks. Ribs are solid, crisp and brittle. Its flavor is surpassed by no other variety, and it has the merit of being self-blanching to a very remarkable degree. Pkt., 10c; oz., 30c; 1/4 lb., 90c, postpaid.
WHITE PLUME.—(110 days.) Valued because stalks

and portions of inner leaves and heart are white. By tying up the stalks and drawing up soil with the hoe, the work of blanching is completed. Ornamental, tender, crisp, good flavor, very early. Pkt., 10c; oz., 30c; 1/4 lb., 90c. postpaid.



Golden Yellow Self-Blanching.

CELERIAC, OR TURNIP ROOTED CELERY

Culture—In this kind of Celery roots have been developed by cultivation, and not the leaf-stalks. The roots, which are the edible portion, keep well for winter use and are excellent for soups and stews; also cooked and sliced as a salad.

Sow seed at same season and give same treatment as Celery. Transplant to moist, rich soil in rows 2 feet apart and 6 inches apart in row Give thorough culture. It is not necessary to earth up or "handle" plants. After roots have attained a diameter of 2 inches they are fit for use.

To keep through the winter, pack in damp earth or sand and put in celiar or leave out of doors, covering with earth and straw like beets and carrots.

LARGE SMOOTH PRAGUE.—An improved variety of Turnip-rooted Celery, producing large roots of globular shape and smooth surface. Pkt., 10c, postpaid.

shape and smooth surface. Pkt., 10c, postpaid.

CHIVES

ALLIUM SCHOENOPRASUM .-- An Onion-like plant used as salad and for flavoring soups. Makes an excellent ornamental garden bed edging which may frequently be cut, a new growth of leaves appearing after each cutting. Plants grow about 10 inches high. One sowing will do for about three years. Pkt. 20c.

CORN SALAD

For winter use, sow shallow in rows 1 foot apart, in August or September. Plants are ready for use in six or eight weeks. When winter approaches, lightly cover with hay or straw. Plants are hardy and will remain green and fit for use all winter. Seed may also be sown early in spring. Pkt., 10c; oz., 40c, postpaid.

CUCUMBERS

Culture.—Flourish best in a rich, warm, sandy loam. Sow when danger of frost is over, in hills 4 or 5 feet each way. As the young plants have many enemies, sow thickly, ½ inch deep, and then this out finally to three or four plants to the hill. Use 1 ounce of seed to 75 hills; 2 to 3 pounds to the acre. Gather cucumbers by cutting, not tearing. Leave none to ripen if you want a full crop. For early use, plant in hills 4x4 feet, on a warmer border, when the cheen is in bloom, and for a succession, sow in duffie at feet of the plant in hills and the cheen in the control of the cheen in the cheen in the control of the cheen in the cheen

EARLY FRAME, OR SHORT GREEN .- (52 days.) An excellent sort for table use and for pickling. Fruit straight, handsome, smaller at each end; bright green; flesh tender and crisp; makes fine pickles. Pkt., 10c; oz., 15c; 1/4 lb.,

45c; 1 lb., \$1.35, postpaid.

CUCUMBERS-Cont.



Evergreen.

DAVIS' PERFECT .- (70 days.) An early, prolific and continuous producer of large and symmetrical fruits of a deep green color, shading perfectly to ends, practically no misshapen fruits or culls. Ideal for slicing; fresh, spark-ling white, refreshing. A delightful plate on the table, and flavor is new. Vines are vigorous, mildew-proof and maintain their bearing from earliest to latest season. This variety best for home or market gardeners. Pkt., 10c; oz., 15c; 1/4 lb., 50c; 1 lb., \$1.35, postpaid.

EVERGREEN, OR EXTRA LONG WHITE SPINE. (60 days.) One of the best table sorts. A fine strain, producing smooth, regular fruits, frequently 12 inches long; smooth, round, handsomely colored and very regular in size and form; of excellent quality. Pkt., 10c; oz., 15c; 1/4 lb., 45c; 1 lb., \$1.35, postpaid.

IMPROVED LONG GREEN.-(82 days.) tionably the most popular general-purpose Cucumber. When matured, is 9 to 12 ichens long, very solid and crisp; retains its dark green color until nearly ripe. One of the best for small pickling, if pickled properly. Pkt., 10c; oz., 15c; 1/4 lb., 45c; 1 lb., \$1.35, postpaid. EXTRA EARLY GREEN PROLIFIC PICKLING.—(54

days.) One of the best for pickling. Dark green and of uniform size; very few seeds. Pkt., 10c; oz., 15c; 1/4 lb., 45c; 1 lb., \$1.35, postpaid.

JAPANESE CLIMBING .- (60 days.) Can be trained upon a trellis or poles, which will insure earlier ripening and a straight handsome form. Endures summer heat and drouth exceedingly well. It is entirely distinct. Quality splendid. Adapted for pickling, as well as for slicing for salads. Cucumbers are 12 inches in length. Skin smooth, dark green, turning to brown, and pitted with ribs. Plesh is pure white, crisp and of mild flavor. Pkt., 10c; oz., 15c; 14 lb., 45c; 1 lb., \$1.35, postpaid.

BOSTON OR JERSEY PICKLING.—(55 days.) A fav-

orite Eastern sort, of fine quality, medium length; reliable for pickling and slicing. Pkt., 10c; oz., 15c; 1/4 lb., 45c; 1

Mb., \$1.35, postpaid.

EARLY WHITE SPINE,-One of the best for table Vines are vigorous, fruiting early and abundantly. Fruits are straight, dark green, well covered with white spines, and when mature are about 7 inches in length. Flesh is crisp, tender and excellent quality. The variety is much used for home garden and market. Pkt., 10c; oz., 15c; 15., 45e.; 1 lb., \$1.35, postpaid.

EARLY GREEN CLUSTER.—(52 days.) Short and prickly; bearing in clusters; prolific; fine for bottling.

Pkt., 10c; oz., 15c; ¼ lb., 45c; 1 lb., \$1.35, postpaid.

ARLINGTON.—A medium early, white-spined Cucumber, more slender than Early White Spine and pointed at each end. The young fruits are crisp and tender. The mature fruits are bright deep green and are about 7 inches in length, sometimes longer. This variety is extensively used for the home garden and for bulk pickles. Pkt., 10c;

oz., 15c; 1/4 lb., 45c; 1 lb., \$1.35, postpaid.
KLONDIKE.—A medium early white-spined Cucumber of handsome, very dark green color and of excellent quality for slicing. The vines are very hardy and productive. The mature fruits when grown under favorable conditions are often about 8 inches in length and are uniform in size and shape. The color is very dark green, slightly striped at the ends. The dark green color is retained much longer and is affected less by the hot sun than any other sort with which we are familiar. Its uniform size and shape and splendid color are making this variety very popular as a shipping sort. Pkt., 10c; oz., 15c; 1/4 lb., 45c; 1 lb., \$1.35, postpaid.

EARLY FORTUNE .- Strong and vigorous growth, producing abundant crops of cucumbers, which are longer than Evergreen, more cylindrical in shape and have a very dark green skin. The flesh is thick, seed cavity relatively small and the quality is excellent. Pkt., 10c; oz., 15c; 1/4

Ib., 45c; 1 Ib., \$1.35, postpaid.

SWEET CORN

Write for Special Prices on Larger Quantities Than Listed. Culture .- Sweet Corn always does well on sod land, or where culture.—Sweet Corn always does weil on sod land, or wasec clover has been turned down. Plant when danger of frost is over, in hills 2x3 feet, according to variety. Give frequent and continued shallow culture. Leave two or three stalks to the hill, and make successional plantings until nearly mid-summer. Use I quart for 600 hills; 6 to 8 quarts per acre. Cover seed with 3 inches of soil.



Country Gentleman. NINE EXTRA EARLY VARIETIES

COUNTRY GENTLEMAN.—(70 days.) stalked productive sort, frequetlny producing three ears to the plant. Ears large for so small a stalk; grain narrow and very deep, after the form of a shoepeg. Highly recommended as one of the very best. Pkt., 15c; 1 lb., 30c, postpaid.

BRYSON AYRES GARDEN BOOK

SWEET CORN-Cont.

GOLDEN BANTAM.—(70 days.) Dwarf, 4½ feet high, So very hardy that it can be planted earlier in the spring and in colder and damper soil than other varieties of table Corn. Exceedingly sweet, very productive, consequently a great favorite. When ready for table use, it is a creamy yellow. Growing in great demand. Pkt., 10c; 1 lb., 30c, nostnaid.

EXTRA EARLY MINNESOTA.—(60 days.) Among the extra early Sugar Corns, coming two or three days after Corey. Ears well made out. Pkt., 10c; 1 lb., 30c, postpaid.

EARLY EVERGREEN.—Like Stowell's Evergreen, only ten days earlier. Bars large, about 18 inches long, 12 to 16-rowed, and having the identical flavor of the famous Stowell's Evergreen. It remains green a remarkably long time, and the kernels retain the sweetness and tenderness which is so characteristic of Stowell's. Pkt., 10c; 1 lb., 30c, postpaid.

WHITE COREY.—(62 days.) Stalks 4 to 4½ feet high. A valuable sort; quite robust for a short-stalked and exceptionally early sort. Ears of good length; that is, 6 to 7 inches; grains large, sweet and tender. Pkt., 10c; 1 lb.,

30c, postpaid.

ADAMS' EARLY.—(68 days.) In order of maturity after the Extra Early Adams. Pkt., 10c; 1 lb., 30c, post-

paid.

EXTRA EARLY ADAMS, OR EARLY BURLINGTON.—(62 days.) Height of stalk, 4 feet; ears set within 6 inches of the ground. Not a Sugar Corn, but a decided acquisition so very early in the season. Plant close in rows at 2½ feet and thin to 1 foot. Pkt., 10c; 1 lb., 30c, postpaid.

LATE VARIETIES

STOWELL'S EVERGREEN.—(80 days.) The most popular among the late Sugar Corns. More bushels are used than all other sorts combined. Large, tender, very deep, milk-white grains. Pkt., 10c; 1 lb., 30c, postpaid.


deep, milk-white grains. Pkt., 10c; 1 lb., 30c, postpaid. LATE MAMMOTH SUGAR.—This is the latest and largest of all the Sugar Corns. The ears are immense, and of finer quality and flavor. Pkt., 10c; 1 lb., 30c, postpaid.

POP CORN

QUEEN'S GOLDEN.—The largest Pop Corn. The stalks grow 5 to 6 feet high and bear two to three large ears each. It is yellow, but pops perfectly white. Lb., 15c; 10 lbs., \$1.25, postpaid.

WHITE RICE.—A very handsome and popular variety. Ears short, kernels long, pointed, and resemble rice; color, white. Lb., 15c; 10 lbs., \$1.25, postpaid. Write for Special Prices on Larger Quantities Than Listed.

SWISS CHARD



Oulture.—Sow in well prepared soil between April 15th and une 15th. One ounce will sow 50 feet of drill. Sow in drills 13 inches apart; cover i inch. No garden will be complete without Swiss Chard, and the grower will be amply rewarded by giving it at least a small space.

Also called Sea Kale Beet. The middle of the leaf, or midrib, is cooked and served like asparagus. The other portions of the leaf may be nsed like spinach. This Beet does not make a large root, but is a delicious summer vegetable when cut young and used for "greens." There are several varieties of Swiss Chard. We recommend the Lucullus where the rib of the leaf is to be used. When wanted as a substitute for spinach, the Yellow cutting variety. We supply either sort at: Pkt, 10c; oz., 15c; 1/4 lb., 35c; 1 lb., \$1.00, postpaid.

ENDIVE

Two ounces of seed to 100 yards of row; 3 pounds to the acre.


Culture.—Sow in the spring as soon as the earth is free from frost, and repeat to within 60 days of autumn frost. Drill in rows 22 feet and thin the plants to 8 inches apart. The up the loose leaves or cover with pots to blanch for salad. Valuable for salads and highly decorative as a garnish.

IMPROVED GREEN CURLED.—Finely fringed leaves of bright green color; tender and crise when properly blanched. Pkt., 10c; oz., 15c; ½ lb., 35c; postpaid.

WHITE CURLED.—The thick center leaves are a pale yellow color, while the finely cut and curled outside leaves are pure white. Does not need blanching. Large size, and always tender and crisp. Pkt., 10c; oz., 15c; 1/4 lb., 35c, postpaid.

EGG PLANT

Culture,—Thrives well in any good garden soil. Sow seed in hot-bed or greenhouse in March or April, and when an inch high pot in 2 or 3-inch pots or pot out in shallow boxes 4 inches apart each way. Plant in open ground when danger of frost is past, rows 2 feet apart each way. One ounce will yield 2,000 plants, ½ pound for an ere. To prevent blight and bugs, use Bordeaux mixture, with arsenate of lead, Paris green or Bug Death.



New York Improved Purple.

NEW YORK IMPROVED PURPLE.—One of the best and largest varieties in cultivation. Our strain of this variety is especially fine. The plant is robust, low-growing, branching freely and bears long, oblong shaped fruits. We think this variety better than any other. Pkt., 10c; oz., 40c; 1/4, 1b., \$1.25, postpaid.

BLACK BEAUTY.—Ten days or two weeks earlier than the preceding, with fruits just as large, uniform and rich, lustrous black color. Fruit develops very quickly and planters will be pleased with it. Pkt., 10c; oz., 40c; 1/4 lb., \$1.25, postpaid.

GARLIC

Used for flavoring soups, sausages, etc. It is propagated by division of the roots into small parts. The bulbs are gathered in August in the same manner as onions. 1/2 lb., 25c; 1 lb., 40c, postpaid.

HERBS-Sweet, Medicinal and Pot

PRt.	Uz.	¼ Lb.
Anise	20c	\$0.40
Caraway	20c	.35
Coriander	20c	.40
Dill	20c	.40
Lavender	25c	.50
Marjoram, Sweet	50c	1.75
Sage	50c	1.75
Summer Savory	50c	1.75
Thyme	50c	1.75


LEEK

Culture.—Similar to onions in flavor, but do not form a thick subt. Sow as early as possible, 4; not deep, when plants are large enough to handle transplant to rows 12 inches apart, setting plants 6 inches apart. Hill up as they grow to bleach stems or plant in trench like Colory and fill in as they grow. Seed may be sown in September and transplanted in spring. Ounce will sow 100 feet of

LONDON FLAG .- Sow early in spring in drills, 1 inch deep and 1 foot apart. When 6 or 8 inches high, transplant in rows 12 inches apart and 5 inches between the plants as deep as possible that the neck may be blanched. An ounce will sow 150 feet drilled. Pkt., 10c; oz., 25c, postpaid.

KALE OR BORECOLE

Culture.—Used for greens in fall, winter and spring; sown broadcast or in drills 18 inches apart from early September to middle of October; can be sown in February and March, at which time Spring or Smooth Kale is best. This is also used in fall, as it makes greens quicker than other varieties. Should be profected with straw or coarse litter in winter, so that plants can be cut through out the season. Whiter varieties can be sown at rate of 3 to 4 pounds to acre; Spring Kale can be sown broadcast at rate of 8 pounds per acre, 4 or 5 pounds in drills.



DWARF GREEN CURLED SCOTCH.—Grows about 12 inches high and spreads, under good cultivation, to 3 feet in diameter. Leaves bright green, beautifully curled, very tender. Allow to get a touch of frost before using. Pkt., 10c.; oz., 20c; 1/4 lb., 45c, potspaid.

KOHLRABI

EARLY WHITE VIENNA .- Extra fine for forcing. This variety is extremely early, with small tops. Bulbs are of medium size, light green or nearly white; best quality for table when 2 inches in diameter. Pkt. 10c; oz., 20c; 1/4 lb., 50c; 1 lb., \$1.75, postpaid.



LETTUCE

2 ounces of seed to 100 yards of row; 3 pounds to the Forty to 50 days from seeding to maturity.

acre. Forty to 30 days from seeding to maturity.

Culture.—For early outdoor culture, the seed may be planted in March or as early as the ground can be worked. Sow in drills 14 inches apart, and thin the plants to 4 inches apart. For the heading varieties, where large heads are desired, plants should be thinned 8 to 10 inches to row. Lettuce should be grown very rapidly; therefore the soil should be as rich as possible, by liberal manuring and thorough preparation.



Grand Rapids.

OUR BIG BOSTON LETTUCE.—(40 days.) The king of main-crop head Lettuce. Blanches beautifully; crisp, tender and free from bitterness. It produces immense heads, solid as cabbage; often 15 and 16 inches across and weighing enormously. A very large, robust-growing variety, rooting deeply, resisting hot, dry weather; slow to run to seed, and a sure header under most trying conditions. Outer color is of distinct apple agreen. Been extensively grown by our customers in almost all sections of the country, from whom we receive most gratifying reports. Pkt., 10c; oz., 15c; 1/4 lb., 35c; 1 lb., \$1.00, postpaid

PRIZE HEAD.—(38 days.) Very tender leaves of dark reddish brown color, variegated with dark green. Heads other brown-leaved variety. Pkt., 10c; oz., 15c; 1/4 lb., 35c; 1 lb., \$1.00, postpaid.

DENVER MARKET .- (45 days.) Used either for forcing or open ground. An early variety, forming heads which are solid and of beautiful light green color, curled somewhat like Savoy Cabbage, and always crisp and tender. Pkt., 10c; oz., 15c; 1/4 lb., 35c; 1 lb., \$1.00, postpaid.

IMPROVED HANSON .- (40 days.) Forms very large, firm heads, resembling Cabbage, which are deliciously sweet, crisp and tender; heads green outside and white inside. For outdoor culture unexcelled. It is one of the best heat-resisting sorts. Pkt., 10c; oz., 15c; 1/4 lb., 35c; 1 lb., \$1.00, postpaid.

MAMMOTH BLACK-SEEDED BUTTER.-A smoothleaved Lettuce, forming very large, compact, cabbage-like heads of thick, yellowish green leaves, the inner ones beautifully blanched, very crisp, tender and buttery. It is one of the most largely grown sorts, suitable for the home garden as well as market. Pkt. 10c; oz., 15c; 1/4 lb., 35c; 1 Ib., \$1.00, postpaid.




Big Boston

NEW YORK.—The large white heads resemble cabbase in their solidity, and frequently weigh two and three pounds each. The quality is superb, being crisp, rich and tender. It withstands the heat well, making a fine variety for all seasons. Pkt., 10c; oz., 30c; 1/4 lb., 90c; 1 lb., \$3,00, postpaid.

BLACK-SEEDED SIMPSON.—(40 days.) An old standard, used largely for forcing and for early and late outdoor culture. Stands heat and drout well. Leaves large, thin, and very tender, of a light green color, slightly curled. A fine sort for all seasons. Pkt., 10c; oz., 15c; 1/4 lb., 35c; 1 lb., \$1.00, postpaid.

EARLY CURLED SILESIA.—(38 days.) Old favorite; dwarf, compact habit and quick growth, crisp golden leaves; finely curled edges. Pkt., 10c; oz., 15c; 1/4 lb., 35c; 1 lb., \$1.00, postpaid.



GRAND RAPIDS.—(40 days.) A forcing variety of superior quality and appearance, strong grower, free from rot, keeps crisp and tender without witting when exposed for sale longer than any other forcing Lettuce. Also desirable for sowing in open ground. Pkt., 10c; oz., 15c; 1/4 lb., 35c; 1 lb., \$1.00, postpaid.

EARLY CURLED SIMPSON.—(40 days.) A good forcing sort. White-seeded. Resembles the Black-Seeded Simpson Early. Pkt., 10c; oz., 15c; 1/4 lb., 35c; 1 lb., \$1.00, nostpaid.

PARIS WHITE COS.—Grows to very large size. The inner leaves blanch readily and are of fine flavor. One of the most popular market sorts; also called White Paris Self-Folding Cos or Trianon Cos. Pkt., 10c; oz., 20c; 1/4 lb., 60c: lb., 22.00, postpaid.

WATERMELON

3 ounces of seed to 100 yards of row; 4 pounds to the acre.

Culture.—Watermeions do well upon sod ground or upon land prepared for their reception by plowing down a crop of winter wheat or winter rye, the sod or grain aerating or keeping loose the solk When the apple is in bloom the seed is planted in hills 10 feet apart in each direction. Two large shovelfuls of well-rotted stable manure should be dug and trampled into each hill and covered manure should be dug and trampled into each hill and covered of seed to the acre, that he may have a reservin cuite a pounds of seed to the acre, that he may have a reservince case of destruction of his plants by insect depredations or beating rains. Only one vine to the hill should be allowed to attain perfection. With 450 hills to the acre, there should be 900 first class melons.

SWEET HEART.—(80 days.) Early, large, oval, light green; splendid shipper. Pkt., 10c; oz., 15c; 1/4 lb., 30c; 1 lb., 75c, postpaid.

GEORGIA RATTLESNAKE.—(90 days.) Melons are long in shape, of light green color, with dark stripes, and grow of uniformly large size and symmetrical shape. In Georgia this variety is one of the most highly prized of all. The rind is remarkably thin, though it stands shipping well, and the flesh most tender, sweet, and luscious, it being a rare thing to find a melon that is not of superior quality. Pkt., 10c; oz., 15c; ½ lb., 30c; 1 lb., 75c, postpaid.



Georgia Rattlesnake.

TOM WATSON.—(85 days.) A new variety, destined to become a leader among Melons because of quality and shipping excellence. There is no variety, to our knowledge, that combines both essentials as does this Melon. Most sorts of extra quality are not tough enough to ship, and most shipping Melons are too tough to excel in quality. The Tom Watson is a large, oblong Melon, the skin of which is dark green, with thick netting on the entire surface, quite distinct from other varieties. It averages 18 to 24 inches long and 10 to 12 inches in diameter, and weighs 50 to 60 pounds. The rind is thin, but tough, and flesh a bright, attractive red color, crisp, sweet and delicious. The heart is large, with no core. Seeds brown, tipped white. Pkt., 10c; oz., 15c; 1/4 lb., 30c; 1 lb., 75c, postpaid.

WATERMELON—Cont.

HALBERT HONEY .- (85 days.) Too much cannot be said of the merits of this grand new sort for market or home purposes. Its vine is of strong, vigorous growth, and sets fruit freely. Seed white. Flesh is bright red, exceedingly sweet and tender; absolutely stringless. Good keeper. In size it is large to mammoth, and presents a fine appearance on the market, as well as the dining table. Seed direct from the originator. Pkt., 10c; oz., 15c; 1/4 lb., 30c: 1 lb., 75c, postpaid.



Tom Watson.

KLECKLEY SWEET .- (85 days.) This is one of the best flavored Melons in cultivation and of a shape and color that is extremely desirable. The rind is very dark green, very thin, flesh deep scarlet, fine, and of delicious quality. For the home market and family garden it is decidedly the best. Pkt., 10c; oz., 15c; 1/4 lb., 30c; 1 lb., 75c, postpaid.

ALABAMA SWEET .- (95 days.) A very large, long Melon of fine quality, very popular in the South, where it is grown extensively for shipping. Rind firm, rather dark green, slightly striped; flesh bright red, seed white. Pkt.,

10c; oz., 15c; 1/4 lb., 30c; 1 lb., 75c, postpaid.
ROUND LIGHT ICING.—Fruits are small-medium, nearly round; greenish white, slightly veined or dotted with light green. Flesh is bright, light red, sweet and tender; seed white. Pkt., 10c; oz., 15c; 1/4 lb., 30c; 1 lb., 75c, postpaid.

COLE'S EARLY .- (78 days.) A hardy, sure cropper; nearly round; flesh dark red; rind thin and extremely brittle; medium size; green striped with lighter shades.

Pkt., 10c; oz., 15c; 1/4 lb., 30c; 1 lb., 75c, postpaid.
PHINNEY'S EARLY.—(80 days.) Medium size; flesh a deep red; rind thin. Pkt., 10c; oz., 15c; 1/4 lb., 30c; 1 lb.,

75c, postpaid.

FLORIDA FAVORITE .- (90 days.) Large, oblong; rind dark green, with stripes of lighter green. A popular variety in the South. Pkt., 10c; oz., 15c; 1/4 lb., 30c; 1 lb., 75c, postpaid.

CITRON, RED-SEEDED .- For pickles and preserves only. Unpalatable in raw state. Pkt., 10c; oz., 20c; 1/4 lb., 50c; 1 lb., \$1.50, postpaid.

KOLB'S GEM .- (95 days.) Has no superior for shipping purpoess. Fruit large, oval-shaped, marked with motshades. Pkt., 10c; oz., 15c; 1/4 lb., 30c; 1 lb., 75c, postpaid. ICE CREAM, OR PEERLESS.—(90 days.) Popular for


home market. Medium size, almost round; skin pale green, slightly mottled; flesh bright scarlet, fine-grained. None better. Pkt., 10c; oz., 15c; 1/4 lb., 30c; 1 lb., 75c, postpaid.

HARRIS'S EARLIEST .- An extra early Melon of excellent quality. Fruits are exceptionally large for so early a variety, slightly oval with irregularly mottled broad stripes of light and dark green. Flesh is bright red, sweet and tender. Seed black. Vines are vigorous and productive. One of the best varieties for Northern latitudes. We have carefully observed this variety in our trials for several seasons and are convinced that it is the best first early melon for the home garden. Pkt., 10c; oz., 15c; 1/4 Ib., 30c; 1 lb., 75c, postpaid.

CANTALOUPE OR **MUSKMELON**

Two ounces of seed to 100 yards of row; 4 pounds to the acre.

Cutture.—Melons do best in sandy soil or sod land and the soil should be made rich. The hills can be put 4 to 6 feet apart, with 10 to 12 seeds in each hill. Plant the seeds an inch deep, when danger of frost is over, thinning to 4 good plants to a hill. Culti vation should be kept up as long as possible. One ounce of seed is sufficient for 50 hills; 2 pounds per acre. Plant in May or June.



Rocky Ford.

GREEN-FLESHED VARIETIES

ROCKY FORD .- (70 days.) This has become one of the most popular of small or crate Melons, and is shipped in large quantities from Colorado and Arizona. The vines are vigorous and productive. The fruits are oval, slightly ribbed, densely covered with fine netting. Flesh green, very sweet and highly flavored. We offer an exceptionally fine stock of this early sort, the fruit being very uniform in shape and quality and of the even size that is so desirable in a shipping Melon. Pkt., 10c; oz., 15c; 1/4 lb., 40c; 1 lb., \$1.35, postpaid.

NETTED GEM .- (70 days.) In many sections considered an improvement on the Rocky Ford because of its more perfect netting, safeguarding it against abrasion or


ribs. Pkt., 10c; oz., 15c; 1/4 lb., 40c; 1 lb., \$1.35, postpaid. EXTRA EARLY HACKENSACK.—(70 days.) We offer distinct stock, very different from and much superior to that often sold as Extra Early Hackensack. The fruits are nearly two weeks earlier than Hackensack, medium to large sized, nearly round or somewhat flattened. evenly and deeply ribbed, and with very coarse netting. The skin is green, slightly tinged with yellow as the fruit matures: Pkt., 10c; oz., 15c; ½ lb., 40c; 1 lb., \$1.35, postpaid.
HONEY DEW.—The Melon with an appropriate name.

A new member of the Melon family, propagated after seven years of experimenting. The new fruit, which is called the Honey Dew Melon, is a cross between the Rocky Ford Cantaloupe and a South Sea Island fruit. Pkt., 10c;

HACKENSACK.—A large, deeply netted Melon, flat-tened at the ends, of most delicate flavor and very productive. Pkt., 10c; oz., 15c; 1/4 lb., 40c; 1 lb., \$1.35, postpaid.

ORANGE-FLESHED VARIETIES

BURRELL'S GEM .- (80 days.) A truly delicious Melon for home use, or if you desire a fancy price on the market we recommend the Burrell Gem. About same size and shape as Rocky Ford. Has rich golden yellow flesh of



Burrell's Gem.

CANTALOUP OR MUSK-MELON-Cont.

most delicious flavor, solid, and a most desirable shipping sort. Seed carity very small. Melons average about 6 inches long, 4½ inches in dlameter, and weigh 2½ pounds. Shipments to Chicago, St. Louis, New York and elsewhere brought 50 per cent more than best Rocky Fords. Pkt., 10c; oz., 15c; ½ lb., 40c; 1 lb., \$1.35, postpaid.

EXTRA EARLY OSAGE.—(75 days.) Fully a week sarlier than the Osage, fruits a little smaller, more nearly round, and the netting extends over more of the surface. These very desirable features, combined with the thick, deep salmon-colored flesh and small seed cavity characteristic of the Osage, make this Melon deserving of a place in every home and market garden. Pkt., 10c; oz., 15c; ½ 1b., 40c; 1 lb., \$1.35, postpaid.

BANANA.—Externally it is of a creamy white or delicate straw color. The flesh (the Melou being nearly solid) is of a rich salmon. The quality is first rate when the melons are thoroughly ripe. It grows from 18 inches to 2 feet in length, and is very prolific. When ripe, it smells like a banana. Pkt. 10c; oz. 15c; 1/4 lb. 40c; 1 lb. \$1.35,

postpaid.

CASABA MUSK MELON.—(140 days.) A class of late maturing Melons which do not ripen on vines in the North, but are gathered before freezing weather and stored in a cool place and brought to a warm room for ripening; can be eaten any time to Christmas, as they keep very long. Pkt., 10c; oz., 15c; ¼ lb., 40c; 1 lb., \$1.35, postpaid.

EMERALD GEM.—A variety of excellent quality. It is of medium size. Skin is perfectly smooth and a deep emerald green color. Flesh is thick and of a suffuse salmon color, and ripens to the green rind. Peculiarly crystalline in appearance and so very julcy that it almost drops to pieces when dipped out with a spoon. Flavor is very avertand luscious. The vines are hardy and very prollific, and the Melons mature extremely early. Pkt., 10c; oz., 15c; ¼ 1b., 40c; 1 lb., \$1.35, postpaid.

TIP-TOP MELON.—This Muskmelon should be planted

TIP-TOP MELON.—This Muskmelon should be planted by every gardener. Always pleases. The testimony of all is that every Melon, whether large or small, early or late, is a good one; sweet, juley, finest flavor, firm, but not hard fleshed, and edible to the outside coating. Its appearance on the market is very attractive. Gardeners tell us that their customers soon learn to pick them out and will have no other kind. Fruit is large size, nearly round, evenly ribbed, and moderately netted. Perhaps the most productive Melon known. Pkt., 10c; oz., 15c; 1/4 lb., 50c; 1 lb., \$1.85, postpaid.

MUSTARD

One ounce will sow 50 feet of row.

Culture.—The leaves of these varieties of Mustard, as here listed, make excellent greens, of sharp pungent flavor, and are cooked the same as spinach or beet leaves. Sow the seed in drills early in the spring and at frequent intervals throughout the summer to secure a constant supply of fresh greens. Mustard is hardy and easily grown.



Ostrich Plume.

OSTRICH PLUME.—Most beautiful variety, of very superior flavor. These leaves are beautifully ruffled and curled and curve outward, like graceful ostrich plumes. They are excellently adapted for garnishing. It originated in the South, and stands hot weather exceedingly well. Sow in February, March or Aril, or during September and October. Pkt., 10c; oz., 15c; ½ d.b., 25c; 1 lb., 75c, postpaid.

SOUTHERN GIANT CURLED.—Highly esteemed in the South, where seed is sown in fall and plants used early in spring as salad. Seeds brown. Plants 2 feet high; enormous bunches. Pkt., 10c; oz., 15c; 1/4 lb., 25c; 1 lb., 75c, postpaid.

CHINESE.—A giant curled variety, with leaves double size ordinary. Pkt., 10c; oz., 15c; 1/4 lb., 25c; 1 lb., 75c, postnaid.

WHITE.—Leaves are light green, mild, and tender when young; seed light yellow in color. Pkt., 10c; oz., 15c; 1/4, lb., 25c; 1 lb., 75c, postpaid.

BROWN OR BLACK MUSTARD.—More pungent in flavor than the white. Seed black. Pkt., 10c; oz., 15c; 1/4 lb., 25c; 1 lb., 75c, postpaid.

MUSHROOM SPAWN

AMERICAN PURE MUSHROOM SPAWN.—Write for prices.

NASTURTIUM

Culture.—Nasturtiums are useful for furnishing tender seed-pod which makes delicious pickles. Seeds for pickling should be gathered while green and with portion of stem attached. Pick them over and place in a jar until filled; cover them with cider vinegar brought to the boil and is still warm, to keep for winter use

TALL OR DWARF MIXED.—Pkt., 10c; oz., 15c; 1/4 lb., 30c; 1 lb., \$1.00.

OKRA OR GUMBO

Culture.—Okra is a highly esteemed vegetable throughout the entire country and the demand is getting bigger and bigger all the time. The young, tender pods are used mainly in soups and stews, although they are excellent when boiled and served hot or cold as a salad. Some persons may not enjoy the flavor of Okra at first, but after eating it a few times a taste for it is naturally acquired. Plant I ounce of seed to 50 feet of row; about 8 pounds to the acre. Three-foot rows are good, planting the seed 3 to 4 inches apart to allow space for the development of the stem.



Improved Dwarf.

MAMMOTH LONG-PODDED OKRA.—This is a distinct variety and is largely cultivated for shipping purposes. Very productive, pods starting to shoot out within three or four inches from bottom of stalk, and the whole plant is covered with them to the height of 5 to 6 feet. Pods are of an intensely dark green color of unusual length, frequently 9 to 10 inches long. Are slim and do not harden as is usually the case with other slender sorts. Pkt., 10c; oz., 15c; ½ lb., 25c; 1 lb., 65c, postpaid.

IMPROVED DWARF.—An early variety; pods short, but very numerous. Pkt., 10c; oz., 15c; ½ lb., 25c; 1 lb., 65c, postpaid.


WHITE VELVET.—Pods large, white, smooth, superior quality, an excellent bearer. Pkt., 10c; oz., 15c; 1/4 bb., 25c; 1 lb., 65c, postpaid.

ONION

Onion growers who use large quantities of seed should write for special prices.

Culture.—One ounce will sow 100 feet of drill. To grow large onions from seed, sow 5 pounds to the acre; to grow small sets, 60 to 70 pounds to the acre will be required.

Raising a crop of onions requires too much labor and expense to run the risk of planting anything but reliable seed. There is ho other vegetable in which the quality of the seed exerts so great an influence. Fully realizing the importance of good seed, we have for made quality our first consideration in the growing and marketing of Onion seed. Our stock is all home-grown from choice selected bulbs, and is the best that can be produced. We guarantee every pound of Onion seed to be new seed grow and give satisfaction. It would be folly described by our poor seed. The risk is too great to take chances on cheap, poor seed. Buy our seed and get the best.



Prizetaker.

PRIZETAKER.—(90 days.) This is beyond question the handsomest Onion grown. Yellow or straw color, flesh white, of enormous size, in many cases weighing from 3 to 3½ ounds. Very hardy and a good keeper. Flavor sweet, very mild and tender. Pkt., 10c; oz., 20c; ½ lb., 50c; 1 lb., \$1.75, postpaid.

YELLOW GLOBE DANVERS.—(100 days.) A very handsome, round American variety of large size; very fine and mild; an excellent keeper. Pkt., 10c; oz., 20c; ½ lb.,

60c; 1 lb., \$2.00, postpaid.


SOUTHPORT WHITE GLOBE.—(100 days.) One of the most beautiful Onions grown, being symmetrical globe shape, with a smooth satin-white skin, forming a perfect silver ball. It grows to a large size, averaging 7½ to 9 inches in circumference, and is solid and heavy. The flesh is purest white, close and fine-grained, mild and of moderate flavor. It is a heavy cropper, yielding under good culture up to 900 bushels per acre. Our strain of this seed is grown from picked thin-necked bulbs, which ripen so uniformly and so thoroughly that the Onions keep nearly as well as the Red and Yellow varieties. Pkt., 10c; oz., 20c; ½ lb., 60c; 1 lb., \$2.00, postpaid.

LARGE RED WETHERSFIELD.—The standard variety throughout the West, as they are the most hardy, and an immense crop can be raised when more tender varieties are not profitable. One of the best winter keepers. It is not an early ripening sort, but continues to grow throughout the season, consequently making very large Onions. The outer skin is a deep rich purplish red, flesh white, lightly tinged with pinkish rose. Our seed of this variety is extra select and cannot be excelled. Pkt., 10c;

oz., 20c; ¼ lb., 50c; 1 lb., \$1.75, postpaid.

SOUTHPORT YELLOW GLOBE.—(110 days.) The true Southport Onions are very handsome globes of superior quality. They are excellent keepers, uniform in size and form, and command higher market prices than any other kind. We highly recommend the Yellow Globe. It ripens a little earlier than the Red, grows to an average size of 2 to 3 inches in diameter, and has all the good qualities mentioned above. Pkt., 10c; oz., 20c; ¼ lb., 50c; 1 lb., \$1.75, postpaid.

SOUTHPORT RED GLOBE.—(100 days.) The hand somest of all the Red Onlons; large, solid and of perfect shape. Red Globe is the latest of the Southport Onloas, ripening from a week to ten days after the Yellows. The bulbs are uniform, of a rich, red color, ripen evenly, and yield the largest percentage of marketable Onlons. They ripen down hard and solid, keep well, and their beautiful appearance insures a ready market. Southport Red Globe will yield a heavier crop than either the Yellow or White Globe. Pkt., 10c; oz., 20c; ½4 bb, 50c; i lb., \$1.75, postpaid



Yellow Globe.

WHITE PORTUGAL, OR SILVERSKIN.—A large flat White Onion of mild and pleasant flavor, hard and fine-grained and a good keeper. Extensively sown for sets, and is also largely grown for pickling. Pkt., 10c; oz., 20c; 1/4 lb., 60c; 1 lb., \$2.00, postpaid.

AUSTRALIAN BROWN.—A long keeper; early, a fina cropper. Pkt., 10c; oz., 20c; $\frac{1}{4}$ lb., 60c; 1 lb., \$2.00. postnatid



Table Onions.

ONION—Cont.

ONION SETS


Culture.—To raise Onion sets from seed, use good ground prepared as for large onions and sow the seed very thick in broad drills using 40 to 60 pounds per acre. If the seed is sown thin, the bulbs will not only be too large for sets, but will not be of the right shape, and if sown theke on poor land they will be neeky or bottle-shaped. Onion seed sown for sets may be planted somewhat later than if a crop of large bulbs is desired.

RED AND YELLOW BOTTOM SETS .--Treated precisely as top Onions are, setting them out in the spring instead of sowing seed. Lb., 15c, postpaid; 20 lbs., \$2.50, postpaid.

WHITE SILVERSKIN .- Produce beautiful White Onions early in the season. Lb., 20c; postpaid; 20 lbs., \$3.50, postpaid.

GARDEN PEAS

Culture.—Sow as early as possible a few of some of the early varieties in warm sandy soil. The seed can be sown in rows in a very satisfactory way. It is best to sow in an open way with a hoe, the full width of it, and broadcast the seed thinly in the bottom. Later plantings should be of the wrinkled varieties; they are better Dater plantings should be of the wrinkied varieties; they are deter-yielders, sweeter, and very highly flavored. A plint will sow a row of 56 feet. Use from 1½ to 1½ bushels to the acre, making row from 2½ to 3 feet apart Ground should be cultivated about every two weeks, keeping weeds and grass free from same. Early variesies will mature in about 50 or 50 days, later varieties in about 70 to



Prosperity.

ALASKA .- (45 days.) Without doubt the earliest and best smooth Blue Pea, ranking with the First-and-Best as to evenness, uniformity in ripening and earliness. Ripens all the crop at once; an invaluable variety for market gardeners and canners. Vines 2 to 2½ feet high. Pkt., 10c; 1 lb., 35c; 10 lbs., \$2.50, postpaid.

NOTT'S EXCELSIOR.—(53 days.) Fifteen inches. Dwarf Wrinkled Pea. The pods average fully one-third larger than the American Wonder, and it is all ready for picking at one time. Each pod contains six to eight large peas, which are unusually sweet. Pkt., 10c; 1 lb., 35c; 10 lbs., \$2.75, postpaid.

FIRST-AND-BEST .- (47 days.) A round-seeded Pea that can be sown when frost is barely out of ground, before it is safe to sow wrinkled-seeded sorts. This, with its quick growth and maturity, renders it the earliest Pea on record. Unequaled for general excellence, yield, size of pod and regularity. It is 21/2 feet high. Pkt., 10c; 1 lb., 35c; 10 lbs., \$2.50, postpaid.

GRADUS, OR PROSPERITY .- (58 days.) This Pea is not only large and of best quality, but nearly as early as the small, round, extra early sorts. It is hardy and may be planted as soon as ground is fit to work in the spring, along with smooth Peas. Vine grows about 30 inches. Pods are a light green color and measure 4 inches or more in length, being as large as Telephone and as well filled; 8 to 10 in a pod. The Peas are fine table quality, and retain their color and attractive appearance after cooking. It is a grand Pea. Pkt., 10c; 1 lb., 35c; 10 lbs., \$2.75, postpaid.

MAIN-CROP VARIETIES

THOMAS LAXTON .- An early variety of large-podded Pea, which is very hardy and a strong grower, producing pods in abundance. The habit and growth of vine resembles Gradus, although the color is darker and pods more blunt in shape. The pods are well filled with large peas; height, 3 feet. By express or freight, at purchaser's expense. Pkt., 10c; lb., 35c; 10 lbs., \$3.00.

BLISS EVERBEARING .- (60 days.) A green-seeded, wrinkled, slightly flattened variety. Height, about 2 feet. Very hardy, a vigorous grower and an enormous cropper. Pods and peas of large size and superior quality. Pkt., 10c;

1 lb., 35c; 10 lbs., \$2.75.

AMERICAN WONDER.—(55 days.) The earliest of the wrinkled Peas and best for family use. Very dwarf, 9 inches high, and remarkably productive; well-filled pods; flavor unsurpassed. Pkt., 10c; 1 lb., 35c; 10 lbs., \$2.75, postpaid.

McLEAN'S LITTLE GEM.—(58 days.) Eighteen inches. A few days later than First-and-Best. Matures in eight weeks. When in a green state the Peas are sweet and delicious. Pkt., 10c: 1 lb., 35c: 10 lbs., \$2.75, postpaid.



CHAMPION OF ENGLAND .- (62 days.) We offer a select strain of this grand old favorite, too well known to require extended description. It is a main crop and late variety of vigorous growth, about 5 feet high. Pkt., 10c; 1 lb., 35c; 10 lbs., \$2.75, postpaid.

TELEPHONE.—Large-podded variety of Pea for general crop. Vines are very strong in growth and average 18 to 20 pods per stalk. The pods are of large size, containing 6 to 7 peas each, which are a pale green color and of delicious flavor. Height, 31/2 feet. Pkt., 10c; 1 lb., 35c; 10 lbs., \$2.75, postpaid.

STRATAGEM .- Vines strong, vigorous and covered with immense pods, many measure 5 inches in length and contain 10 fine large, richly flavored, uniform wrinkled peas. Peas are dark greenish color, and are tender and sweet. Pkt., 10c; 1 lb., 35c; 10 lbs., \$2.75, postpaid.
WHITE MARROWFAT.—(65 days.) A favorite sort.


Five feet. Pkt., 10c; 1 lb., 30c; 10 lbs., \$2.25, postpaid.
CANADA FIELD PEAS.—For dairy cows and hogs they are equal to corn and six weeks earlier. Should be sown early in April with Oats, using 2 bushels of Oats and 2 bushels of Peas per acre. Peas should be sown first and plowed under to a depth of about 4 inches, then sow and harrow in the Oats. Ready to cut in July. As fertilizer, they come next to Clover and will grow on land that will not produce Clover. Lb., 15c; 10 lbs., \$1.25.

PARSNIP

One ounce will sow 200 feet of drill; 5 pounds will sow an acre in drills.

Sow an acre in Grins.

Culture.—Parsnips are unsally grown on deep, rich, sandy soil, but will make good roots on any soil which is deep, mellow and moderately rich. Fresh manure is apt to make roots coarse and fil-shaped. As seed is sometimes slow and uneven in growth. is should be sown as early as possible, in drills 2½ feet apart; cover 1/4 inch deep and press the soil firmly over the seed. Give frequent cultivation, thin the plants to 6 inches apart in row.



Hollow Crown Parsnip.

IMPROVED TABLE GUERNSEY .-- A greatly improved and wonderfully fine strain of the Guernsey Hollow Crown Parsnip. The roots do not grow as long as the Hollow Crown, but are of greater diameter and more easily gathered. A very heavy cropper. Roots are smooth, with a deep hollow crown and a small top. Flesh fine-grained, sweet, and of excellent quality; cooks evenly, center being oz., 20c; 1/4 lb., 60c; 1 lb., \$2.00, postpaid.

IMPROVED HOLLOW CROWN.—This greatly im-

proved strain is about the same shape as the old sort, but smoother and of more even quality; fine grained and excellent. Pkt., 10c; oz., 20c; 1/4 lb., 60c; 1 lb., \$2.00, postpaid.

PEPPER

Culture,—Sow the seed ½ inch deep in hot-bed, greenhouse or warm window in March or April. After all danger of frost, set out in open ground. A warm, moist soll is best, with plenty of rotted manure plowed under Set in rows 2 to 3 feet apart and 18 inches apart in the rows. Cultivate frequently throughout the season to keep the soil mellow and free from weeds. One ounce will produce about 1.500 plants: ½ pound to transplant for an acre.

LARGE BELL, OR BULL NOSE .- Early and mild; a favorite for pickling; very prolific. Pkt., 10c; oz., 50c; 1/4 Ib., \$1.50, postpaid.

CHINESE GIANT .- The largest red variety. Early in ripening and immensely productive for so large a Pepper. Its enormous size will cause it to sell most rapidly. Monstrous fruits are of thick, blocky form, and of brilliant, glossy scarlet. Grow 4 to 5 inches broad at top and are of equal length. Flesh is extremely mild and unusually thick; makes an excellent salad sliced and served like

tomatoes. Pkt., 10c; oz., 65c; 1/4 lb., \$1,75, postpaid.

LONG RED CAYENNE.—Cone-shaped red pods. Used for sauce and pickles. Pkt., 10c; oz., 40c; 1/4 lb., \$1.50,

postpaid.



Bull Nose Pepper.

RUBY KING .- Large and handsome. Mild flavor. Ruby red color. Can be sliced for salad or for stuffing or minced pickles. Pkt., 10c; oz., 50c; 1/4 lb., \$1.75, postpaid. RED CHILI.—A late variety used in the manufacture

of pepper sauce. The bright rich red pods are about 2 inches long, 1/3 to 1/2 inch in diameter at the base, tapering to a sharp point, and exceedingly pungent when ripe. Requires a long, warm season. The plants should be started quite early in hot beds. Pkt., 10c; oz., 50c; 1/4 lb., \$1.75,

PARSLEY

Culture.—Is easily grown, only it takes several weeks to come up, hence ground where it is sown is often covered with weeds or due control of the covered with weeds or due to the covered with covered with

DOUBLE CURLED .- An excellent variety for garnishing. Pkt., 10c; oz., 20c; ½ lb., 40c; 1 lb., \$1.50, postpaid.

CHAMPION MOSS CURLED.—Leaves beautifully curled and mossy. Pkt., 10c; oz., 20c; ½ lb., 35c; 1 lb., \$1.50, postpaid.

PEANUTS

MAMMOTH JUMBO .- This variety grows to an astonishing size. The plants make compact bushes about 18 inches high, with heavy, erect stalks and large leaves. The giant nuts have thick, heavy-ribbed shells. Lb., 30c; 3 lbs., 80c, postpaid. Write for prices in quantities.

SPANISH PEANUT .- In addition to their value for growing for the nuts, these are very largely used in the South as a forage and fattening crop for hogs and other stock. They are early to mature, very productive, and in the far South, where they can be planted during March and April, two crops can be made in one year, the second crop being planted early in July, the tops making a hay crop and the nuts a grain crop. This variety frequently yields 60 bushels of marketable peanuts and two tons of hay per acre. 28 pounds to the bushel. Lb., 30c; 3 lbs., 80c, postpaid.


PUMPKIN

Culture.—Pumpkins will grow almost anywhere, but rejoice in rich soil. In many varieties the size and weight depend almost wholly on culture and fertility of the land. Many Pumpkins are exceptionally good for pies; other sorts are fit only for feeding livestock. Planot in hills 8x8 feet. Use ½ pound for 75 hills, 3 to 4 pounds per acre. Put seed in ground in May or June. Fight bugs with Bug Death, Sing Shot or air-Sacked lime.

CONNECTICUT FIELD.—One of the best for field culture; can be grown with corn. Is largely used for stock feeding. A deep rich yellow color. Pkt., 10c; oz., 15c; 1/4 lb., 30c; 1 lb., 75c; 10 lbs., \$6.00, postpaid.

CUSHAW .-- A prolific variety; large size, frequently weighing 60 pounds and over; color, white striped and mottled with green. Pkt., 10c; oz., 15c; 1/4 lb., 40c; 1 lb., \$1.50, postpaid.

PUMPKIN-Cont.



Connecticut Field.

MAMMOTH.—A French variety, which grows to an immense size, often weighing over 100 pounds. Fruit is either long or round, but generally flattened at both ends; skin pale green; marked with deeper bands and marbling. Pkt., 10c; oz., 15c; 1/4 lb., 35c; 1 lb., \$1.10, postpaid.

TENNESSEE SWEET POTATO.—Pear-shaped me-

TENNESSEE SWEET POTATO.—Pear-shaped medium-sized Pumpkins, slightly ribbed, or creamy white color and excellent flavor. Pkt., 10c; oz., 15c; ½ lb., 35c;

1 lb., \$1.10, postpaid.

SMALL SUGAR.—Small, round, yellow Pumpkins of excellent quality. An abundant yielder, 8 to 10 fruits often growing on one vine. Pkt., 10c; oz., 15c; 1/4 lb., 40c; 1 lb., \$1.50, postpaid.

Very early; large-sized Pumpkins, often measuring 15 inches across top, flat like a cheese and very productive. It is an excellent keeper and is of the finest flavor. Splendid for the table as well as for stock-feeding; also largely used for canning. The skin is orange red. Pkt., 10c; oz., 15c: 1/2 lb., 30c: 1 lb., 75c. nostaid: 10 lbs., \$6.00.

used for canning. The skin is orange red. Pkt., 10c; oz., 15c; ¼ lb., 30c; 1 lb., 75c, postpaid; 10 lbs., \$6.00. JAPANESE PIE.—The flesh is very thick, nearly solid, the seed cavity being very small, usually fine-grained, dry and sweet, having much the same taste and appearance of sweet potatoes. They ripen early, keep well, and produce largely. The seeds are peculiarly marked and sculptured in Japanese characters. Pkt., 10c; oz., 15c; ¼

lb., 40c; 1 lb., \$1.50, postpaid.

LARGE VELLOW.—Most extensively used for feeding stock; also used for making pies. Grows to a large size and varies in shape from nearly round or slightly flattened to quite long. Flesh deep, rich yellow, fine-grained, and highly flavored. Is often planted with corn. It is known also as Field Pumpkin. Packet, 10c; ounce, 15c; 1/4 (b., 30c; 1 lb., \$10.0).

RADISH

6 ounces of seed will plant 100 yards of row; 6 pounds to the acre

to the acre.

Culture.—Sow in ground well enriched with rotted manure.

Quality depends on quickness of growth. The proper temperature
is 40 to 65 degrees. Good ventilation is necessary, if grown under
glass. Sow seed ½ inch deep in the early spring, in rows 12 to
18 inches apart, for a succession, sow every 10 days. Cultivate
18 inches apart, for a succession, sow every 10 days. Cultivate
Thin to 1 inch apart for small varieties and 2 to 4 inches for
large varieties Radishes will mature in from 3 to 5 weeks.

AVRES SCARLET GLOBE.—Twenty days to maturity.

Expell leaved variety well adapted to forcing under

A SMES SCARLET GLOBE—Twenty days to maturity. A small-leaved variety, well adapted to forcing under glass; root round and carmine colored; early, very attractive and desirable; fine for forcing. Pkt., 10c; oz., 15c; 1/4 lb., 35c; 1 lb., 90c, postnaid.

15c; ½ lb., 35c; 1 lb., 90c, postpaid.

MARKET GARDENERS' LONG SCARLET.—(35
days.) More largely used perhaps than any other for outdoor planting. Six to 8 inches in length, and possessing all
qualities of a fine Radish. Pkt., 10c; oz., 15c; ½ lb., 30c; 1

1b., 75c, postpaid. LONG WHITE VIENNA, OR LADY FINGER.—(25 days.) One of the finest and most popular of the long Radishes, growing 6 to 8 inches in length, beautiful in shape; skin and flesh pure white. Pkt., 10c; oz., 15c; ¼ (b., 30c; 1 lb., 75c, postpaid.

Scarlet Globe.

WHITE STRASBURG.—(30 days.) Of handsome, obong, tapering shape. Both skin and flesh are pure white. The flesh is firm, brittle and tender, and possesses the most desirable character of retaining crispness even when old and large. Excellent for summer use, and withstands severe heat and grows very quickly. Pkt., 10c; oz., 15c; 1/4 lb., 35c; 1 lb., 90c, postpaid.

SPARKLER.—A splendid Radish of same type as Scarlet Turnip White Tip, but larger and showing more white, the lower portion being white and upper part deep scarlet. This Radish is not only very showy, but of very finest quality, and sure to become popular with private gardeners as well as growers for market. Pkt., 10c; oz.,

15c; 1/4 lb., 30c; 1 lb., 75c, postpaid.




Icicle.

ICICLE.—(30 days.) The finest, most delicate, and tenderest of pure white Radishes. About 6 inches in length, clear transparent white, crisp and tender; very attractive on the table and also for the market; ready to pull three weeks after sowing; may be sown as early in spring as soil can be prepared. Remains tender and free from pith for longer period than any other sorts; attractive in appearance and extremely early. Pkt, 10c; oz., 15c; ½ lb., 30c; 1 lb., 75c, postpaid.

FRENCH BREAKFAST.—(25 days.) A small, handsome variety of very quick growth; ½-inch in diameter and 2 inches long. Pkt., 10c; oz., 15c; ½ lb., 30c; 1 lb., 75c,

postnaid

RADISH-Cont.



Long Bright Scarlet.

EXTRA EARLY SCARLET TURNIP.—(20 days.) A small, round, red, turnip-shaped Radish, with a small top; of very quick growth. A very early variety, deserving of very general cultivation on account of its crisp and tender qualities. Pkt., 10c; oz., 15c; 1/4 lb., 30c; 1 lb., 75c, post-

EARLY SCARLET TURNIP, WHITE-TIPPED.—(18 days.) A beautiful variety, deep scarlet with white tip. It is very ornamental for table use and is becoming very popular as a market variety. It is of the same size and shape as the Scarlet Turnip variety. Pkt., 10c; oz., 15c; 1/4

lb., 30c; 1 lb., 75c, postpaid.

HALF-LONG DEEP SCARLET.—(25 days.) Same form as Long Scarlet, but only half as long. Pkt., 10c; oz.,


15c; 1/4 lb., 35c; 1 lb., 90c, postpaid.



Winter Radishes-Oz. 1/4 Lb. 15c 35c 35c 15c Round Black Spanish......10c 15c35c Rose China 15c 35c California Mammoth White......10c 35c 15c 35c 15c

RHUBARB OR PIE PLANT

Culture.—This is of hardy growth everywhere and one of the first sauce and pie plants of early spring. It is sown either from seeds or propagation of the roots. The soil for Rhubarb should be made extremely rich, using manure every other season. The seed should be sown early in the spring in rows 12 inches apart and 1 inch deep. Thin the plants out to stand 6 inches apart and cultivate throughout the summer. In this section of the Southwest the plants get large enough to use in the fall from seed sown the previous spring. The roots should be planted 3 feet apart in the row and with the crown about 4 inches under the soil. One ounce of seed with sow 100 fewel of drill.



Queen Victoria.

QUEEN VICTORIA.—This is one of the newer varieties, and in some locations is very popular, being a bright pink. A splendid variety. Pkt., 10c; oz., 20c; 1/4 lb., 50c; 1 lb., \$1.75, postpaid.

LINNAEUS.—Large and tender. The very finest of all. Pkt., 10c; oz., 20c; 1/4 lb., 50c; 1 lb., \$1.75, postpaid.

RHUBARB ROOTS.

Prices on application.

RUTABAGAS

Culture.—Rutabagas, Swedish or Russian Turnips, are extensively grown for a farm crop. The roots are close-grained, hard, and will endure a considerable degree of cold without injury if preserved in a pit or cellar during the winter. Rutabagas are superior to any other vegetable root grown for cattle, horses and sheep. The animals thrive and fatten on rutabagas, carrots and mangels fed in combination with hay.

AMERICAN PURPLE TOP.—A very large, globe-

AMERICAN PURPLE TOP.—A very large, globehaped Rutabaga, yellow with purple top. Hardy, vigorousgrowing variety of excellent quality for the table and one of the best for stock feed. Pkt., 10c; oz., 15c; 1/4 lb., 35c; 1 lb., 75c; 5 lbs., \$3.00, postpaid

SALSIFY OR VEGETABLE OYSTER

Culture.—Soil and culture should be the same as for Parsnips, taking pains to make sowings as early as practicable each spring. Salisfy is bouled like Parsnips or Carrots, or is half-boiled and grated, then made up into balls which are dipped into batter and fried like oysters. Sow in drills about 18 inches apart, and thin the plants to 3 inches in the row.


MAMMOTH SANDWICH ISLAND.—A new and improved type, producing roots of nearly double the size and weight of the old sort, and in every way preferable. Much valued by market gardeners, as it grows stronger and is less inclined to branch. Pkt., 10c; oz., 20c; 1/4 lb., 60c; 1 lb., \$2.00. postpaid.

SQUASH

1 ounce of early varieties will plant about 40 hills; 1 ounce of late varieties will plant about 20 hills; 3 to 4 pounds to acre.

SQUASH—Cont.

Culture.—About the same as Melons. Make the ground very rich. A good sandy loam is best. The Squashes are all tender, and the seed should not be planted until warm weather. Allow 4x4 feet for the hills for the bush Squashes and 8x8 feet or more for the running varieties. Four plants to the hill; 3 to 4 pounds of seed to the acce. To aummer Squashes estimate 2 ounces to 100 hills; or whiter Squashes, 4 ounces to 100 hills.



SUMMER VARIETIES

MAMMOTH WHITE BUSH SCALLOP .- This variety is about twice the size of the White Bush Scallop and much whiter and handsomer. Pkt., 10c; oz., 20c; 1/4 lb., 50c; 1 1b., \$1.50, postpaid.

GOLDEN SUMMER CROOKNECK .- This variety of Summer Crookneck, we find, grows twice as large as the common sort, averaging from 5 to 6 pounds in weight. Pkt., 10c; oz., 20c; 1/4 lb., 50c; 1 lb., \$1.50, postpaid.

THE GRAND SQUASH, DELICIA HUBBARD.—A culinary joy. A Delicia pie or baked Delicia is a very toothsome morsel. Pkt., 10c; oz., 20c; 1/4 lb., 50c; 1 lb., \$1.75, postpaid.



WINTER VARIETIES

WARTED HUBBARD SQUASH .- This variety is a great favorite with the marketmen. It is very striking in appearance and has been selected for years from exceptionally large specimens. It crops heavily. Our crop last season was at the rate of 10 tons per acre. It grows to nearly double the average size of the common Hubbard. Our strain was obtained from a market gardener famous for his warty Hubbards. It sells in the market better than those having smooth shells. Pkt., 10c; oz., 20c; 1/4

ib., 50c: 1 lb., \$1.30, postpaid. FORDHOOK.—Fine grain: very sweet and productive; can be used at any time of their growth; skin very thin; good keeper. Pkt., 10c; oz., 20c; 1/4 lb., 50c; 1 lb., \$1.75,

postpaid.

1 ounce will sow 150 feet of drill; 1 to 11/2 pounds to

Chiture.—For early spring use, sow seed in August or Sep-tember in rich soil. Upon approach of cold weather, cover the plants with 3 inches of straw or soft hay. In the spring, when dry, remove litter and plants will be ready for use in a short time. Sow seed 1 inch deep in rows 1 foot apart or broadcast For a suc-sed 1 seed to the seed of the seed o



Bioomsdale.

GIANT THICK-LEAVED .- An early variety; very hardy and of good quality. Large, round leaves, nearly smooth, of dark green color; favorite with market gardeners. Oz., 10c; 1/4 lb., 20c; 1 lb., 50c; 10 lbs., \$4.00, postpaid.

VICTORIA.—Large, very dark green leaves, slightly crimpled. In good condition for market for a long time. A newer variety that is very popular with the truckers. Planted extensively in South. Oz., 10c; 1/4 lb., 20c; 1 lb., 50c, postpaid.

BLOOMSDALE, OR SAVOY-LEAVED.—Of upright growth; leaves curled and crimpled, thick and fleshy.

growth; leaves curied and chapter, that and the control of the con able for use during the hot weather. Plants grow to a large size, producing an abundance of leaves, tender and of good quality. Oz., 15c; 1/4 lb., 35c; 1 lb., 90c, postpaid.

TURNIP

1 ounce will sow 150 feet of drill: 2 to 3 pounds to the acre.

Culture.—The value of Turnips and Rutabagas for feeding stock in fall and winter is not fully appreciated, as they are much liked by all kinds of stock and serve to keep them in good condition. They should not be fed, however, in large quantities to milch as the property of the propert The value of Turnips and Rutabagas for feeding stock

PURPLE TOP WHITE GLOBE.—(65 days.) Large size, rapid growth, unusually attractive. A much heavier producer than the preceding. We confidently recommend it. No sort is its superior. Will produce more tons to the it. No sort is its superior. Will produce more tons to the acre than any other sort. Pkt., 10c; oz., 15c; 1/4 lb., 25c; 1 Ib., 60c; 10 lbs., \$6.00, postpaid.

COW-HORN .- A delicate and good flavored sort, and in favor both in the market and family garden. A distinct feature is its rapid growth. Is pure white, except a dash of green at crown, and is long like the carrot and crooked, hence its name. Pkt., 10c; oz., 15c; 1/4 lb., 30c; 1 lb., \$1.00, postpaid.

EXTRA EARLY WHITE MILAN.—(45 days.) Similar to preceding, except skin is pure white, making it desirable for forcing. Pkt., 10c; oz., 20c; ½ lb., 30c; 1 lb., \$1.00, postpaid.

PURPLE TOP (Strap Leaved).—(55 days.) standard for this section. Superior for early or late planting. Round, flat, good-sized, small top, few leaves. Flesh very fine-grained; flavor good. Pkt., 10c; oz., 15c; 1/4 lb., 25c; 1 lb., 60c, postpaid.

TURNIPS—Cont.



Purple Top White Globe.

YELLOW GLOBE .- A round, smooth, light yellow Turnip of medium size. The flesh is crisp, firm, and of very good quality for the table or for stock-feeding. The roots are in best condition for table use when 3 to 4 inches in diameter. This sort keeps well and is a good cropper. Pkt., 10c; oz., 15c; 1/4 lb., 30c; 1 lb., 75c, postpaid.

TOMATOES

Tomatoes do best on light, warm, not over-rich soil, and suc-Tomatoes do best on light, warm, not over-rich soll, and success depends upon securing a rapid, vigorous and unchecked growth during the early part of the season. Sow in hot-bed or in shallow boxes in the house from 6 to 8 weeks before they can be set out of doors, which is when danger from frost is past; when the plants have four leaves, transplant into shallow boxes or cold-frames, setting them 4 or 5 inches apart; give pienty of air and endeavor to secure a vigorous but steady and healthy growth, so that at ots secure at vigorous but steady and healthy growth, so that at other than the secure at the secure of the secure o

Even a slight check while the plants are small will materially diminish their productiveness as danger from frost is over, but before doing se harden off the plants by gradually exposing them to the night air and by the withdrawal of water until the wood becomes hard and the leaves thick and of a dark green color. Transplant carefully and cultivate well as long as the vines will permit. If to be grown without training, the plants are usually set from 3 to 4 feet apart each way, according to the vigor of the

from 3 to 4 feet apart each way, according to the vigor or use variety.

To insure best results in respect to early ripening, as well as the amount and perfection of fruit, it is advisable to trait up and the second of the sec

of the vine.

Fruit will set to almost any height desired if all side branches Fruit will set to almost any height desired if all side branches are kept trimmed off at intervals of a week. By such a method of training and trimming the fruits are kept clear from the ground and with free access of sunlight they ripen much earlier; the vitality, otherwise exhausted in superfluous branches and leaves, is utilized in forming fruits of largest size, greatest perfection of shape and best quality. For cultural directions, see books listed on inside of back cover, the proper sufficient of the control of the cont

on inside of back cover.

Culture.—This vegetable, under proper cultivation, is wonderfully productive both as to quantity and quality. In this section of the country it is more largely used in canning than any other vegetable and should have a place in every garden. One ounce of seed will produce 1,000 plants. For early use, sow in February or March in hot-beds or boxes, which should be placed near a window. When the seedlings are 2 to 3 inches high, transplant into 2 or 3-inch pois or in rows 4 or 5 inches apart, keeping the temperature about 50 degrees. Subsequent transplanting will make the plants and control of the control

BEAUTY, IMPROVED STRAIN.-A standard variety for many years, and is still the favorite main crop Tomato with market gardeners. Medium early, round. very uniform in shape. Skin smooth, crimson with purplish tinge. Flesh solid and of excellent flavor. A splendid Tomato for either home garden or for shipping. Pkt., 10c; oz., 30c; 1/4

lb., 90c, postpaid.

THE NEW STONE .- The Tomato for the main crop. Choicest seed. We call this the king of the Livingston kinds, which are the best types of large, smooth, solid, "beefy" Tomatoes. If asked to select one main crop market sort, we advise this. Color fine scarlet, stem set high, core small and shallow, so that little is lost when it is taken out of the fruit before slicing. If in doubt, buy the New Stone for market or home use. Pkt., 10c; oz., 30c; 1/4 lb., 75c, postpaid.

DWARF STONE .- (100 days.) Fruit like Improved The strong upright growth allows very close plant-The plants may be set 18 by 24 inches apart and yet produce an abundant crop. Pkt., 10c; oz., 30c; 1/4 lb., 90c;


postpaid.

MATCHLESS.—(100 days.) A large, bright red Tomato; very popular in the East. Fruit is large, smooth and symmetrical, ripening well to stem. Flesh is of a rich red color and fine quality, Pkt., 10c; oz., 30c; 1/4 lb., 75c; postpaid.

TRUCKERS' FAVORITE.—(90 days.) Purple-fruited, excellent quality, good size, maintained until late fall. Fruits are smooth, solid, and flesh is finest color. Unexcelled for slicing or cooking. Plants thrifty, free from rust or blight, and bear until killed by frost. Pkt., 10c; oz.,

30c; /4 lb., 90c, postpaid. ACME.—(100 days.) An old-time popular variety, having at all times given entire satisfaction. Round, smooth,

purple. Pkt., 10c; oz., 30c; 1/4 lb., 90c, postpaid.



Improved New Stone.

JOHN BAER.-Largest fruited, smoothest and finest in quality of the extra early Tomatoes. Vines short, vigorous and enormously productive. They ripen a larger crop in the early part of fruiting season than any other extra early variety. Fruits globular, uniform and smooth; free from wrinkled, cracked fruits. Color is a bright scarlet. Fruits have no hard core; small seed cells, and practically all meat of mild and sweet flavor. Pkt., 10c; oz., 30c; 1/4 lb., 90c, postpaid.

SPARKS' EARLIANA .- (90 days.) Fruit of large size, handsome shape and color; in solidity and quality equal to any; has proven very remunerative to growers for market; grows in clusters of 5 to 8 fruits; ripens clear to the stem and does not crack. Pkt., 10c; oz., 40c; 1/4 lb., \$1.00, post-

paid.

FAVORITE (Livingston's) .- Ripens evenly and early; very prolific; good flavor; few seeds; flesh sound. Pkt, 10c; oz., 30c; 1/4 lb., 90c, postpaid.
BONNY BEST.—An early and productive variety.

Fruits are round, somewhat flattened at stem end, and are produced in abundance. The color is scarlet, and it is a good forcing Tomato. Pkt., 10c; oz., 30c; 1/4 lb., 90c, postpaid.

TOMATOES-Cont.

GOLDEN QUEEN (Queen of the Yellows) .- (100 days.) Solid, smooth, large in size, and ripens early. Makes a handsome, rich preserve. This Tomato should be grown in every home garden. Its flavor is better and more delicate than that of the red varieties, the flesh liner-grained and very tender. Try it. Pkt., 10c; oz., 30c; 1/4 1b., 90c, postpaid.



Dwarf Champion.

JUNE PINK .- (90 days.) A purple-pink selection from Earliana. The fruit is smooth and the plant a good yielder. Pkt., 10c; oz., 30c; 1/4 lb., 90c, postpaid.

PONDEROSA.—(120 days.) Purplish-pink Tomato of the largest size. Very meaty, few seeds, and free from acid. Ripens mid-season. Pkt., 10c; oz., 40c; ½ lb., \$1.25; postpaid.

DWARF CHAMPION .- Sometimes sold as the "Tree Tomato." A second early or main crop, purplish pink variety; desirable where garden space is limited. are about 2 feet high, vigorous, upright, compact. Fruits medium-sized, smooth and of very good quality. Our stock the original. Pkt., 10c; oz., 35c; ½ lb., \$1.10, postpaid.

PEACH.—For preserving or table decoration; fruits re-

semble a peach in shape and size and the color is light terra cotta red, with a delicate bloom. Flesh is tender and good flavor. Pkt., 10c; oz., 45c; 1/4 lb., \$1.50, postpaid.

SMALL-FRUITED TOMATOES

Very delicious for preserving. Vines immensely productive.

YELLOW PEAR .- Fruits similar to the Red Pear, but of rich, clear, yellow color, and quite distinct from the variety sometimes sold under this name. Pkt., 10c; oz., 45c; 1/4 lb., \$1.50, postpaid.

YELLOW PLUM.-Fruits plum-shaped, of clear, deep yellow color; flesh yellow and finely flavored. Esteemed

for preserves. Pkt., 10c; oz., 45c; 1/4 lb., \$1.50, postpaid.

RED CHERRY.—Fruits small, about 5/6-inch in diameter, perfectly round and smooth. Fine for pickles and preserves. Pkt., 10c; oz., 45c; ½ lb., \$1.50, postpaid.
YELLOW CHERRY.—Differs from Red Cherry in

color only. Pkt., 10c; oz., 45c; ½ lb., \$1.50, postpaid.

YELLOW HUSK, OR GROUND CHERRY.—Very sweet, mild flavor; used for preserves. Vines low and spreading. Fruits small, about 1/2-inch in diameter, enclosed in a loose husk. The seed we offer is that of the true Yellow Ground Cherry. Pkt., 10c; oz., 45c; 1/4 lb., \$1.50, postpaid.

TOBACCO

HAVANA.—From pure Cuban grown seed. When grown in this country commands a high price for cigar stock. Pkt., 10c.; oz., 40c, postpaid.

MISSOURI BROAD LEAF .- Extensively grown in Kansas and Missouri; the large broad leaves are used for the wrappers. Pkt. 10c.; oz., 40c, postpaid. WHITE BURLEY.—Largely used for the manufacture

of cigars, as the leaf of this variety readily absorbs a large quantity of manufacturing material. Pkt., 10c; oz., 40c, postpaid.

VEGETABLE PLANTS

and May

SWEET POTATO PLANTS.—All the leading varieties. TOMATO PLANTS .- Ready in May and June.



"Over 100 Acres in Flowers"

THE UPTOWN STORE

On Petticoat Lane Eleventh Street at McGee

Cut Flowers, Plants, Shrubs and Ornamentals, fresh every day from our own greenhouses



in Flowers'

Bryson Ayres Flower Store

Phone. VIctor 7591


FARM SEED SECTION BRYSON AYRES FIELD AND GRASS SEEDS

Are Recleaned, Tested and Certified

At the time this Catalog goes to press prices are so unsettled that it is impossible to print all of them.

SEED CORN

Write for Prices and Samples.



We have been able to secure Seed Corn of excellent quality, and the test shows high germination. We will be able to furnish the following varieties of good quality until our stock is exhausted. Prices subject to change without notice.

SELECTED SEED CORN

HAND-PICKED. NUBBED AND GRADED IMPROVED GOLDEN BEAUTY .- (110 days.) We know of no other variety that will give better satisfaction than the big, handsome Golden Beauty. It is the largestgrained Dent Corn in cultivation. Ear is perfect in shape, with 10 or 14 rows of golden yellow grains; cob small, and is sure to please every farmer who grows it. The heaviest cropper we have handled. Prices on application. REID'S YELLOW DENT.—(110 days.) Thoroughbred,

pedigreed, carefully selected stock. During the past five or six years this variety has come rapidly to the front and now occupies a prominent position in all lists. It is of handsome shape and color, and largely grown for exhibiting at fairs, Corn shows, and is used in many Corn schools as a standard for judging. We have selected the choicest ears, so that we are sure our seed cannot fail to please the most particular. Handsome yellow color. smooth, deep-grained, and kernels packed very closely on cob, giving it an appearance of great solidity. Matures in about 115 days. Prices on application.

IOWA SILVER MINE .- Iowa Silver Mine is standard. It is well and favorably known. A remarkable drouth-resister, and under adverse conditions seems to pull through and make a crop where other varieties fail. Silver Mine is deep-grained, pure white, rough topped, with a small white cob. Ears from 9 to 12 inches long, with 16 to 20 rows of pure white kernels, solidly set on ears; well filled out at butt and tip. This Corn is a drouth-resister, maturing in hot climates where early drouths are frequent, Stalks medium height, very leafy, with broad blades, frequently bearing two ears weighing 1 to 1½ pounds each. Iowa Silver Mine has taken as many sweepstakes and first premiums as any Corn. The pure-bred Silver Mine is a safe crop anywhere in the corn belt and in all the Southern States, including Missouri, Kansas, Oklahoma, Texas, Arkansas, Louisiana, Mississippi, Alabama, Georgia, Tennessee, Kentucky and Virginia. Matures in 100 days.

IOWA GOLD MINE .- Is not a large Corn, but the best thing we know of for medium early. We offer the pure strain Gold Mine, and recommend it. With the expert corn farmers, Gold Mine is known as medium earlybetween the 110-day and the extra early sorts that mature in 85 days. It is, however, a great producer and sure cropper. Ears are medium and symmetrical. Color, bright

golden yellow. The grain is deep, and the cob is small; for this reason it dries out quickly, producing 62 to 63 pounds of shelled corn to 70 pounds of ears. Stalks make excellent silage or fodder. Iowa Gold Mine will grow in nearly every State and is specially recommended for the Western corn belt. Throughout the Eastern States, where climate does not demand an extra early variety, it is very popular. Tried all over the South with nothing but best results.

BLOODY BUTCHER.-Color, deep cherry-red with white cap, generally 14 rows of pure red, white cap corn on a small cob. Long, slender ears, 8 to 10 inches. Stalks medium height, fairly heavy, grains always dented and sometimes rough. As White Cap Red Butcher will mature in 90 days, it is planted for husking crop throughout the North Corn Belt as far up as St. Paul, Minn. The same conditions exist throughout the Middle West and on east to New York and the New England States. Finds many friends for late planting in Iowa, Illinois and Eastern Nebraska. Great favorite in Missouri, Kansas, Oklahoma and Texas for early feeding. Matures in 85 to 90 days.

WHITE PEARL.—An extra early pure white variety of the Dent family; very productive and exceedingly heavy, maturing in 5 to 90 days from the time of planting. The grains are extra deep and wide, two of which will more than span the cob, which is small; also largely used for

roasting-ears. Prices on application.

ST. CHARLES RED COB WHITE .- Pure white corn with red cob, ears large, moderately rough, deep grain. Stalks grow leafy and heavy and will produce enormous yields of Corn for husking crop or for silage. It is a native of St. Charles County, Missouri, best adapted to the Southern States for a husking corn and is in great demand in the Eastern and Northern States for ensilage

and fodder purposes.

BOONE COUNTY WHITE.—(110 to 120 days.) A very large white Corn, something like Silver Mine, but larger and later in maturing. It is a native standard variety in Illinois. Boone County is peculiarly suited to all the Southern States, as it ripens earlier than the native Corn and will not be forced ahead too rapidly, owing to its slow-growing tendencies. Ears well filled out at both ends, cylindrical, 9 to 11 inches long, averaging twenty rows, some eighteen and twenty-two. Grain very deep, a little rough. Cobs white, of medium size. Boone County is a show Corn, and has carried off many premiums offered at Corn contests, State and county fairs. For the southern half of Iowa and localities that do not lie farther north; southern Illinois and Nebraska, Oklahoma, Missouri, eastern Kansas, Texas, Arkansas, Louisiana, Mississippi, Alabama, Georgia, Tennessee, Kentucky and Virginia.

ALFALFA

Write for Prices and Samples.



CERTIFIED ALFALFA SEED.

Pursuant to our policy of protecting the customer wherever possible, we have gone to the expense of having our seed tested for germination and purity and of marking each sack with a tag or certificate showing results of such test and giving purity and germination of seed contained therein. This we guarantee to be correct.

THE BEST OF ALL PLANTS FOR HAY AND PASTURE

Alfalfa, the most valuable forage plant ever discovered, was first found in Asia. but its present wide distribution throughout the world indicates a remarkable adaptability to various soils and climates.

Alfalfa is a soil-builder, and not a soil-destroyer. The roots often reach the length of 15 feet. This penetration not only lossens the soil for the roots of the next crop but brings to the surface the phosphorus and potash stored below.

PLANTING.—If broadcasting, three ways: With a wheel-barrow seeder, an end-gate seeder, or by hand.

If any of the these three ways are used, harrow lightly immediately following planting. If the ground is disced lightly before planting, leaving it a little rough, the seed will be easier covered than if the surface is smooth.

Drilling is best, as it distributes the seed evenly, putting them where needed, causing less waste and putting them at a uniform depth. Do not place the seed too deep in the soil. % to 1 inch is usually sufficient.

TIME OF PLANTING.—Spring and fall planting are equally successful, a great deal depending on the season and climatic conditions. When spring seeding is practical we advise sowing as early as possible, after frost is out of the ground, as there is less danger from freezing out than from losing a stand due to warm, dry weather or choking cut with weeds.

SEED.—When buying Alfalfa, you want the best and puret seed obtainable. Cheap grades are apt to contain Sweet Clover, Yellow Trefoil, Burr Clover, Dodder, etc. We handle the best hardy, non-irrigated stock, for it has much stronger vitality than irrigated or foreign seed and gives better results.

Ayres	Certified AlfalfaPer 100	lbs
Ayres	Fancy AlfalfaPer 100	lbs
	Choice AlfalfaPer 100 I	
Ayres	Prime AlfalfaPer 100 !	bs.

GRIMM ALFALFA.—It is positively the hardiest Alfalfa seed on the market. The strong branching roots of Grimm prevent winter killing as in common ordinary Alfalfa. These same roots which grow in time 6 to 20 feet in length and as thick as a man's wrist provide drought resistance and unusual productiveness.

Again these great roots make humus when ploughed into the soil, and this humus conserves moisture, thus preparing the soil for whatever subsequent crop might call for it. Grimm Alfalfa plants are extraordinary soil fertilizers. We offer to send a free sample to you and to any friends of yours who you think would be interested in the purchase of Grimm Alfalfa Seed.

CLOVER

Write for Prices and Samples.

SWEET CLOVER.—(White Blossom.) This is the variety most commonly found and the one in greatest demand. It is the variety that is grown so extensively as a cultivated crop and the one so much in demand. The White Blossom Sweet Clover is destined to become the most important of the legumes and will add millions to the wealth of the farmers of this country.

The great value of the plant is now realized, as it excels Alfalfa as a pasture crop and will produce more tons of hay per acre than Alfalfa, the hay being fully equal in feed value. Its greatest value as a money crop is unquestionably in the seed crop. Sweet Clover will produce a heavy crop of hay the first year; the second year you can harvest a crop of hay and the second crop may be gathered for seed, as it does not make a seed crop until the second year. When harvesting the crop for seed, a sufficient quantity will shatter so as to reseed the ground without having to sow again. This should be remembered, and we would recommend the harvesting of Swest Clover for seed, as it is a heavy producer of seed. It is not unusual to harvest from 4 to 6 bushels of seed to the acre; yields of as high as 11 bushels have been reported.

This variety grows on all soils and conditions, so no one can go wrong in sowing it. Nothing better for wornout land, clay soils, wet bottom land, or, in fact, any land. No matter whether the poorest soil or the best—wet or dry—it will make the best paying crop.

YELLOW BLOSSOM BIENNIAL—(Melilotus Official.) This variety is very similar to the White Blossom, but it does not grow quite so large and for this reason many prefer it for hay and pasture. If you wish Sweet Clover for fertilizing, the White Blossom is considered superior, but if you wish to grow for hay, we do not hesitate to recommend this variety to you.

YELLOW BLOSSOM ANNUAL.—(Melliotus Indica). This is a variety of Sweet Clover, growing from 15 to 20 inches high, which is being used by many who wish something for quck results. It comes on earlier and makes a full crop the first season. It is a very valuable plant for the purpose of sowing with grain in the spring, as it will make a splendid growth of humus, restores nitrogen to the soil, and can be plowed under in the early fall, thus being equal or superior to a heavy coat of barnyard manure or some high-priced fertilizer. It is used by many



CLOVER Cont.

preparatory to sowing Alfalfa when they wish to have it follow a grain crop. You sow the seed in the spring and right after harvest the crop is plowed under, making the ground in splendid condition for Alfalfa.

ALSIKE CLOVER .- Known as Swedish Clover. Increasing in popularity very rapidly as its great worth is being recognized. This is a wonderful Clover, adapted to all kinds of soil where grass will grow, but especially adapted to moist, wet soil, where it is subject to overflow; providing the water does not stand on it too long at a time. There are thousands of acres of land scattered over the country that should be in Alsike Clover. Wet land, where not much but weeds, wire grass or swamp grass is growing, would produce a wealth of fine grass that is valuable for both pasture and hay.

Alsike Clover is not such a coarse plant as the Mammoth or Common Red Clover; more the nature of White Clover, except that it is much more erect, grows even better than Common Clover. The blossoms are purple-very similar to the blossoms of Alfalfa in size and color. It makes splendid hav for stock of all kinds and is especially fine for horse feed.

This is a splendid year to use Alsike, as it is much cheaper to sow than Common Clover. The seed is about the size of Timothy seed and goes much further. You will save money by using Alsike Clover, and will be de-lighted with results. You should buy Alsike Clover freely this season

WHITE DUTCH CLOVER .- Commonly known as Clover, that makes such good pasture and is so valuable for lawns. It is the hardiest of all Clovers, and accommodates itself to all manner of soils. Will endure the extreme heat and dryness of summer better than Blue Grass. Will not tramp out. Keeps soil from washing. It requires less to sow than others as 5 or 6 pounds per acre is sufficient.

JAPAN CLOVER .- (Lespedeza.) This is particularly

suited for waste lands, woodland pastures; grows fairly well on poor soils and spreads rapidly, and when once established usurps wild growths, and will in many cases even subdue broom sedge. It is not, however, a pest, and can be gotten rid of by plowing it up, and is excellent as a fertilizer. Highly recommended for cover crop in orchards and used extensively for this purpose. Japan Clover is particularly valuable for pastures on such soils as described, and where the soil is good yields a fair quantity of good hay. It is relished by cattle, is nutritious and fattening. To obtain a stand, it is only necessary to scatter the seed broadcast in the spring during March and April at the rate of about 10 pounds per acre. Harrowing the land over before the seed is sown, when it can be done, is, of course, better, though this is not imperative.

MEDIUM RED CLOVER .- This is regarded as the most valuable of the Clover family, and is largely used for pasturage and hay. Clover adds greatly to the fertility of the land on which it is grown. It does not exhaust the soil, but enriches it. It makes two crops each year. The first is usually cut when it is in blossom, for hay. The last crop may be harvested for seed, cut for hay, or plowed under to add fertility to the soil. For hay, it is particularly well adapted for sowing with Orchard and Tall Meadow Grass, as it ripens at the same time, and sowing these three grasses together will give larger yields and better quality hay than sowing either alone. It is also largely sown with other grasses, both for hay and pasturage. When sown by itself, sow 8 to 10 pounds to the acre, either in the spring or fall.

MAMMOTH RED CLOVER .- This grows much taller than Medium Red, with larger, leafier stalks. It makes good hay, if cut soon enough, although it has a coarser stem than the Medium Red. Being a rank grower, it is very valuable for fertilizing purposes. The foliage and flower are darker than the Medium Red, and it ripens later and makes only one crop. Especially valuable on light, sandy soil.

SOY OR SOJA BEAN

Write for Prices and Samples.

Soy Beans may be utilized either as a soiling crop, pasture crop, hay crop, or grown for seed. As a soiling crop for cows, no crop surpasses them for producing a high yield of milk. Hogs turned into a patch of Soy Beans as the Beans are commencing to form will make a phenomenal growth. The Soy Beans will produce under favorable conditions 12 to 13 tons of fresh fodder per acre, containing large amounts of crude protein and fat, which makes an excellent forage to mix with corn fodder or other forage plant high in carbohydrate, but low in protein.

You should consider its value as a grain, as no other grain crop causes as high a per cent of protein and fat, analyzing richer than oil meal, nearly equal to cotton seed meal, and far more palatable and digestable than either.

Its value as a forage crop shows by chemical analysis test that it compares very favorably with Alfalfa.

Culture.—Soy Beans do best on a medium soil, but will make a splendid growth on poor soil. Ground should be well prepared and planted about the same time as Corn. If crop is desired for hay, sow broadcast or drill about 1 bushet to the acre, and to sow

a seed crop plant in rows the same as Corn with a planter every 3 inches, using about ½ bushel of seed to an acre. Soy Beans may be planted quite late to good advantage, often planting after a gran crop has been harvested. Plant between Corn rows at the last cultivation

last cultivation.

The time of harvesting depends upon the use to be made of the crop. If you wish to cut for hay, this should be done when the pods are quite well developed for best feeding value, while stock relish the hay more when cut at an earlier stage. Possibly the best time to harvest would be when the pods are forming.

MAMMOTH YELLOW SOJAS .- Largest growing and most popular of Soja Beans for forage purposes. A little later in maturity than other kinds, but makes larger yields, both of forage and seed. Especially valuable for this section and further south. This Mammoth Yellow is the most desirable variety to plant.

MEDIUM EARLY YELLOW.—This variety is popular for growing throughout the Central States, as it matures earlier than the Mammoth Yellow. It does not produce as much forage, but it produces a heavy crop of Beans, which makes it desirable.

COW PEAS

Write for Prices and Samples.

EVERYBODY'S CLOVER—FOOD FOR MAN AND BEAST. BLACKEYES.—Early, quick maturing bunch variety that fruits abundantly on black clay soils or sandy soils alike. Especially desirable for table use.

NEW ERA, WILD GOOSE, ETC.—Early, quick maturing sorts, having bluish speckled Beans. Several different kinds are sold under these names, but all are popular.

WHIP-POOR-WILL.—A well-known variety, with brownish speckled seed, noted for its vigor and usefulness as a seed, hay crop, or soil-renovator. Most popular of all Cow Peas.

MILLET

Write for Prices and Samples.

Millet is an important and nutritious hay and forage crop—splendid for dairy cows, young stock and sheep, and yields heavily. It is easily cured, and its rapid growth makes it a splendid "catch" crop. Sow broadcast at the rate of 1 bushel to the acre. It matures from six to eight weeks after seeding: can be planted from April until August, but not too early. Cut while in bloom, before the seed hardens in the head. Two crops can be grown on the same land.

GERMAN MILLET OR GOLDEN MILLET. True Southern-grown seed. In the North Millet is sown almost altogether for hay and for that purpose Southern-grown seed is much the best. It grows taller than does that from Northern seed and that means more hay. It is finer than that from Northern seed and that means better hay. Millet seed produced in the North, even from Southern seed, becomes what we call Common Millet. Not only does the plant change in character, becoming coarser and much more dwarf, but the seed itself shows a change and is readily distinguished by those experienced in handling it. Golden Millet is very sweet and palatable and when fed to dairy cows produces a large amount of milk. On good rich soil it grows 4 to 5 feet high. It is very tender if cut at the right stage, which is when it is in full bloom. About 34 of a bushel of seed is sown to the acre. A good yield is 3 to 5 tons of hay to the acre.

COMMON MILLET.—This is similar to the Liberty Millet except that the heads are smaller and the seeds

lighter colored, and it is earlier.

HOG MILLET.—Grows from 3 to 6 feet tall; produces large heads and larger seeds than any other Millet. Seeds contain a high percentage of oil and have a higher feeding value per pound than our common Corn. This plant always produces a heavy head of seed. The seeds furnish the best of all foods for poultry. It has produced as high as 75 bushels of seed per acre. One great feature of this Millet is that the seed ripens before the straw, so that it may be cut and bound as wheat or oats. threshed, and a nice green crop of hay put up, while the seed may be housed and fed separately as grain. This plant is an annual, and, like other Millets, must be planted each season. By beginning to sow with early corn-planting and keeping up sowing the first of every month till September 1 we can have fine green foliage for stock all summer.

RED TOP OR HERD GRASS

Write for Prices and Samples.

A valuable grass for moist, rich soils, where it thrives very luxuriantly. It is a good variety to sow with Timothy and Clover for meadow or pasture and is more permanent than either of the two. It should be fed close, as, if it is allowed to grow up to seed, the cattle dislike it. On good soil it grows about 2 feet high; on poor, gravelly land about half that height. It has been grown successfully even on alkali land, where other grasses failed. Red Top is commonly known as Herd Grass, and should be more extensively grown, especially in combination with other grasses. Red Top is especially adapted to growing on wet soil, having an impervious subsoil. Because of this climate, it is exceptionally well adapted to land inclined to be wet, or on low, marshy places. It also grows on dry Land.

TIMOTHY

Write for Prices and Samples.

Of hay grasses, Timothy is one of the most popular, nutritious and salable. On clay or heavy loams, dowlands or in mountainous districts, provided there is an abundance of moisture, it produces the very best results. On sandy or light loamy ground it does not do so well as Orchard, Tall Meadow Oat, or Red Top Grass. If grazed or cut too close, the stand of Timothy will be seriously injured, besides it does not form as good grazing as many other grasses. The yield of hay is from 1½ to 3 tons per acre. Timothy requires good land to make good crops. It does not root as deeply and is not considered as much of an improver as other grasses, consequently should not be sown on land deficient in humus or vegetable matter, nor on soils of a light or sandy nature. Clovers grow well with Timothy and aid it by supplying nitrogen. Timothy alone, 1 peck (11 pounds) to the acre; or with Clover, 11 pounds Timothy, 6 pounds Clover (either Mammoth Clover on Alsike Clover preferred, as they mature at the same time as Timothy), 6 pounds Fancy Red Top, ½ bushel Meadow Fescue. Together these will produce most excellent hay, also nutritious and abundant pasture in good loamy clay or low-ground soils; 8 pounds Timothy and 6 pounds Clover when sown together.

VETCH, THE SOIL BUILDER

Write for Prices and Samples.

Vetch will grow where many Clovers will not grow. Especially is this true of alkali soil, where Vetch does well. It succeeds especially well on sandy soils, and will pay large returns on any soil that is well drained. Vetch is not suitable for wheat lands or acid soils, but a crop of Vetch could be grown on almost every farm in any community

and prove to be a big-paying proposition.

Vetches are a very hardy crop. Especially is this true of Hairy Vetch, as it withstands the severe winters of Michigan, New York and even the New England States. This factor alone makes it desirable in sections where hay and pasture crops often winter-kill. This crop when sown in the fall will grow rapidly, the rate depending somewhat on the season and soil conditions. It will remain green and give excellent pasturage after nearly all the plants have been killed by the frost, and it will be the first thing green in the spring. Bear in mind that Vetch is adapted to the whole United States of America.

TIME OF SEEDING.—The time of seeding differs in sections, but there is scarcely a point in our country where fall sowing does not give excellent results.

SPRING VETCH.—A very productive and highly nutritious plant; excellent to cut green for soiling or made into hay; splendid feed for cattle and stock of all kinds. We find an ever increasing demand for Spring Vetch, as more is being used for plowing under. It has the advantage over peas in that it makes a greater growth of vine, while, as the seed is much smaller, a less quantity is required to plant an acre. Furthermore, this plant is adapted to the No:th much better and is unquestionably superior on this account.

Spring Vetch should be sown only in the spring, as it is not hardy, so as to permit fall sowing, except in the

extreme South.

SAND OR WINTER VETCH.—A very valuable forage plant. It is very hardy, is valuable as a winter cover crop to prevent leaching and for forage and fertilizing purposes. It is an annual, but resows itself, and will come up year after year on the same ground. It succeeds well on nearly all soils and thrives surprisingly on poor, light land and will endure extremes of drouth, heat and cold. It improves the soil. It may be sown either in the spring or fall with about half a bushel of rye or oats for support. It grows rapidly, and is particularly valuable in sections where Clover does not thrive. When sown in April or May it can be cut in July, the second growth affording excellent pastare during the summer. The yield of green fodder is from 12 to 20 tons an acre.

GRASS MIXTURE FOR HAY AND PASTURE

Write for Prices and Samples.

All authorities agree that for pasture and hay the best results are obtained from the use of grass seeds in species. The reasons are obvious. First, a number of species will insure a much denser growth than the same kind of seeds of one or two species and prove less exhausting to the soil, since they live to a large extent on the same constituents; second, seasons that affect some grasses adversely are favorable to other sorts, so that with a mixture failure is practically impossible, provided the seed is good. Our grass seeds secure the highest germination, and mixtures are based on an appreciation of the requirements of the different soils for which they are intended.

A mixture of grasses produces a better meadow and makes a better permanent pasture than a combination of Timothy and Clover. While Timothy is a splendid grass, and Clover the foundation of all successful farming, neither are permanent nor well adapted to pasturing. Both are affected by drouth and frost, making it necessary to resow every few years. Timothy and Clover last but a few years, while a good permanent pasture will last ten or even twenty years.

For every different kind and condition of soil there are a number of grasses especially suitable. Some kinds do bost on high ground, and flourish in dry weather, others on low ground and where there is plenty of moisture. Some varieties are so early in maturing, others so late, that if a mixture of grasses is used there will be no time from early spring until snow covers the ground that one species or another will not be at its best.

Meadows sown with carefully selected Grass-Clover mixtures will occupy the ground more closely and will produce a better quality as well as a larger yield of hay and subsequent fall pasturage than can be secured from fields sown with Timothy and Clover alone.

CLOVER, ALSIKE AND TIMOTHY.—This mixture combines the distinct features of our other two famous mixtures. It contains the same proportion of Timothy and divides the Clovers about equally. In this mixture you secure the fine-stemmed, palatable Alsike, which makes the finest hay, and the Red Clover, which grows a little longer, forming a hay rich in Clover or protein food. The same rate of around 12 pounds to the acre, and we consider it superior in many ways to Timothy alone.

MEADOW MIXTURE.—For both hay and permanent pasture. It affords enormous crops of hay of the finest quality and highest feeding value, and after this has been cut it furnishes continuous and abundant pasturage of the richest and most nutritious character until winter sets in. It will stand for years and may be used either for pasturage exclusively or hay and pasturage, as varying conditions may suggest. It contains Mammoth Red, Medium Red, Alsike, and White Clover, Alfalfa, Timothy, Kentucky Blue Grass, Meadow Fescue and Perennial Rye Grass. Owing to the deep rooting and spreading character of many of the varieties employed, fields sown with this mixture will, during periods of drouth, look fresh and green, while other meadows and pastures are dry and burned. We recommend at least 30 pounds to the acre.

ENGLISH BLUE GRASS OR MEADOW FESCUE

Write for Prices and Samples.

Next to Kentucky or Southwestern Iowa Blue Grass. It is very popular, and its growth is increasing each year. Especially adapted for a permanent pasture. One of the standard English grasses, growing from 2 to 3 feet high, but not in tufts like Orchard Grass. The most nutritious of all grasses.

Meadow Fescue is a very valuable grass to have on your farm. It is rich in feeding value, and does not winter-kill very easily. It is adapted to all kinds of soils, excepting those that are too dry, and we urge you to at least try a small acreage of it this year.

ORCHARD GRASS

Write for Prices and Samples.



Orchard Grass.

There is much to be said about the desirability of Orchard Grass, and while it does not meet every requirement, it has advantages for many sections and for many fields. No other grass will give equal results. The demand for Orchard Grass the past few years has been gradually increasing, as the farm journals and experimental stations have been advertising the use of it and explaining its virtues. It is an exceptionally valuable grass for pasture or hay land and, on account of its earliness, especially valuable for a permanent pasture. It furnishes green grass very early in the spring and until late in the fall. When closely cropped, it grows up very quickly and is ready for grazing in ten or twelve days. When grown for hay, more than one crop can be obtained, in one season, and when only one crop is cut the aftergrowth is very heavy and gives splendid and rich pasture till late in the fall. The roots extending to a great depth, it will stand drouth better than most other grasses and is very hardy. It grows in tufts and is therefore best sown with other grasses. It is well suited for shady places, such as orchards and groves. It grows on all kinds of land, but does best on deep, rich, sandy loam or clay soils. Height, 3 feet. It flowers in June about the same time as Red Clover and is often grown with it. It blooms three weeks earlier than Timothy.

RYE

Write for Prices and Samples.

WINTER RYE.—Experience with drouth and winterkilling during the past two years has led farmers to seek a crop which would be proof against these. Winter Rye is, without doubt, a crop which will endure the most punishment from extremes of heat, cold and drouth of any crop now grown.

Much can be said in favor of Rye as a forage crop. On account of its rapid growth it affords excellent pasture, both fall and spring. It can be pastured very late in the spring and then produces a very good crop of grain. Ask for prices.

RYE AND VETCH.


The advantages of mixing Vetch with the Rye are several. We get more and much better feed, and the fact that the Vetch is one of the best soil builders known means that we are increasing the soil fertility of the land.

During the past season something over one thousand acres of Vetch and Rye were sown in the Kaw Valley on potato land. This was simply as a cover, or green manure crop, being turned under about November first as a fertilizer. In this case Spring Vetch was sown, and with the best success. This coming year we are expecting this system to be followed in other potato growing districts such as the American Bottoms near St. Louis, and the Scotts Bluff country in Nebraska.

Vetch and Rye is coming into its own, proving one of the best cover crops ever grown. Not only on potato land, but on any land which the farmer wishes to build up, this

SUDAN GRASS

Write for Prices and Samples.



A sweet, heavy-yielding grass; absolutely drouth-proof; grows successfully everywhere in the west; stock of all kinds eat it greedily; yields more tonnage than any other forage crop per acre. Every stockman and experiment farm that has tested this grass states that it is fine hay and

stock eat it in preference to Alfalfa. It analyzes over 9 per cent protein.

GROWING THE CROP.—It may be grown either drilled, in cultivated rows, or broadcasted. If planted in cultivated rows, the rows should be as close as possible, and yet permit of easy cultivation. In 24 to 30-inch rows, 2 to 3 pounds of seed per acre is ample; and, under conditions of very low rainfall, this method is recommended. Under humid conditions, 18-inch rows are preferable, and 5 pounds of seed per acre are sufficient. For drilling or broadcasting, 15 pounds of seed per acre should be used.

The seed should not be sown until the ground is warm—that is, about the time for planting corn. The young plants will withstand slight frosts without injury.

HARVESTING THE CROP.—The hay should be cut as soon as the grass is fully headed, and early cutting is especially advisable where two or more cuttings per season are expected. The grass can be cut with a mower, but more conveniently with a binder, especially in dry regions, as the hay cures very readily in bundles.

OATS

Write for Prices and Samples.



TEXAS RED RUST-PROOF.

DESCRIPTION.—The Texas Red Rust-Proof Oats are not a handsome Oats to look at, but what they lack in beauty they abundantly make up in certainty of crop and yield. They grow to a medium height, 3½ to 4 feet tall, having a sprangly head well filled with grains, often running 100 to 125 kernels to the head; also a splendid stooler. The grains or kernels are of a yellowish-red cast, with a husk extending well out over the tip ends, hence do not weigh out quite as heavy per measured bushel as some other varieties, but easily make up this difference in bushels. In brief, we can most heartily recommend these Oats and their adaptability to any place where Oats

are grown, and especially recommend them to our Southern friends and customers.

We have made a leader of our Rust-Proof Oats for several years and have found it the best all-purpose variety, and it has given the very best of satisfaction. Many customers report extravagant yields and everyone speaks in the highest terms of it. We want to urge you to get started growing our Rust-Proof Oats.

This variety is a wonderful yielder. Machine measures from a crop have shown a yield of 128 bushels per acre. It is absolutely rust-proof. The grade of Oats is the highest, plump, heavy berries, with lots of meat, which

makes fine oat meal.

CANE AND SORGHUMS

Write for Prices and Samples.



For soiling or green feeding, Cane is of very high value, especially during the summer and autumn, when the pastures are dry and it is hard to find sufficient fodder to keep the animals in a thrifty condition. It is one of the best foods that can be used to feed growing animals and also the dairy cattle, on account of the flow of excellent milk which it will produce. An acre of Cane often produces as much as 40 tons of green fodder, but the average yield is probably only 20 tons.

TEXAS SEED RIBBON CANE.—For syrup, forage

and ensilage. One of the best varieties that you can plant for syrup purposes. Every planter who has tried this wonderful variety is more than well pleased; and for the increasing demand of ensilage crops you cannot find a Sorghum that will give you more universal satisfaction. The superiority of this Cane over other Sorghums is so great that when once grown it always will be planted, whether for forage, ensilage or syrup. The stalks grow from 12 to 15 feet high, being ready to cut and grind the latter part of August, while common Cane is not usually ready to cut before October. Cut with the foliage and run through the mill, it makes the finest kind of ensilage for

will grow. In planting, prepare the ground and cultivate the same as for Sorghum. Plant in rows 31/2 feet apart; 6 to 8 pounds will plant an acre if planted in drills. The Seeded Ribbon Cane is sweeter than the Orange, the syrup EARLY AMBER .-- This is the quickest maturing va-

400 gallons per acre. It will grow anywhere that Sorghum

riety of the sweet Sorghums, and was formerly the variety most generally grown for syrup and for forage. It is still preferred in the Northern States because of its earliness, but in the Southwest Red Top has proven to be a heavier producer.

ORANGE.—This is also an old and popular variety for both syrup and forage. Usually matures ten to fourteen days later than Amber.

RED TOP, OR SUMAC .-- Of the many varieties of sweet Sorghums, Red Top or Sumac is the one most generally grown. It is vigorous and drouth resistant, and makes larger yields than any other sweet Sorghum. The seeds are red to orange yellow.

FETERITA

Feterita belongs to the same class as Kaffir Corn and Milo Maize, but is considerably earlier than either one, and is said to stand drouth better and makes a larger, softer grain. In manner of growth, it is about half way between Kaffir Corn and Milo Maize, but the heads stand perfectly straight and erect, and the grains are very large, pure white, and comparatively soft. It can be fed without grinding.

Write for Prices and Samples.

MILO MAIZE

Write for Prices and Samples.

A non-saccharine Sorghum of high value; cultivated like Corn. It is a vigorous grower, of deep green color, attaining a height of 8 or 10 feet. Some stalks develop 20 heads. The seed is fed to horses, cattle, chickens, etc. It will mature its main head in 100 days, and will continue growing until frost. Plant 4 to 5 pounds per acre. Similar to Kaffir Corn, but grows larger heads and produces a slightly larger grain. Cultivation is same as for Kaffir Corn. It will pay you to try it.

SUNFLOWER

Write for Prices and Samples.

The Sunflower during the past two or three years has proven to be an excellent crop for ensilage. Poduces an enormous tonnage of from 20 to 30 tons per acre. Fed to dairy cattle, it is found to be satisfactory in every way. The cows were just as anxious for it and produced as much milk as when fed on other ensilage. also valuable as a poultry and hog feed. Should be sown in rows far enough apart to admit of cultivation. Two to 3 pounds are sown per acre.

RAPE

Write for Prices and Samples.

DWARF ESSEX RAPE is an annual, bearing a close resemblance in leaf and stalk to the Rutabaga, but both leaves and stalk are more numerous in the Rape plant and of a taller habit of growth. It is a pasture plant, which may be eaten off by any kind of livestock, but it is preeminently fitted to furnish pasture for sheep, cattle and swine. A good crop will furnish at least 12 tons of green food to an acre. Rape thrives best on a good soil, rich in vegetable matter. Slough lands are excellent.

When Rape is sown broadcast, 5 pounds of seed an acre will suffice; when sown in rows, say 30 inches apart and cultivated, from 1 to 2 pounds an acre will be enough.

BUCKWHEAT

Write for Prices and Samples.

Buckwheat should be sown about the middle of June at the rate of from 1/2 to 3/4-bushel per acre You will avoid the danger of its spoiling by threshing as soon as dry.

JAPANESE .- This is a very popular variety of Buckwheat. The plant is of stronger growth than common Buckwheat and resists drouth and blight much better, The grains are a rich dark brown, having a thin hull and larger grain than Silver Hull. It ripens a week earlier than other varieties, and is perhaps the best for light or sandy soils and for the dry climate of the West,

SILVER HULL.—This is a thin-shelled Buckwheat of a silver gray color. It has a very solid, medium-sized grain. It stays in bloom longer than the other varieties, thus producing a larger crop. The flour made from Silver Hull is light in color. This variety is most excellent for bees and is very popular. "

KAFFIR CORN

Write for Prices and Samples.



Kaffir Corn is the principal grain crop in many sections of the Southwest on account of not being affected by drouth. It is being more generally used, and we take pleasure in recommending it, not only as a grain, but as a hay crop. Kaffir Corn makes a great yield of the finest kind of feed, when sown broadcast and cut for hay. It has advantages over Cane, as the hay can be cured the same as Millet and stacked, making higher quality of feed. We have a large stock of extra fine seed, testing high for germination, and can supply you with seed that will make the best yield. Valuable both for fodder and grain. Always yields an immense crop of seed, even on the voorest of soils and in driest seasons. Especially adapted where summers are hot and dry.

Sow broadcast and handle like Cane, putting on from 75 to 100 pounds per acre, or drill with Corn planter, putting on about 10 pounds per acre, then cutting with a Corn harvester and threshing like grain. Some feed it to stock, heads and all, while others cut the heads off and thresh them. Any way it is treated it makes a valuable feed.

STANDARD KAFFIR CORN .-- Sow in rows 21/2 to 31/2 feet apart and cultivate the same as Corn. Five to 10 pounds will seed an acre in rows, or ½ bushel broadcast.

DWARF KAFFIR CORN

An especially fine fodder plant. It grows from 31/2 to 5 feet in height-depending on the quality and condition of the soil and also on the weather conditions. The heads are larger and more shapely than those of Kaffir Corn. Stalks keep green, not getting hard like other Sorghums, and are juicy and brittle. Dwarf Kaffir Corn makes fine fodder, either green or dried, and is relished by horses and cattle. Dwarf Kaffir Corn is the result of careful selection and produces a plant of uniform dwarf growth. It makes a crop in less time than the usual type of Kaffir

BROOM CORN

Write for Prices and Samples.

EVERGREEN OR STANDARD.—Is a favorite in Kansas, Nebraska and Missouri. It grows to be a good length, and if cut at the proper time has a good color, but if allowed to stand will redden at tip as seed ripens. Ask for

DWARF EVERGREEN .- This is a very popular variety on account of its not being so liable to blow down and lodge as the taller varieties. Heads are very bushy,

and it makes a fine yield. Ask for prices.

OKLAHOMA DWARF BROOM CORN.—This is the variety most generally grown in the Southwest. feet high, making it easy to handle the long and well-fibered brush. Seed is from progressive Broom Corn growers who know the market requirements and improve their seed by selecting each year. Ask for prices.



FRUIT TREES

Fruit-growing as an industry has rapidly advanced in recent years; farmers are getting large returns from this source. The man with a small lot and the suburban acreage-owner are also interested as they find it fascinating as well as profitable. Our trees are straight, of moderate size, are guaranteed true to name, and, if given reasonably good care, will thrive.

APPLES.



DELICIOUS APPLE.

4 to 5 Ft., Each, \$0.75; 10 for \$6.50. 5 to 7 Ft., Each, \$1.25; 10 for \$11.00.

We offer the very largest to be had and guarantee them to be entirely free from scale and other diseases.

EARLY STRAWBERRY. Very delicious early eating apple.

BALDWIN. Large, bright red, rich, juicy. Winter.

BELLIFLOWER. Yellow, crisp, large and juicy. November.

DELICIOUS. Large, unevenly shaped. Winter.

BUCHESS OF OLDENBURG. Medium. Striped red. Sub-

acid, Fall EARLY HARVEST, Small, Straw color, Fine acid, July, FALL PIPPIN, Large, Yellowish green, Delicious, Oc-

tober.

GRIMES' GOLDEN PIPPIN. Medium. Sub-acid. November.

JONATHAN. One of our favorite fall and early winter
varieties. Bright red.

RAMBO. Summer. Large, yellow; rich and of good flavor.

August.
RED ASTRACHAN. Large, crimson, juicy, acid. July.
RHODE ISLAND GREENING. Large, yellow-green. Win-

ter.
SMOKEHOUSE. Medium, red striped. Sub-acid. Winter.
STAYMAN'S WINESAP. Medium, bright red. Winter.
YELLOW TRANSPARENT. Pale yellow. Sub-acid. July.
YORK IMPERIAL. Medium, white, shaded red. Sub-acid. Winter.

CRAB APPLES.

5 to 6 Ft., Each, \$1.00. TRANSCENDENT. Medium, golden yellow, crimson cheek. September. Strong, stocky trees.



JONATHAN APPLE.

APRICOTS.



MOORPARK APRICOT.

All Varieties, Each, \$1.00. EARLY GOLDEN. Small pale orange. Juicy and sweet. MOORPARK. Large, deep orange. Rich. August.

PEACHES.

4 to 5 Ft., Each 80.75; 10 for 86.50.
5 to 7 Ft., Each, \$1.00; 10 for \$8.50.
Our selection of Peaches is the best that can be made.
They are hardy and all freestone varieties.
CHAMPION. Very large, white, red check, delicious. Late

September. September. September. September. CRAWFORD EARLY. Medium; yellow. July. CRAWFORD'S LATE. Very large, yellow, red cheek. Late September. LBERTA. Very large, yellow, red cheek, juicy, rich. Mid-September.


ELBERTA. Very large, yellow, red cheek, juicy, rich. Middle of August.

IRON MOUNTAIN. Large, pure white, solid, juicy. October.

MOUNTAIN ROSE. Medium, white, red cheek, sweet. First


of August.

OLD MIXON, Large, yellowish white, red cheek, pleasant.
Middle of September.
STUMP THE WORLD. Very large, creamy white, red cheek,
delicious. September.
YELLOW ST. JOHN. Large, yellow, sweet. July.



ELBERTA PEACH.

FRUIT TREES---Cont.



EARLY RICHMOND CHERRIES.

PLUMS.

4 to 5 Ft., Each 81.50; 10 for 812.50.
5 to 7 Ft. Each 81.75; 10 for 815.00.
ABUNDANCE, Large, cherry-red, sweet. August.
BURBANK, Large, cherry-red, sweet. Last of August,
RED JUNE, Large, purple-red. Very early.
WILD GOOSE. Most prolific. Red.


CHERRIES.

4 to 5 Ft., Each, \$1.00; 10 for \$8.50. 5 to 6 Ft., Each, \$1.25; 10 for \$11.00.

EARLY RICHMOND. Medium, deep red, rich, acid. Middle of June.

ENGLISH MORELLO. Large, dark red, pleasant acid. Last of July.

MONTMORENCY. Large, bright red, pleasing acid flavor. June.



RED JUNE PLUM.

BRYSON AYRES NURSERY STOCK

- Every possible care is taken to have the stock that leaves this Nursery true to name and description.
- We take extraordinary precautions against insect and fungus attacks, and it is our earnest endeavor to have all our trees and plants entirely free from disease.
- 3. Ample spreading space has been given each tree or plant in the Nursery; where pruning has been necessary, we have pruned; where spraying has been "an ounce of prevention," we have sprayed—the whole idea being to make our stock vigorous and of sturdy, persistent growth.
- 4. The Nursery stock we send out is prepared by the treatment it has received at our hands to do the best that Nature has deemed possible; and frequently it surpasses what we considered to be the limit of possibility.

FRUIT TREES—Cont.



PEARS.

5 to 6 Ft., Each, \$1.25; 10 for \$11.00.

BARTLETT. Large, clear yellow, highly aromatic. September.

BUERRE D'CLAIRGEAU, Large, russet, with red cheek. October.

DUCHESS D'ANGOULEME. Large, greenish yellow, juicy. October.

HOWELL. Medium, pale yellow, mildly sub-acid. September,

KIEFFER. Large, golden yellow, sweet. October.

LAWRENCE. Medium, lemon-yellow, sweet. December.


 ${\bf SECKEL.}$ Small, yellowish russet, spicy flavor. August to October.

SHELDON. Medium, greenish yellow, rich and aromatic-October.

VERMONT BEAUTY. Medium, yellow, red cheek, rich. October.

BARTLETT PEAR.

SMALL FRUITS.




GOOSEBERRIES.

35c Each; \$3.50 Dozen; Specimen Bushes, Each, 50c. COLUMBUS. Very large and quite sweet. Approaches the old English varieties in size.

HOUGHTON. Medium size fruit and an excellent bearer. DOWNING. Extra large and of splendid quality.

SMALL FRUIT---Cont. RASPBERRIES.




10e Each; \$1.00 Dozen.

OLUMBIAN. Excellent flavored fruit of large size. A good dark red variety.

CUTHBERT. Hardy, sweet and productive. Deep crimson. CUMBERLAND. A well known black-cap. Fruit large and

BLACKBERRIES.



WILSON'S EARLY

10e Each; \$1.00 Dozen. WILSON'S EARLY. A hardy and productive variety. Fruit large, black and sweet. Good strong canes. EARLY HARVEST. Extremely early and prollific.

15e cach; \$1.50 doz.

SNYDER. Large berry. Mid-season.

SMALL FRUIT---Cont. STRAWBERRIES.



PROGRESŠIVE EVERBEARING STRAWBERRIES

EVERBEARING STRAWBERRIES

The Everbearing Strawberry has "made good" in commercial and home garden planting in widely varying parts

Plants set out in the spring will bear the same summer and with sufficient rain or artificial watering, will produce a good crop in the fall and continue to bear until heavy frosts come. The second year they produce a heavy crop in the spring, continue to bear throughout the summer if conditions are favorable, and give another heavy crop after the fall rains.

The plants are hardy, vigorous, and productive, and the foliage is unusually healthy. They succeed on all kinds of soil, can be planted on more fertile soil and in low land where frosts threatens the only crop of ordinary, or "standard" varieties.

All Strawberries require moisture and fertility to produce the best berries. This is especially true of the Everbearers, because of their prolific and continuous bearing habits.

After planting in the spring, the blossoms should be pinched off until about the first of July.

The best growing method with Everbearers is the Hill

or Stool System. Set the plants 1 to 11/2 feet apart in rows 3 to 4 feet wide. For the home garden. Set in beds 4 to 5 feet wide, with plants a foot apart. Be sure to cut off all runners.

Everybearers should never be planted in the "Matted Row" or "Hedge Row" System.

To insure success, Everbearers must have greater fertility and more moisture than ordinary, or "standard" varieties. In the winter, give them a light dressing of well-rotted manure, which should be worked in by cultivation in the spring.

Owing to our immense acreage devoted to Everbearing Strawberries we offer herewith an unprecedented low price. 40c per doz.; \$1.50 per 100; \$7.50 per 1,000. PROGRESSIVE EVERBEARING. An abundant bearer and seldom without fruit during summer and fail. SUPERB EVERBEARING. Every garden should contain some of these. Prolific and very large.

STANDARD VARIETIES.

40c Per Dozz, S1.50 Per 109; \$100 Per 1,000.

The Strawberry will grow in any good garden soil, where the ground has been thoroughly prepared for family use. We list only varieties best suited to the soil in Missouri and Middle West.
Haverland Senator Dunlap Americus
Early Ozark Ganda

Senator ... Americus Ganda

SMALL FRUIT---Cont.

GRAPES.

1-YEAR-OLD VINES.
Each\$.25
Per dozen 2.50
Per 100 17.50
2-YEAR-OLD Vines.
Each\$.35
Per dozen 3.50
Per 100 24,00
3-YEAR-OLD VINES.
Each\$.50
Per dozen 6.00
Per 100 40.00

GRAPE-BLACK.

CAMPBELL'S EARLY. One of the largest fruiting Grapes and extremely satisfactory.

CONCORD. The well-known black Grape. Can always be depended on to fruit heavily. WORDEN. Bunch large and compact, Good large berries and an early fruiting variety.

GRAPE-RED AND PURPLE. CATAWBA. A very nice berry, having an unusually sweet and aromatic flesh.

DELAWARE. The well-known small, very sweet red Grape. Comes in small bunches.

SALEM. Berries larger than Catawba, flesh tender, juicy and sweet.

GRAPE-WHITE.

GREEN MOUNTAIN. A particularly fine white Grape and not well known

NIAGARA. This well-known white Grape needs no description. It should be in every collection.

CURRANTS.



PROLIFIC CURRANTS.

FAY'S PROLIFIC. This red has been known for years as a dependable variety. Strong, healthy plants. Each, 35c; \$3.50 per doz. Specimen bushes, each, 50e; \$5.00 per doz.



CONCORD GRAPES.

ASPARAGUS.

CONOVER'S COLOSSAL,, and Barr's Mammoth Palmetto. \$2.00 per 100.

RHUBARB.

Strong roots of fine quality, \$1.00 per dozen.

Insecticides. Fungicides. Disinfectants

We cannot send liquids or poisons through the mails, so that all Insecticides go by express or freight, not prepaid, unless quoted by parcel post.

PARIS GREEN

For liquid spraying. Use I pound of Paris Green to 100 or 200 gallons of water, according to strength desired. It will be found generally strong enough if ½ pound is stirred in a barrel (50 gallons) of water, and allowed to stand twenty-four hours before using. In powder form, use 1 pound of Paris Green and 20 to 50 pounds of flour; mix thoroughly, apply evenly, preferably when dew is on plants. Prices on application.

LIME-SULPHUR SOLUTION.

The best remedy for San Jose scale and other scale insects on trees and shrubs. Use 1 gallon to 20 gallons of water during December and January, but earlier or later dilute 1 gallon to 40 gallons of water. Prices on application.

CALCIUM-ARSENATE.

(Dry or Paste)

It can be applied, pure or reduced, with any of the dusting machines or guns. From 1 to 30 pounds per acre should be used. In water, for most purposes, use from 1 to 11/2 pounds of the dry or 30 pounds of the paste to 50 gallons.

DEVOE BORDEAUX MIXTURE.

Dry Powdered Form. To Control Scales and Blight. For all Fungous Diseases. The best Fungicide for curing or preventing blotch, rot, mildew, blight, leaf curl, scab or other fungous dis-

eases on fruit and plants, if used dry. For potatoes, dust without reduction, 4 to 5 pounds

per acre (according to size of vines). For fruit trees, dust after reducing 1 pound of Dry

Bordeaux with 20 pounds of lime dust.

For spray, to make 44-50 mixture, use 8 pounds of Dry Bordeaux Mixture to 50 gallons of water.

For 5-5-50 mixture, use 10 pounds to 50 gallons of water.

mixtur	e, use 1	o pour	ius u	, 50	Samons	OI WAGGET	FOr non 1h
1_1h	cartons						50c per lb.
P 11.	aamtama						490 per ro.
5-ID.	cartons						25c per lh.
10-lb.	boxes .						35c per lb.
OF IL	danma						. Zgc per ro.
20-10.	diams						20c per lb.
50-Ib.	arums						100 nor lh
100-lb.	drums						18c per lb.
200 11	horrola						.15c per lb.
200-ID.	Darreis						
		A E	CEN	A T E	: OF 11	FAD.	

Will be found the best spraying preparation for the destruction of insect pests. Use 3 pounds to 50 gallons of water, or, if preferred, use 50 gallons of Bordeaux mixture instead of water for dilution. Prices on application.

Our stock of this is strictly fresh, from one of the best factories in the country, and will be found the best spraying preparation in the entire list for the destruction of insect pests. Use 3 pounds to 50 gallons of water, or, if preferred, use 50 gallons of Bordeaux mixture instead of water for dilution. Prices on application.

DEVOE "SURE NOXEM." Dry Powdered Form. Insecticide to Most Leaf-eating insects.

One of the best vegetable Insecticides in use. Specially recommended for destroying worms and insects.

For cabbage, cauliflower, tomato plants, cucumber vines, melon vines, currant bushes, gooseberry bushes, vegetables and flowers of all kinds attacked by leaf-eating

insects.	non 1h
1-lb. sifter-top cartons	ber in.
The modrowood	per in.
10-lb. boxes10c	ner lh.
10-lb. boxes	por 15.
95 lb drume	her ro-
50-lb, drums8½c	ner lb.
50-lb, drums	por 1h
100-lb. drums8c	per ib.
300-lb, barrels7½c	per lb.

High-Grade Fertilizer.

SWIFT'S PLANT FOOD.

An odorless concentrated soluble fertilizer for house A package is sufficient for 30 plants for 3 months. plants. 5 lbs., 40c; 10 lbs., 70c.

FRUIT AND ROOT CROP GROWER.

For fruit trees and small fruits, garden truck, tobacco, potatoes, sugar beets, etc. Quick in starting, lasting in effect, giving firm, healthy growth and developing the fruit. Use 250 to 500 pounds per acre. Analysis, 2-10-1/2. 125 lbs., \$3.50; 250 lbs., \$6.75; 500 lbs., \$13.00,

GRAIN GROWER.

For general farm use, but especially adapted for the growing of all cereals. Use at the rate of 250 to 500pounds per acre. Analysis, 2-8. 125 lbs., \$3.50; 250 lbs.,

CORN GROWER.

Contains a large percentage of phosphoric acid and potash, the most essential elements in the production of a maximum corn crop. Use 250 to 500 pounds per acre; half broadcast, balance in hills or drills, mixing thoroughly with the soil before planting. Analysis, 1-12-1. 125 lbs., \$3.45; 250 lbs., \$6.50; 500 lbs., \$12.50.

BONE MEAL.

Highest Grade.-It is ground fine and is an excellent top dressing for lawns, grass lands, farm and field crops, also for mixing with potting soil. 100 lbs., \$3.00.

AMMONIA OR NITROGEN.
Tends to promote leaf or foliage growth, You will find it in various combinations. In the form of salts or nitrates, is readily available. By the application of Ammonia on land that is low in humus, the general foliage and root growth is stimulated and the amount of vegetable matter in the soil is multiplied many fold. Ten per cent, \$3.25 per 100 lbs.

PHOSPHORIC ACID.

Tends to ripen the plant earlier, bring out full. solid A moderate application of Phosphoric Acid, in hastening kernels in grain and give color to fruits and vegetables. maturity, will get your fruit and vegetable crops on the market ten days or two weeks earlier than if not fertilized. Twenty-six per cent, \$3.00 per 100 lbs.

POTASH.

For root affections of grain and forage crops and scab, etc., of potatoes and other truck it is unequaled; no market product, the keeping qualities and general appearance of which is desired to be first-class, should be grown without an application of Potash. Ask for prices.

NITRATE OF SODA.

Nitrate of Soda is not a substitute for other manures, but we recommend it as the cheapest and best form in which to apply Nitrogen to plants. Price (subject to market changes), lb., 15c; 5 lbs., 65c; 1 lb., \$1.15; 25 lbs., \$2.50.

SHEEP MANURE.

For Lawns .- Pulverized Sheep Manure is the best possible for the lawn. It should be applied by sprinkling lightly over the grass, same as one would sow grass seed. It requires no raking in. The color is not conspicuous and there is no objectionable odor.

For the Garden.-After the crop has been harvested in the fall, the garden should be given a good coating of Sheep Manure. In the spring put on another light coat and turn it under, or sow lightly in the rows.

For Truck Garden.—Sheep Manure is the best fertilizer for the truck garden, producing better and earlier crops

of onions, celery and other vegetables.

For Public Parks.—Sheep Manure is used on some of the best public parks in this country, including the beautiful park system of Kansas City.

For Flower Beds.-Free blossoming can be induced, or increased, by judicious use of Sheep Manure. Sprinkle it carefully in the beds, and both foliage and blossoms will be large and vivid in color. A teaspoonful or so stirred in the soil about the roots of each plant two or three times during the season will give you astonishing results.

INDEX

VEGETABLE SEEDS.	Dianthus 4	Aquilegia,
Asparagus29	Eschscholtzia	Aster
Beans	Euphorbia	Barbatus.
Beets31	Feverfew	Bocconia 17
Beans 29 Beets 31 Cabbage 32 Cabling 32 Canliflower 32 Cress 33 Collards 34 Chicory 34 Celery 34 Celeriac 31 Corn salad 34 Cucumbers 34 Corn 35	Forget-Me-Not. 4 Four o'Clock 4	Boltonia
Carrots33	Four o'Clock 4	Campanula
Cauliflower34	Gainardia	Carnation
Cress33	Geranium 4	Centourea
Collards34	Godetia	Cerastium
Chicory34	Gomphrena	Chinesis
Celery34	Godetia.	Chelone
Celeriac34	Grasses	Chrysanthemum
Chives	Grasses. 4 Gypsophila. 4 Helianthus. 4 Helichrysum. 4 Heliotrope. 4	Convallaria 18
Corn Salad	Helianthus	Coreopsis
Cucumbers	Helichrysum. 4	Dianthus
Corn	Heliotrope. 4 Hollyhock 4 Hyacinth Bean 6 Kochin	Plumaris
	Hollyhock	Plumaris
Cantaloune 39	Hyacinth Bean	Dicentra
Cantaloupe 39 Endive 36 Egg Plant 36 Garlie 37	Kochia. 6 Larkspur 6	
For Dlant 26	Larkenur	Formosum
Carlia	Lahyrus	Flava
Garlic 37 Herbs 37 Kale 37 Kohl 37 Kohl 37	Linerie	Gaillardia
Heros	Linaria. 6 Linum. 6 Lobelia. 6	Gypsophila. 18 Golden Glow 18
Kale	T-1-17-	Golden Glow18
Koni Rabi37	Lobella 6	Helenium18
Kohl Rabi 37 Leek 37 Lettuce 37 Mustard 40	Lupinus. 6 Hunnemannia. 6 Marigold. 6 Mignonette. 6 Menvise Clay. 6	Helianthus
Lettuce37	nunnemannia	Hemerocallis
Mustard40	Marigold 6	Heuchea, 19 Hollyhock, 19
Mushroom40	Mignonette 6	Hollyhock
Nasturtium40	Morning Glory 6	Hibiscus 19
Mustard	Mignonette 6 Morning Glory 6 Nasturtium 6	Iberis
Onions	Nicotiana. 6 Nigella. 6	Iris 19 Lavendula 19
Onion Sets42	Nigella 6	Lavendula
Peas 42	Pansy 6 Petunia 6 Phox 3 Physalis 6	Lilies. 19 Peonies. 20
Parsnip43	Petunia	Peonies
Peppers43	Phlox	Phlox
Parsley43	Physalis	Panager
Peanuts	Poppies. ,	Physostecia 91
Pepper Grass	Portulaca 6	Polygonum
Parsley 43 Peanuts 43 Pepper Grass 33 Pop Corn 36 Radish 44 Radish 44 Rhubarb 44-45 Rutabaga 44-45 Salsify 45 Squash 45 Spinach 49 Turnins 46	Poppies. 6 Portulaca. 6 Salpiglossis. 6	Primula
Pumpkin 43	Stocks	Polyantha
Radish	Stocks 6 Stocks 6 Straw Flowers 6 Sun Flower 6 Sweet William 6	Polyantha
Rhubarh 44-45	Sun Flower e	Pyrethrum
Putchore 44.45	Sweet William	Rudbeckia. 22 Sanguinea. 22
Coloifer . 45	Verbena. 6 Wallflower. 6	Sanguinea 22 Salvia 22 Sweet William 22 Tritter 22
Canach 45	Wellflower	Salvia
Squasii	Zinnia	Sweet William22
Spinach45	Zillilia,	Tritoma. 22 Veronica. 22
Turnips46	Xinnia. SWEET PEAS. Summer Flowering 7 Cultural Directions 8	
Tomato	Summer Flowering	Vinca
Tobacco48	Cultural Directions 8	Violets
1	SUMMER BULBS.	Six Leading Perennials.
Watermeion	Amaryms,	Oriental Poppy24
	Caracium 9	Gypsophila Paniculata24
Alfalfa50	Cannas	Anchusa Dropmore 24
Broom Corn56	Embio	Japanses Chyransthemrm24
Dural and EE		
Buckwheat	Gladioli	Carnation Fireflame24
Corn49	Gladioli	Carnation Fireflame 24 Celosia Chyrsanthemum 24
Buckwheat	Summer Flowering 7 7 7 7 7 7 7 7 7	Carnation Fireflame
Buckwheat 35 Corn 49 Cow Peas 52 Clover 50	Gladioli 10 Hemerocallis 10 Hardy Lilies 10 Lily of the Velley 10	Vinca
Buckwheat 99 Corn 49 Cow Peas 52 Clover 50 Cane 55	Hardy Lilies	CLIMBING VINES AND CREEDEDS
Buckwheat	Hardy Lilies	CLIMBING VINES AND CREEDEDS
Buckwheat	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet
Buckwheat	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet
Buckwheat	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet
Buckwheat	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet
Buckwheat	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet
10	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet
Buckwheat	Hardy Lilies	CLIMBING VINES AND CREEPERS Bittersweet
BOCK Wheat	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet. \$4 Boston Ivy 24 Clematis. 24 Dutchman's Pipe 34 Engleman's Ivy 24 Honeysuckle. 24 Triumpet Vine 24 Virginia Creeper 24 Vitis. 24
Buckwheat	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet. \$4 Boston Ivy 24 Clematis. 24 Dutchman's Pipe 34 Engleman's Ivy 24 Honeysuckle. 24 Triumpet Vine 24 Virginia Creeper 24 Vitis. 24
Buckwheat	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet. \$4 Boston Ivy 24 Clematis. 24 Dutchman's Pipe 34 Engleman's Ivy 24 Honeysuckle. 24 Triumpet Vine 24 Virginia Creeper 24 Vitis. 24
Compage Comp	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet. \$4 Boston Ivy 24 Clematis. 24 Dutchman's Pipe 34 Engleman's Ivy 24 Honeysuckle. 24 Triumpet Vine 24 Virginia Creeper 24 Vitis. 24
Buck West 39 19 19 19 19 19 19 19	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet. \$4 Boston Ivy 24 Clematis. 24 Dutchman's Pipe 34 Engleman's Ivy 24 Honeysuckle. 24 Triumpet Vine 24 Virginia Creeper 24 Vitis. 24
10	Hardy Lilies	CLIMBING VINES AND CREEPERS
Book 1 2 2 2 2 2 2 2 2 2	Hardy Lilies	CLIMBING VINES AND CREEPERS Bittersweet
BOCK West 4 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Hardy Lilies	CLIMBING VINES AND CREEPERS
Buckwheat	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet
Buck West	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet
Converse	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet. 24 Boston Ivy 24 Clematis 24 Dutchman's Pipe 34 Englemann's Ivy 24 Honeysuckle. 24 Honeysuckle. 24 Virismia Creeper 24 Vitis. 24 Evergreens. 26 Evergreen Vines 26 Rhododendron 26 All Varieties 27 FRUIT TREES. Apples 57
Alfalfa 50 Broom Corn 56 Broom Corn 56 Broom Corn 56 Broom Corn 56 Buckwheat 55 Buckwheat 55 Cow Peas 55 Cower 55 Cane 55 English Blue Grass 53 Feterita 55 Grass Mixtures 53 Feterita 55 Kaffr Corn 56 Kaffr Corn 5	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet. 24 Boston Ivy 24 Clematis 24 Dutchman's Pipe 34 Englemann's Ivy 24 Honeysuckle. 24 Honeysuckle. 24 Virismia Creeper 24 Vitis. 24 Evergreens. 26 Evergreen Vines 26 Rhododendron 26 All Varieties 27 FRUIT TREES. Apples 57
10	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet. 24 Boston Ivy 24 Clematis 24 Dutchman's Pipe 34 Englemann's Ivy 24 Honeysuckle. 24 Honeysuckle. 24 Virismia Creeper 24 Vitis. 24 Evergreens. 26 Evergreen Vines 26 Rhododendron 26 All Varieties 27 FRUIT TREES. Apples 57
BOCK Wheat	Hardy Lilies	CLIMBING VINES AND CREEPERS. Bittersweet. 24 Boston Ivy 24 Clematis 24 Dutchman's Pipe 34 Englemann's Ivy 24 Honeysuckle. 24 Honeysuckle. 24 Virismia Creeper 24 Vitis. 24 Evergreens. 26 Evergreen Vines 26 Rhododendron 26 All Varieties 27 FRUIT TREES. Apples 57
BOCK West	Hardy Lilies	CLIMBING VINES AND CREEPERS
Conv. Conv	Hardy Lilies	CLIMBING VINES AND CREEPERS
BOCK Wheat	Hardy Lilies	CLIMBING VINES AND CREEPERS
10	Hardy Lilies	CLIMBING VINES AND CREEPERS
Buck Wheat	Hardy Lilies	CLIMBING VINES AND CREEPERS
10	Hardy Lilies	CLIMBING VINES AND CREEPERS
Buck Weat	Hardy Lilies	CLIMBING VINES AND CREEPERS
BOK. Wiet	Hardy Lilies	CLIMBING VINES AND CREEPERS
Conv. Conv	Hardy Lilies	CLIMBING VINES AND CREEPERS
BOCK West	Hardy Lilies	CLIMBING VINES AND CREEPERS
AYRES CELOSIA AII Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Alyssum 3 Antirhinum 3 Antirhinum 3 Antirhinum 3 Balasim 4 Balasim Vine 3 Brachycome 3	Hardy Lilies	CLIMBING VINES AND CREEPERS
AYRES CELOSIA All Varleties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssin 3 Alyssin 3 Alyssin 3 Antirrhinum 3 Antirrhinum 3 Arctotis Grandis 3 Balsam 3 Balsam 3 Balson 4 Brachycome 3 Brachycome 3 Calendula 3	Hardy Lilies	CLIMBING VINES AND CREEPERS
AYRES CELOSIA AIV Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Alyssum 3 Antirhinum 3 Antirhinum 3 Antirhinum 3 Balsam 3 Balsam 3 Bardyoome 3 Brachycome 3 Brachycome 3 Balanda 3	Hardy Lilies	CLIMBING VINES AND CREEPERS
AYRES CELOSIA AIV Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Alyssum 3 Antirhinum 3 Antirhinum 3 Antirhinum 3 Balsam 3 Balsam 3 Bardyoome 3 Brachycome 3 Brachycome 3 Balanda 3	Hardy Lilies	CLIMBING VINES AND CREEPERS
AYRES CELOSIA AII Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Alyssum 3 Arrototis Grandis 3 Balsam 3 Bolloon Vine 3 Brachycome 3 Calendula 3 Calendula 3 Calendula 3 Campanula 3 Campanula 3 Campanula 3 Campanula 3 Candytutt 3	Hardy Lilies	CLIMBING VINES AND CREEPERS
AYRES CELOSIA AIV Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Antirrhinum 3 Antirrhinum 3 Balsam 3 Balsam 3 Balsam 3 Brachycome 3 Brachycome 3 Calindopsis 3 Calindopsis 3 Campanula 3 Candytuft 3 Carnation 3 Carnation 3	Hardy Lilies	CLIMBING VINES AND CREEPERS
AYRES CELOSIA AIV Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Antirrhinum 3 Antirrhinum 3 Balsam 3 Balsam 3 Balsam 3 Brachycome 3 Brachycome 3 Calindjosis 3 Calindjosis 3 Campanula 3 Candytuft 3 Carnation 3 Carnation 3	Hardy Lilies	CLIMBING VINES AND CREEPERS
AYRES CELOSIA AIV Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Antirrhinum 3 Antirrhinum 3 Arctotis Grandis 3 Balsam 3 Bolloon Vine 3 Brachycome 3 Calendula 3 Calidopsis 3 Campanula 3 Candytuft 3 Carnation 3 Carnation 3 Carnation 3 Carnation 4 Celosiamum 4 Celosiamum 4 Celosiamum 4	Hardy Lilies	CLIMBING VINES AND CREEPERS
AYRES CELOSIA AIV Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Antirrhinum 3 Antirrhinum 3 Antirrhinum 3 Belloon Vine 3 Brachycome 3 Calendula 3 Calendula 3 Campanula 3 Campanula 3 Campanula 3 Candytuft 3 Carnation 4 Celosia 4 Celosiamum 4 Celoslamum 4 Celysantemum 4	Hardy Lilies	CLIMBING VINES AND CREEPERS
AYRES CELOSIA AIV Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Antirrhinum 3 Antirrhinum 3 Antirrhinum 3 Belloon Vine 3 Brachycome 3 Calendula 3 Calendula 3 Campanula 3 Campanula 3 Campanula 3 Candytuft 3 Carnation 4 Celosia 4 Celosiamum 4 Celoslamum 4 Celysantemum 4	Hardy Lilies	CLIMBING VINES AND CREEPERS
AYRES CELOSIA AIV Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Alyssum 3 Antirrhinum 3 Antirrhinum 3 Antirrhinum 3 Balsam 3 Balsam 3 Balsam 3 Callendula 3 Calendula 3 Calendula 3 Calendula 3 Candytuft 3 Carnation 3 Candytuft 3 Carnation 3 Carnation 3 Calosiamum 4 Celosiamum 4 Celosiamum 4 Centaurca 4 Centaurca 4 Centruca 4 Centruca 4	Hardy Lilies	CLIMBING VINES AND CREEPERS
AYRES CELOSIA AIV Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Alyssum 3 Antirrhinum 3 Antirrhinum 3 Antirrhinum 3 Balsam 3 Balsam 3 Balsam 3 Callendula 3 Calendula 3 Calendula 3 Calendula 3 Candytuft 3 Carnation 3 Candytuft 3 Carnation 3 Carnation 3 Calosiamum 4 Celosiamum 4 Celosiamum 4 Centaurca 4 Centaurca 4 Centruca 4 Centruca 4	Hardy Lilies	CLIMBING VINES AND CREEPERS
AYRES CELOSIA AIV Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Alyssum 3 Antirrhinum 3 Antirrhinum 3 Antirrhinum 3 Balsam 3 Balsam 3 Balsam 3 Calendula 3 Calendula 3 Calendula 3 Calendula 3 Campanula 3 Campanula 3 Campanula 3 Carnation 3 Carnation 3 Carnation 4 Celosiamum 4 Celosiamum 4 Centaurca 4 Centrucas 5 Centrucas 6	Hardy Lilies	CLIMBING VINES AND CREEPERS
AYRES CELOSIA AII Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Alyssum 3 Arcitotis Grandis 3 Balsam 3 Bolloon Vine 3 Brachycome 3 Calendula 3 Calendula 3 Calendula 3 Calosia 4 Carnation 3 Campanula 3 Calosia 4 Carnation 4 Chrysanthemum 4 Chrysanthemum 4 Chrysanthemum 4 Cornilower 4 Continower 4 Cornilower 4 Cornilower 4 Cornica Scandens 4 Coloumbine 4 Coloumbine 4	Hardy Lilies	CLIMBING VINES AND CREEPERS Bittersweet.
AYRES CELOSIA AIV Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Antirrhinum 3 Antirrhinum 3 Antirrhinum 3 Balsam 3 Balsam 3 Balsam 3 Calendula 3 Calendula 3 Calendula 3 Calendula 3 Campanula 3 Campanula 3 Campanula 3 Campanula 4 Celosia 4 Celosiamum 4 Centaurca 4 Celosiamum 4 Centaurca 4 Conrilower 4 Connilower 4 Control Caraden 4 Courca Scandens 4 Courca Sca	Hardy Lilies	CLIMBING VINES AND CREEPERS Bittersweet.
AYRES CELOSIA AIV Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Antirrhinum 3 Antirrhinum 3 Antirrhinum 3 Balsam 3 Balsam 3 Balsam 3 Calendula 3 Calendula 3 Calendula 3 Calendula 3 Campanula 3 Campanula 3 Campanula 3 Campanula 4 Celosia 4 Celosiamum 4 Centaurca 4 Celosiamum 4 Centaurca 4 Conrilower 4 Connilower 4 Control Caraden 4 Courca Scandens 4 Courca Sca	Hardy Lilies	CLIMBING VINES AND CREEPERS Bittersweet.
AYRES CELOSIA AII Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Alyssum 3 Arototis Grandis 3 Balsam 3 Bolloon Vine 3 Balsam 3 Bolloon Vine 3 Balsam 3 Calendula 3 Calendula 3 Calendula 3 Calendula 3 Calendula 3 Calendula 4 Calendula 4 Campanula 3 Candytuft 3 Campanula 4 Celosiamum 4 Chrysanthemum 4 Chrysanthemum 4 Chrysanthemum 4 Chrysanthemum 4 Chrysanthemum 4 Chrysanthemum 4 Cornclower 4 Cornclos Lantern Plant 4 Cornca Scandens 4 Coroughis 4	Hardy Lilies	CLIMBING VINES AND CREEPERS Bittersweet.
AYRES CELOSIA AIV Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Antirrhinum 3 Antirrhinum 3 Antirrhinum 3 Balsam 3 Bolloon Vine 3 Brachycome 3 Calendula 3 Calendula 3 Campanula 3 Campanula 3 Campanula 4 Cornic Varieties 4 Chrysanthemum 4 Chrysanthemum 4 Chrysanthemum 4 Cornilower 4 Cornilower 4 Cornilower 4 Cornilower 4 Cornilower 5 Corocas 5 Calindia 4 Corocas 5 Corocas 4 Corocas 6 Corocas 7 Corocas 6 Corocas 6 Corocas 7 C	Hardy Lilies	CLIMBING VINES AND CREEPERS Bittersweet,
AYRES CELOSIA AII Varieties 4 See Special Page 5 Asters 3 Acrolinum 3 Aquilegis 3 Alyssum 3 Alyssum 3 Arototis Grandis 3 Balsam 3 Bolloon Vine 3 Balsam 3 Bolloon Vine 3 Balsam 3 Calendula 3 Calendula 3 Calendula 3 Calendula 3 Calendula 3 Calendula 4 Calendula 4 Campanula 3 Candytuft 3 Campanula 4 Celosiamum 4 Chrysanthemum 4 Chrysanthemum 4 Chrysanthemum 4 Chrysanthemum 4 Chrysanthemum 4 Chrysanthemum 4 Cornclower 4 Cornclos Lantern Plant 4 Cornca Scandens 4 Coroughis 4	Hardy Lilies	CLIMBING VINES AND CREEPERS

ERROR IN CHERRY PRICES--PAGE 58


Correct CHERRY Prices

4 to 5 Ft. Ea, \$1.50; 10 for \$12.50 5 to 6 Ft. Ea, \$1.75; 10 for \$15.00

DAMSON PLUMS

Everyone should plant this delicious fruit in quantities. Almost sure to bear every year and usually free from insects. The most satisfactory of all. Owing to our immense growing facilities we offer these at the special prices given below:

3 to 4 Ft. Ea, \$.60; 10 for \$ 5.00 4 to 5 Ft. Ea. \$1.00; 10 for \$ 9.00 5 to 6 Ft, Ea. \$1.50; 10 for \$12,50



USEFUL INFORMATION

LEGAL WEIGHTS AND MEASURES-Pounds per Bushel.

REFERENCE TABLES.

ARTICLES		_	-			_	_		
Apples, dried	ADDICI DE	١,	5	ن ا	÷ ا	١.	١.	نزا	0
Apples, dried	ARTICLES	30	5	-	Ιž	2	١ġ		Œ
Apples, green			×	15		I E	12	12	JO
Biran			24		22	25	24	22	22
Harley	Apples, green	50			1		1::	::	::
Benns, white						::			20
Beans. Castor									
Buckwheat									
Broom Curn Seed. 46,464 64 64 64 64 64 64 64 64 64 64 64 64									
Beets	Buckwheat								
Carrots	Broom Corn Seed	46	46		46	140		40	
Charcoal 22(2) 22(00	٠.		٠.	٠.			
Coal, stone 80 80 80 80 80 80 80 80 40 Corne, shelled 56386 5656 5656 56 56 56 56 56 56 56 56 56 5						00			30
Coke 4038 5 40 Corn, shelled 5656565565656565656565656 Corn, ear 70 70 70 70 70 70 70 70 70 70 70 70 70 7	Cool stone	24				22			80
Corn. shelled 56556565656565656565656565656565656565				١٠.	١٠.	١٠.	00	١٠.	
Corn. ear 70707070706887070688 Corn Meal 48484850550550505050 Cranherries 32 4848485055055050505050 Cranherries 32 4848636505505050505050 Cranherries 32 486863633333333333333333333333333333333		50	20	èè	20	èè	ė ė	i è	
Corn Meal 48 48 48 50 50 50 50 50 50 50 50 50 50 50 50 50		70	70						
Cranherries 33 40 33 22 Dried Peaches 22 22 82 83 32 32 Flax Seed Head 56									
Dried Peaches 22 22 28 28 28 33 33 22 23 Flax Seed 56 56 56 56 56 56 56 56 56 56 56 56 56 5			40					30	00
Flax Seed. 56 56 56 56 56 56 56 56 56 56 56 56 56		93		100	28	33	23	39	33
Grass Seed, Pilue									
Grass Seed, Clover	Grace Sood Pluo	1.4	14	1.4	14	14	14		
Grass Seed, Hungarian		60	60	60					
Grass Seed, Millet. 5048550505050 50 50 60 60 60 60 60 60 60 60 60 60 60 60 60									
Grass Seed. Orchard. 14 14 14 14 14 14 14 14 14 14 14 14 14 14 14 1	Grass Seed Millet	50	48	50					
Grass Seed, Red Top 14114 14114 141 141 141 141 141 141 1	Grass Seed Orchard	14	14		14	114	14	14	1.4
Grass Seed. Timothy 45145 45145 4514 4514 4414 44 German Lupine 60 Hemp Sord 44 44 44 44 44 44 44 44 44 Malt. Barley 58 35 35 32 32 48 Malt. Barley 58 35 35 32 32 32 32 32 32 32 32 32 32 32 32 32	Grass Seed. Red Top	14	14					14	14
German Lupine 60	Grass Seed. Timothy	45	45	45	45	45	45	44	45
Hemp Seed	German Lupine	60						۱ ا	
Hickory Nuts 50 50 50 50 50 50 50 50 50 50 50 50 50									44
Malt. Barley 38 36 3438 3838 34 348 Mineral Coal 40 70 - 1 Middlings, fine 40 40 40 Middlings, coarse 30 32 32 22 23 32 32 32 32 32 32 32 32 32 3									
Middlings, fine	Malt, Barley	38	36	34	38	38	38	34	34
Middlings, coarse 30	Mineral Coal	401		١ ا		70		۱ ۱	
Middlings, coarse 30 301	Middlings, fine	40			١			۱ ا	
Önions 57157 5754 4485757 50 Onions, tops 282828282828282828282828282 Onions, sets 32 Onions, sets 32 Osage Orange 33 Parsnips 55 Potatoes 60 60 60 60 60 60 60 60 60 60 60 60 60 Potatoes, sweet 50 46 55 156 55 156 155 50 Peas, dried 60 60 60 60 60 60 60 60 60 60 60 60 60 6	Middlings, coarse	30						!	
Onions, tops 28 28 28 28 28 28 28 2	Oats	32	32					32	32
Onions, sets 32 Osage Orange 33 Porsnips 55 Portatoes 60,60,60,60,60,60,60,60,60,60,60,60,60,6	Onions	571	57	57	54	48	57		
Osage Orange 33	Onions, tops	28	28	28	28	28	28	28	25
Parsnips 551 5554 5554 Potatoes 6a000000000000000000000000000000000000	Onions, sets	32	٠.						٠.
Potatoes Iso/60/60/60/60/60/60/60/60/60/60/60/60/60/	Osage Orange	33	٠.						
Potatoes, sweet 55/46/55/56/56	Parsnips	55			٠ '				٠.
Peas, dried 60660606060606060606060606060606060606	Potatoes	60	60	60					60
Peas. in pod. 32 70 Popcorn 70 70 Quicklime 80 88 80 80 80 Recovered 50	Potatoes, sweet	50	46	55	56	55	56	55	
Popcorn	Peas, dried	60	60	60	60	60	60	60	60
Quicklime \$80880808080808080808080808080808080808	Peas, in pod	32	٠.						٠.
Rye 56566565656565656565656565656565656565	Popcorn	70	::	::	::	70	::	::	٠.
Salt, coarse 505095050505050505050505050505050505050	Quicklime	80!	80	80	80	80	80		
Salt, fine .555056565655650505650 Turnips, Rutabaga .555566585555556 Turnips, White .42 .42 Wheat .60606060606060606060	Rye	56	56	56	56	56	56		
Turnips, Rutabaga .5555566188555505560 Turnips, White 42	Sait, coarse	00	50	50	50	50	50	50	50
Turnips, White	Salt, fine	55	50	56	56	50	50	56	50
Wheat			55	56	58	55	50	55	60
	Turnips, white	اذذ	اذذ	42	::1			::1	::
		υU	οU	n U	011	00	0.01	60	60

Dry Measure. 2 pints, 1 quart; 8 quarts, 1 peck; 4 pecks, 1 bushel; 36 bushels, 1 chaldron.

Liquid Measure. 4 gills, 1 pint; 2 pints, 1 quart; 4 quarts, 1 gallon; 31½ gallons, 1 barrel; 2 barrels, 1 hogshead.

Measurements of an Acre. The following will be found useful in arriving at accuracy in estimating the amount of land in different pieces of ground under cultivation: 5 yards wide by 968 yards long, contains one acre, as do also the following measurements: 10 yards wide by 484 yards long; 20 yards wide by 242 yards long; 40 yards wide by 121 yards long; 70 yards wide by 69½ yards long; 60 feet wide by 726 feet long; 110 feet wide by 385 feet long; 120 feet wide by 385 feet long; 220 feet wide by 198 feet long; 240 feet wide by 1814 feet long, and 40 feet wide by 99 feet long.

Number of Plants or Trees to the Acre at Given Distances.

Dis. Apart.	No. Plants.	Dis. Apart.	No. Plants.
12x 1 in	522,720	36x36 in	4.480
	174,240	42x12 in	12,446
	43,560	42x24 in	6,223
	392,040	42x36 in	
18x 1 in	348,480	48x12 in	10.890
	116,160	48x18 in	
	29,040	48x24 in	
	19.360	48x30 in	
	313,635	48x36 in	
	15.681	48×48 in	
	261.360	60x36 in	
	15.520	60x48 in	
	209.088	8x 1 ft	
30x 6 in			
30x12 in		8x 3 ft 8x 8 ft	
30x16 in		10x 1 ft	
30x20 in		10x 6 ft	
30x24 in		10x10 ft	
30x30 in		12x 1 ft	
36x 3 in		12x 5 ft	
36 x 12 in		12x12 ft	
36x18 in		16x 1 ft	
36x24 jn	7,260	16x16 ft	

Quantity of Seed Requisite to Produce a Given Number of Plants and Sow an Acre.

Quantity per A	cre.
Artichokes, 1 oz. to 500 plants	oz.
Asparagus, 1 oz. to 800 plants 1	1b.
Asparagus Roots	7250
Barley	bu.
Beans, Dwarf, 1 pint to 100 ft. of drill	bu.
Beans, pole, 1 pint to 100 hills	bu.
Beet, mangel, 1 oz. to 100 ft. of drill	lbs.
Brogcoli 1 og to 5 000 plante	oz.
Brussels Sprouts, 1 oz. to 5,000 plants	oz.
Hrussels Sprouts, 1 oz. 10 5,000 plants 2 Buckwheat	bu.
Cabbage, 1 oz. to 3.000 plants	oz.
Carrot, 1/4 oz. to 100 ft. of drill	lbs.
Cauliflower, 1 oz. to 3.000 plants 2 1/2	oz.
Celery, 1 oz. to 15,000 plants 2	oz.
Celery 1-2, 1015,000 pants. 4 Chicory 4 Clover, Alsike and White Dutch 4 Clover, Luceure 15 to 25 Clover, Crimson Trefoil 10 to 5 Clover, Large Red and Medium 8 to 12	lbs.
Clover, Alsike and White Dutch	lbs.
Clover, Crimpun Trofoil 10 to 15	lbs.
Clover Large Red and Medium 8 to 12	lbs.
Collards, 1 oz. to 5,000 plants	oz.
Corn rice (shelled)	ats.
Corn. sweet. ¼ pint to 100 hills 6	qts.
Cress, 34 oz. to 100 feet of drill	lbs.
Cucumber, 1 oz. to 100 hills to 3	lbs.
Egg Plant. 1 oz. to 2.000 plants 4	oz.
Endive, 1/4 oz. to 100 ft. of drill 4 1/2	lbs.
Trans. broadcast	bu.
Garlic, buibs, 1 lb. to 19 ft. of drill	bu.
Grass, Diue, Rentucky	bu.
Grass, Blue, English	bu.
Grass, Mixes Lawn	bu.
Grass, Red Top, Fancy, Clean 8 to 10	lbs.
Grass, Red Top, Chaff Seed	lbs.
Grass, Timothy	bu.
Grass, Orchard, Perennial Rve. Fowl Meadow and	bu.
Grass, Orchard, Perennial Rye, Fowl Meadow and	bu. bu.
Grass, Orchard, Perennial Rye, Fowl Meadow and	bu. bu. bu.
Grass, Orchard, Perennial Rye, Fowl Meadow and Wood Meadow 2	bu. bu. bu.
Grass, Orchard, Perennial Rye, Fowl Meadow and Wood Meadow 2	bu. bu. bu. .000 oz.
Grass, Orchard, Perennial Rye, Fowl Meadow and Wood Meadow 2	bu. bu. bu. .000 oz. lbs.
Grass, Orchard, Perennial Rye, Fowl Meadow and Wood Meadow 2	bu. bu. bu. .000 oz.
Grass. Orchard. Perennial Rye. Fowl Meadow and Wood Meadow 2 Hemp	bu. bu. bu. 000 oz. lbs. lbs.
Grass, Orrehard, Perennial Rye, Fowl Meadow and Wood Meadow	bu. bu. i.000 oz. lbs. lbs. lbs. lbs.
Grass, Orrehard, Perennial Rye, Fowl Meadow and Wood Meadow 2 /2	bu. bu. bu. oz. lbs. lbs. lbs. lbs.
Grass, Orchard, Perennial Rye, Fowl Meadow and Wood Meadow 2 /2 /2	bu. bu. bu000 oz. lbs. lbs. lbs. lbs. lbs.
Grass, Orchard, Perennial Rye, Fowl Meadow and Wood Meadow 2 /2 /2	bu. bu. bu. i,000 oz. lbs. lbs. lbs. lbs. lbs. lbs.
Grass. Orchard. Perennial Rye. Fowl Meadow and Wood Meadow 2 Hemp	bu. bu. bu. i,000 oz. lbs. lbs. lbs. lbs. lbs. lbs. lbs. lbs
Grass. Orchard. Perennial Rye. Fowl Meadow and Wood Meadow 2 Hemp	bu. bu000 oz. lbs. lbs. lbs. lbs. lbs. lbs. lbs. lbs
Grass. Orchard. Perennial Rye. Fowl Meadow and 2 Wood Meadow 2 Hemp	bu. bu. 5000 oz. lbs. lbs. lbs. lbs. lbs. lbs. lbs. lbs
Grass. Orchard. Perennial Rye. Fowl Meadow and 2 Wood Meadow 2 Hemp	bu. bu. 5000 oz. 1bs. 1bs. 1bs. 1bs. 1bs. 1bs. 1bs. 1bs
Grass. Orchard. Perennial Rye. Fowl Meadow and 2 Wood Meadow 2 Hemp 2 ½ Hemp 2 ½ Hemp 2 ½ Horseradish Roots 10,000 to 11 Kale. 1 oz. to 5,000 plants. 2 10 Kale. 1 oz. to 5,000 plants. 3 10,000 to 11 Kale. 2 0z. to 100 ft. of drill. 4 Leek. ½ oz. to 100 ft. of drill. 5 Melor, Musk. 1 oz. to 100 ft. of drill. 5 Melon, Musk. 1 oz. to 100 ft. of drill. 1 ½ to 4 Nasturtium. 2 oz. to 100 ft. of drill. 1 ½ to 4 Nasturtium. 2 oz. to 100 ft. of drill. 1 ½ to 4 Onton Seed. ½ oz. to 100 ft. of drill. 4 to 5 Onion Seed. ½ oz. to 100 ft. of drill. 4 to 5 Onion Seed for sets. 4 40 to 8	bu. bu. 5000 oz. 1bs. 1bs. 1bs. 1bs. 1bs. 1bs. 1bs. 1bs
Grass. Orchard. Perennial Rye. Fowl Meadow and 2 Wood Meadow 2 Hemp 2 ½ Hemp 2 ½ Horseradish Roots 10,000 to 15 Kale. 1 oz. to 5,000 plants. 20.2 Exhirable, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 4 Leck. \$\frac{1}{2}\$ oz. to 100 ft. of drill. 4 Leck. \$\frac{1}{2}\$ oz. to 100 ft. of drill. 5 Marlynn, \$1 oz. to 100 ft. of drill. 5 Marlynn, \$1 oz. to 100 ft. of drill. 10 \$ Marlynn, \$1 oz. to 100 ft. of drill. 10 \$ Marlynn, \$1 oz. to 100 ft. of drill. 10 \$ Melon, Water 4 oz. to 100 hills. 11 ½ to 4 Nasturtium. 2 oz. to 100 ft. of drill. 15 Okra, \$1 oz. to 100 ft. of drill. 4 to 5 Onion Seed. \$\frac{1}{2}\$ oz. to 100 ft. of drill. 4 to 5 Onion Sets, \$1 quart to 40 ft. of drill. 8 Parsnip, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 8 Parsnip, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 8 Parsnip, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 8 Parsny, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 3 Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 3 Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 3 Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 3 Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 10 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 10 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 10 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 10 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 10 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 10 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 11 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 11 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 11 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 11 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 11 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 11 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 11 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 11 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 11 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 11 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 11 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 11 \$ Parsley, \$\frac{1}{2}\$ oz. to 100 ft. of drill. 11 \$ Parsle	bu. bu. 5000 oz. 1bs. 1bs. 1bs. 1bs. 1bs. 1bs. 1bs. 1bs
Grass. Orchard. Perennial Rye. Fowl Meadow and Wood Meadow 2 Hemp	bu. bu. bu. oz. lbs. lbs. lbs. lbs. lbs. lbs. lbs. bu. lbs. oz.
Grass. Orchard. Perennial Rye. Fowl Meadow and 2 Wood Meadow 2 Hemp 2/2 Hemp 2/2 Herseradish Roots 10,000 to 15 Kale. 1 oz. to 5,000 plants. 10,000 to 15 Kale. 1 oz. to 5,000 plants. 10,000 to 15 Kale. 1 oz. to 5,000 plants. 10,000 to 15 Lettuce, ½ oz. to 100 ft. of drill. 4 Leck. ½ oz. to 100 ft. of drill. 3 Martynia. 1 oz. to 100 ft. of drill. 15 Martynia. 1 oz. to 100 ft. of drill. 15 Martynia. 1 oz. to 100 ft. of drill. 15 Martynia. 1 oz. to 100 ft. of drill. 15 Okra. 1 oz. to 100 ft. of drill. 15 Okra. 1 oz. to 100 ft. of drill. 15 Onion Seed. ½ oz. to 100 ft. of drill. 4 to 5 Onion Seed for sets 16 Onion Sets. 1 quart to 40 ft. of drill. 18 Parsnip. ½ oz. to 100 ft. of drill. 18 Parsnip. ½ oz. to 100 ft. of drill. 18 Parsnip. ½ oz. to 100 ft. of drill. 18 Parsnip. ½ oz. to 100 ft. of drill. 18 Parsnip. ½ oz. to 100 ft. of drill. 18 Pass, garfield. 10 ft. of drill. 10 Pass, garfield. 10 ft. 100 ft. of drill. 15 Pass, field. 20, 1500 plants. 3 Parobeltas 2, to 1500 plants. 3	bu. bu. bu000 oz. lbs. lbs. lbs. lbs. lbs. lbs. lbs. lbs
Grass. Orchard. Perennial Rye. Fowl Meadow and Wood Meadow 2 Hemp	bu. bu. bu. bu. bu. bu. bu. booz. lbs. lbs. lbs. lbs. lbs. lbs. lbs. lbs
Grass. Orchard. Perennial Rye. Fowl Meadow and Wood Meadow 2 Hemp 2 ½ Hemp 2 ½ Herseradish Roots 10,000 to 15 Kale. 1 oz. to 5,000 plants 10,000 to 15 Kale. 1 oz. to 5,000 plants 10,000 to 12 Leek. ½ oz. to 100 ft. of drill 4 Leek. ½ oz. to 100 ft. of drill 5 Melon, Musk. 1 oz. to 100 ft. of drill 5 Melon, Water. 4 oz. to 100 hills 11 to 3 Melon, Water. 4 oz. to 100 hills 11 to 3 Melon, Water. 4 oz. to 100 hills 11 to 3 Melon, Water. 4 oz. to 100 hills 11 to 3 Melon, Water. 4 oz. to 100 hills 11 to 3 Melon Water. 4 oz. to 100 hills 11 to 3 Melon Water. 4 oz. to 100 hills 11 to 3 Melon Water. 4 oz. to 100 hills 11 to 3 Melon Water. 4 oz. to 100 hills 11 to 3 Melon Water. 4 oz. to 100 hills 11 to 3 Melon Water. 4 oz. to 100 ft. of drill 1 to 5 Onion Seed. ½ oz. to 100 ft. of drill 8 Parsnip. ½ oz. to 100 ft. of drill 8 Parsnip. ½ oz. to 100 ft. of drill 3 Parse, garden, 1 pint to 100 ft. of drill 1 to 3 Peas, garden, 1 pint to 100 ft. of drill 1 to 3 Peas, field 2 Pepper, 1 oz. to 1.500 plants 3 Pumpkins. ¾ quart to 100 hills 3 Pumpkins. ¾ quart to 100 hills 3 1 to 11 1 to 11	bu.
Grass. Orchard. Perennial Rye. Fowl Meadow and Wood Meadow 2 Hemp 2 ½ Hemp 2 ½ Herseradish Roots 10,000 to 15 Kale. 1 oz. to 5,000 plants 10,000 to 15 Kale. 1 oz. to 5,000 plants 10,000 to 12 Leek. ½ oz. to 100 ft. of drill 4 Leek. ½ oz. to 100 ft. of drill 5 Melon, Musk. 1 oz. to 100 ft. of drill 5 Melon, Water. 4 oz. to 100 hills 11 to 3 Melon, Water. 4 oz. to 100 hills 11 to 3 Melon, Water. 4 oz. to 100 hills 11 to 3 Melon, Water. 4 oz. to 100 hills 11 to 3 Melon, Water. 4 oz. to 100 hills 11 to 3 Melon Water. 4 oz. to 100 hills 11 to 3 Melon Water. 4 oz. to 100 hills 11 to 3 Melon Water. 4 oz. to 100 hills 11 to 3 Melon Water. 4 oz. to 100 hills 11 to 3 Melon Water. 4 oz. to 100 hills 11 to 3 Melon Water. 4 oz. to 100 ft. of drill 1 to 5 Onion Seed. ½ oz. to 100 ft. of drill 8 Parsnip. ½ oz. to 100 ft. of drill 8 Parsnip. ½ oz. to 100 ft. of drill 3 Parse, garden, 1 pint to 100 ft. of drill 1 to 3 Peas, garden, 1 pint to 100 ft. of drill 1 to 3 Peas, field 2 Pepper, 1 oz. to 1.500 plants 3 Pumpkins. ¾ quart to 100 hills 3 Pumpkins. ¾ quart to 100 hills 3 1 to 11 1 to 11	bu. bu. bu. bu. bu. bu. bu. bu. bu. boz. lbs. lbs. lbs. lbs. lbs. lbs. bu. lbs. bu. bu. bu. bu. bu. bu. bu. bu. bu. bu
Grass Orchard Perennial Rye, Fowl Meadow and Wood Meadow 2	bu. bu. bu. bu000 oz. lbs. lbs. lbs. lbs. lbs. lbs. lbs. lbs
Grass. Orchard. Perennial Rye. Fowl Meadow and 2 Wood Meadow 2 Jemp 2 Je	bu.
Grass. Orchard. Perennial Rye. Fowl Meadow and 2 Wood Meadow 2 Jemp 2 Je	bu. bu. bu. bu. bu. coz. lbs. lbs. lbs. lbs. lbs. lbs. lbs. lbs
Grass. Orchard. Perennial Rye. Fowl Meadow and 2 Wood Meadow 2 Jemp 2 Je	bu. bu. bu. bu. bu. coz. lbs. lbs. lbs. lbs. lbs. lbs. bu. lbs. bu. bu. bu. lbs. lbs. lbs. lbs. lbs.
Grass. Orchard. Perennial Rye. Fowl Meadow and 2 Wood Meadow 2 Jemp 2 Je	bu. bu. bu. bu. bu. coz. lbs. lbs. lbs. lbs. lbs. lbs. lbs. lbs
Grass. Orchard. Perennial Rye. Fowl Meadow and 2 Wood Meadow 1 Wood Meadow 2 1 Hemp. 2 1/2 Hemp. 2 1/2 Hemp. 2 1/2 Hemp. 2 1/2 Herseradish Roots. 10.000 to 1 Kale. 1 oz. to 5.000 plants. 2 1 KKle. 1 oz. to 5.000 plants. 2 1 KKle. 1 oz. to 5.000 plants. 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	bu. bu. bu. bu. bu. 0000 oz. lbs. lbs.
Grass. Orchard. Perennial Rye. Fowl Meadow and Wood Meadow 2 Hemp	bu. bu. bu. bu. oz. lbs. lbs. lbs. lbs. lbs. lbs. lbs. lbs
Grass. Orchard. Perennial Rye. Fowl Meadow and Wood Meadow Wood Meadow Wood Meadow 2 Hemp	bu. bu.,000 oz. lbs.,lbs.,lbs.,lbs.,lbs.,lbs.,lbs.,lbs.,

Average Time Required for Garden Seeds to Germinate.

Attended to the formation of the	
Days.	Days.
Beans 5 to 10	
Beets 7 to 10	Onion 7 to 10
Cabbage 5 to 10	Pea 6 to 10
Carrot	Parsnip 10 to 20
Cauliflower 5 to 10	Pepper 9 to 14
Celery	Radish 3 to 6
Corn 5 to 8	Salsify 7 to 12
	Tomato 6 to 12
Endive 5 to 10	Turnip 4 to 8

Time Required for Maturity of Different Garden Crops Reckoned from the Day of Sowing the Seed.

Days. 1		ays.
Beans, String45 to 65 Melon, Musk120	to	140
Beans, Shell65 to 70 Melon, Water120	to	140
Beets, Turnip 65 Onion	to	150
Beets, Long Blood 150 Pepper140	to	150
Cabbage, Early 105 Radish 30	to	45
Cabbage, Late 150 Squash, Summer 60	to	6.5
Cauliflower Squash, Winter		125
Corn 75 Tomato		
Eggplant 150 to 160 Turnip 60	to	7.0
Lettuce		

